


LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

[illegible]

STERLING CRANE



Folding Fly, 20° Offset, 40' Extension

				ft > lbs		CODE >0068<		L133 0220 .x(x)	
	 ft	184	197						
18									
20									
22									
24									
26									
28									
30									
32									
34									
36									
38									
40									
45									
50									
55		10,700	9,300						
60		10,400	9,100						
65		8,300	8,100						
70		6,500	6,500						
75									
80									
85									
90									
* n *		1	1						
1		92-	100-						
2		92-	100-						
3		92-	100-						
4		92-	100-						
5		92-	100-						
 %									
 ft/s		23	23						
TAB 133		077	077						

STERLING CRANE

Folding Fly, 20° Offset, 40' Extension

	 ft > < lbs CODE >0069< L133 0320 .x(x)									
	43	141	141	157	157	157	171	171	184	197
18	30,900									
20	30,700									
22	29,600									
24	28,600									
26	27,700									
28	26,800									
30	26,000									
32	25,200									
34	24,500									
36	23,800									
38	23,200									
40	22,600									
45	21,300	28,700	27,100	28,700	28,000	26,500				
50	20,300	27,800	26,400	27,200	27,300	25,900	25,800	25,400		
55	19,200	26,000	25,600	24,500	25,500	25,200	24,000	24,500	21,000	19,400
60	17,800	23,200	24,600	21,000	22,700	24,200	20,600	22,500	20,500	19,100
65	16,000	20,100	22,900	18,000	19,700	21,300	17,700	19,600	17,700	17,400
70	14,300	17,500	20,500	15,500	17,200	18,800	15,300	17,200	15,300	15,200
75		15,200	18,200	13,200	15,000	16,500	13,100	15,000	13,200	13,100
80		13,200	16,100	11,200	13,000	14,500	11,200	13,100	11,400	11,300
85		11,400	14,300	9,500	11,200	12,800	9,500	11,400	9,700	9,700
90		9,800	12,700	8,000	9,700	11,200	8,000	9,900	8,300	8,200
95		8,400	11,300	6,600	8,300	9,900	6,700	8,500	6,900	6,900
100		7,100	10,000	5,400	7,100	8,600	5,400	7,300	5,700	5,700
105		5,900	8,800		5,900	7,400		6,200		
110		4,900	7,800		4,900	6,400		5,200		
115			6,800			5,500		4,300		
120			5,900			4,600				
125			5,100							
130			4,400							
135			3,700							
* n *	2	2	2	2	2	2	2	2	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	076	076	076	076	076	076	076	076	076	076

	T	K 20° 40ft	 26,500 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	--	---	--	--

STERLING CRANE

Folding Fly, 20° Offset, 40' Extension

 ft	 ft > < lbs		CODE >0069< L133 0320 .x(x)							
	184	197								
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50										
55	13,400	9,300								
60	13,200	9,100								
65	12,300	8,100								
70	11,400	7,200								
75	10,500	6,400								
80	9,800	5,700								
85	9,000	5,000								
90	8,100	4,300								
95	6,900	3,700								
100	5,700									
105										
110										
115										
120										
125										
130										
135										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	076	076								


T

K 20°

40ft



26,500
lbs




29 x
27
ft




360°

STERLING CRANE


Folding Fly, 20° Offset, 40' Extension

 ft	 ft < lbs		CODE >0070< L133 0420 .x(x)							
	43	141	141	157	157	157	171	171	184	197
18	30,900									
20	30,700									
22	29,600									
24	28,600									
26	27,700									
28	26,800									
30	26,000									
32	25,200									
34	24,500									
36	23,800									
38	23,200									
40	22,600									
45	21,300	28,700	27,100	28,700	28,000	26,500				
50	20,300	27,800	26,400	27,800	27,300	25,900	26,500	25,400		
55	19,200	26,900	25,600	26,900	26,500	25,200	26,200	25,200	22,900	19,400
60	17,800	26,100	24,800	26,100	25,600	24,600	25,600	24,800	22,900	19,300
65	16,000	25,000	24,100	25,200	24,800	23,900	24,800	24,100	22,500	19,000
70	14,300	24,400	23,500	23,900	24,200	23,200	23,500	23,400	22,200	18,700
75		23,200	22,800	21,800	22,900	22,600	21,600	22,500	21,000	18,200
80		21,300	22,100	19,300	21,100	21,700	19,100	21,000	19,200	17,700
85		19,100	21,200	17,100	18,800	20,300	17,000	18,900	17,100	16,900
90		17,100	19,800	15,200	16,900	18,400	15,100	17,000	15,300	15,200
95		15,300	18,200	13,500	15,200	16,700	13,400	15,300	13,600	13,500
100		13,700	16,600	11,900	13,600	15,100	11,900	13,700	12,100	12,000
105		12,200	15,100	10,400	12,100	13,600	10,400	12,300	10,700	10,700
110		10,900	13,700	9,200	10,800	12,400	9,200	11,100	9,500	9,400
115		9,700	12,400	8,000	9,700	11,200	8,000	9,900	8,300	8,300
120		8,600	11,200	6,900	8,600	10,100	6,900	8,800	7,300	7,300
125		7,500	10,100	5,900	7,600	9,100	6,000	7,800	6,300	6,300
130		6,500	9,000	4,900	6,600	8,100	5,100	6,900	5,400	5,400
135		5,600	8,100	4,100	5,800	7,200	4,200	6,100	4,600	4,600
140		4,700	7,200		5,000	6,300		5,300	3,800	3,800
145		3,900	6,400		4,200	5,500		4,600		
150		3,200	5,700		3,500	4,800		3,900		
155			5,000			4,100		3,300		
160			4,400			3,500				
* n *	2	2	2	2	2	2	2	2	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	075	075	075	075	075	075	075	075	075	075

	T	K 20° 40ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE


Folding Fly, 20° Offset, 40' Extension

[illegible]

STERLING CRANE

Folding Fly, 20° Offset, 40' Extension



 ft	 ft > < lbs		CODE >0070< L133 0420 .x(x)							
	184	197								
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50										
55	13,400	9,300								
60	13,200	9,100								
65	12,300	8,100								
70	11,400	7,200								
75	10,500	6,400								
80	9,800	5,700								
85	9,000	5,000								
90	8,400	4,300								
95	7,800	3,700								
100	7,200									
105	6,600									
110	6,100									
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,600									
145										
150										
155										
160										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	075	075								

	T	K 20° 40ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE


Folding Fly, 20° Offset, 40' Extension

 ft	 ft > < lbs									
	43	141	141	157	157	157	171	171	184	197
18	30,900									
20	30,700									
22	29,600									
24	28,600									
26	27,700									
28	26,800									
30	26,000									
32	25,200									
34	24,500									
36	23,800									
38	23,200									
40	22,600									
45	21,300	28,700	27,100	28,700	28,000	26,500				
50	20,300	27,800	26,400	27,800	27,300	25,900	26,500	25,400		
55	19,200	26,900	25,600	26,900	26,500	25,200	26,200	25,200	22,900	19,400
60	17,800	26,100	24,800	26,100	25,600	24,600	25,600	24,800	22,900	19,300
65	16,000	25,000	24,100	25,200	24,800	23,900	24,800	24,100	22,500	19,000
70	14,300	24,400	23,500	24,600	24,200	23,200	24,100	23,400	22,200	18,700
75		23,700	22,800	23,900	23,500	22,600	23,500	22,800	21,700	18,200
80		23,100	22,100	23,300	22,800	21,900	23,000	22,100	21,000	17,700
85		22,500	21,200	22,500	22,400	21,200	22,500	21,200	20,300	17,200
90		21,900	20,300	21,800	21,900	20,400	21,700	20,400	19,600	16,900
95		21,300	19,200	20,300	21,200	19,500	20,200	19,700	19,000	16,500
100		20,300	18,300	18,400	20,100	18,700	18,300	18,900	18,100	16,100
105		18,500	17,500	16,600	18,400	17,800	16,600	18,100	16,800	15,600
110		16,800	16,600	15,100	16,800	17,100	15,100	16,900	15,300	15,000
115		15,200	15,800	13,700	15,400	16,300	13,700	15,500	13,900	13,900
120		13,700	15,200	12,400	14,000	15,300	12,400	14,300	12,600	12,600
125		12,400	14,500	11,100	12,600	14,000	11,200	13,000	11,500	11,400
130		11,100	13,600	9,900	11,400	12,800	10,100	11,900	10,400	10,400
135		10,000	12,600	8,800	10,300	11,600	9,100	10,800	9,400	9,400
140		9,000	11,500	7,800	9,300	10,600	8,100	9,800	8,500	8,400
145		8,000	10,600	6,800	8,300	9,600	7,200	8,800	7,600	7,600
150		7,100	9,700	5,900	7,400	8,700	6,300	7,900	6,800	6,800
155		6,300	8,800	5,100	6,600	7,900	5,500	7,100	6,000	6,000
160		5,500	8,100	4,400	5,800	7,200	4,700	6,400	5,300	5,300
* n *	2	2	2	2	2	2	2	2	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	074	074	074	074	074	074	074	074	074	074

	T	K 20° 40ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	--	---	--	--

STERLING CRANE


Folding Fly, 20° Offset, 40' Extension

[illegible]

STERLING CRANE

Folding Fly, 20° Offset, 40' Extension


 ft	 ft > < lbs		CODE >0072< L133 0520 .x(x)							
	184	197								
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50										
55	13,400	9,300								
60	13,200	9,100								
65	12,300	8,100								
70	11,400	7,200								
75	10,500	6,400								
80	9,800	5,700								
85	9,000	5,000								
90	8,400	4,300								
95	7,800	3,700								
100	7,200									
105	6,600									
110	6,100									
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,700									
145	3,400									
150	3,100									
155	2,800									
160										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	074	074								


	T	K 20° 40ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

	 CODE >0074< L133 0620 .x(x)									
	43	141	141	157	157	157	171	171	184	197
18	34,000									
20	33,800									
22	32,600									
24	31,500									
26	30,500									
28	29,500									
30	28,600									
32	27,700									
34	26,900									
36	26,200									
38	25,500									
40	24,900									
45	23,400	31,500	29,800	31,500	30,800	29,100				
50	22,300	30,600	29,100	30,600	30,100	28,500	29,100	27,900		
55	21,100	29,600	28,200	29,600	29,100	27,800	28,800	27,700	25,200	21,300
60	19,500	28,700	27,300	28,700	28,200	27,000	28,200	27,300	25,200	21,300
65	17,600	27,600	26,500	27,800	27,300	26,300	27,300	26,500	24,800	20,900
70	15,700	26,800	25,800	27,000	26,600	25,500	26,500	25,800	24,400	20,500
75		26,100	25,100	26,300	25,800	24,800	25,900	25,100	23,900	20,100
80		25,400	24,300	25,600	25,100	24,100	25,300	24,300	23,100	19,500
85		24,700	23,300	24,800	24,600	23,300	24,700	23,300	22,300	19,000
90		24,100	22,300	24,300	24,000	22,400	24,200	22,500	21,600	18,600
95		23,400	21,200	23,700	23,500	21,500	23,700	21,600	20,800	18,200
100		22,900	20,100	23,000	22,900	20,500	23,000	20,800	20,100	17,700
105		22,500	19,200	21,900	22,100	19,600	21,800	19,900	19,500	17,200
110		21,700	18,300	20,100	21,300	18,800	20,100	19,100	18,800	16,800
115		20,300	17,400	18,500	20,100	18,000	18,500	18,400	18,200	16,300
120		18,800	16,700	17,000	18,700	17,300	17,000	17,700	17,200	15,900
125		17,400	16,000	15,600	17,300	16,500	15,600	17,100	15,800	15,500
130		16,000	15,300	14,300	16,000	15,800	14,300	16,100	14,600	14,500
135		14,700	14,600	13,100	14,800	15,000	13,100	15,000	13,400	13,400
140		13,500	14,000	12,000	13,700	14,300	12,000	13,900	12,400	12,300
145		12,300	13,300	10,900	12,600	13,600	11,000	12,900	11,300	11,300
150		11,200	12,900	9,800	11,500	12,900	10,100	12,000	10,400	10,400
155		10,200	12,400	8,800	10,500	12,000	9,200	11,000	9,500	9,500
160		9,200	11,800	7,900	9,500	11,000	8,300	10,100	8,700	8,700
* n *	2	2	2	2	2	2	2	2	2	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
	23	23	23	23	23	23	23	23	23	23
TAB 133	212	212	212	212	212	212	212	212	212	212

	T	K 20° 40ft					
--	---	---------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

 ft	 ft> < lbs		CODE >0074<				L133 0620 .x(x)			
	43	141	141	157	157	157	171	171	184	197
165		8,300	11,100	7,000	8,600	10,100	7,400	9,200	7,900	7,900
170		7,400	10,300	6,100	7,800	9,300	6,500	8,400	7,100	7,200
175				5,300	7,000	8,500	5,800	7,600	6,400	6,500
180					6,300	7,800	5,000	6,900	5,600	5,700
185							4,300	6,200	5,000	5,000
190							3,700	5,500	4,300	4,400
195								4,900	3,700	3,800
200									3,100	3,200

T


K 20°

40ft



99,200

lbs



29 x

27

ft



360°

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

 ft	 ft > < lbs		CODE >0074< L133 0620 .x(x)							
	184	197								
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50										
55	13,400	9,300								
60	13,200	9,100								
65	12,300	8,100								
70	11,400	7,200								
75	10,500	6,400								
80	9,800	5,700								
85	9,000	5,000								
90	8,400	4,300								
95	7,800	3,700								
100	7,200									
105	6,600									
110	6,100									
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,700									
145	3,400									
150	3,100									
155	2,800									
160										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	212	212								


T

K 20°

40ft



99,200
lbs



29 x
27
ft






360°

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

	CODE >0074<						L133 0620 .x(x)			
ft 	184	197								
165										
170										
175										
180										
185										
190										
195										
200										
* n *	1	1								
1 2 3 4 5  %	92- 92- 92- 92- 92-	100- 100- 100- 100- 100-								
 ft/s	23	23								
TAB 133	212	212								

The diagram shows a room layout with the following objects and dimensions:



- A table with a top width of 29 ft and a height of 27 ft.
- A chair with a seat height of 18 in.
- A lamp with a height of 24 in.
- A plant with a height of 24 in.
- A rug with a length of 40 ft and a width of 20 ft.
- A clock with a diameter of 12 in.
- A picture with a width of 12 in.
- A mirror with a width of 12 in.
- A door with a height of 6 ft 6 in.
- A window with a height of 6 ft 6 in.

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

 ft	 ft > < lbs CODE >0076< L133 0720 .x(x)									
	43	141	141	157	157	157	171	171	184	197
18	34,000									
20	33,800									
22	32,600									
24	31,500									
26	30,500									
28	29,500									
30	28,600									
32	27,700									
34	26,900									
36	26,200									
38	25,500									
40	24,900									
45	23,400	31,500	29,800	31,500	30,800	29,100				
50	22,300	30,600	29,100	30,600	30,100	28,500	29,100	27,900		
55	21,100	29,600	28,200	29,600	29,100	27,800	28,800	27,700	25,200	21,300
60	19,500	28,700	27,300	28,700	28,200	27,000	28,200	27,300	25,200	21,300
65	17,600	27,600	26,500	27,800	27,300	26,300	27,300	26,500	24,800	20,900
70	15,700	26,800	25,800	27,000	26,600	25,500	26,500	25,800	24,400	20,500
75		26,100	25,100	26,300	25,800	24,800	25,900	25,100	23,900	20,100
80		25,400	24,300	25,600	25,100	24,100	25,300	24,300	23,100	19,500
85		24,700	23,300	24,800	24,600	23,300	24,700	23,300	22,300	19,000
90		24,100	22,300	24,300	24,000	22,400	24,200	22,500	21,600	18,600
95		23,400	21,200	23,700	23,500	21,500	23,700	21,600	20,800	18,200
100		22,900	20,100	23,200	22,900	20,500	23,100	20,800	20,100	17,700
105		22,500	19,200	22,800	22,100	19,600	22,300	19,900	19,500	17,200
110		22,000	18,300	22,200	21,300	18,800	21,600	19,100	18,800	16,800
115		21,500	17,400	21,700	20,400	18,000	20,700	18,400	18,200	16,300
120		20,900	16,700	21,100	19,500	17,300	19,800	17,700	17,600	15,900
125		20,300	16,000	20,200	18,600	16,500	18,900	17,100	17,000	15,500
130		19,600	15,300	18,900	17,800	15,800	18,000	16,500	16,400	15,000
135		18,800	14,600	17,600	17,000	15,000	17,100	15,800	15,900	14,500
140		17,800	14,000	16,400	16,300	14,300	16,200	15,100	15,300	14,100
145		16,400	13,300	15,100	15,600	13,600	15,300	14,400	14,800	13,500
150		15,200	12,900	13,900	15,100	12,900	14,200	13,800	14,200	12,900
155		14,000	12,400	12,700	14,200	12,400	13,100	13,300	13,400	12,300
160		12,900	12,000	11,600	13,300	11,900	12,000	12,800	12,500	11,800
* n *	2	2	2	2	2	2	2	2	2	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	211	211	211	211	211	211	211	211	211	211

	T	K 20° 40ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	---	--	--	--

STERLING CRANE

85%


Folding Fly, 20° Offset, 40' Extension

 ft	 ft > < lbs		CODE >0076< L133 0720 .x(x)							
	184	197								
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50										
55	13,400	9,300								
60	13,200	9,100								
65	12,300	8,100								
70	11,400	7,200								
75	10,500	6,400								
80	9,800	5,700								
85	9,000	5,000								
90	8,400	4,300								
95	7,800	3,700								
100	7,200									
105	6,600									
110	6,100									
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,700									
145	3,400									
150	3,100									
155	2,800									
160										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	211	211								


T

K 20°

40ft



125,700
lbs



29 x
27
ft





360°

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

			 ft > lbs	CODE \0076\		L133 0720 .x(x)				
	ft	184	197							
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
* n *		1	1							
1		92-	100-							
2		92-	100-							
3		92-	100-							
4		92-	100-							
5		92-	100-							
 %										
 ft/s		23	23							
TAB 133		211	211							

The diagram shows a room layout with the following elements:


- A table labeled "T" with a chair labeled "K 20°" and "40ft" next to it.
- A hanging scale labeled "125,700 lbs".
- A table labeled "29 x 27 ft".
- A circular arrow indicating a 360° rotation.

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

	 ft > < lbs CODE >0078< L133 0820 .x(x)									
	43	141	141	157	157	157	171	171	184	197
18	34,000									
20	33,800									
22	32,600									
24	31,500									
26	30,500									
28	29,500									
30	28,600									
32	27,700									
34	26,900									
36	26,200									
38	25,500									
40	24,900									
45	23,400	31,500	29,800	31,500	30,800	29,100				
50	22,300	30,600	29,100	30,600	30,100	28,500	29,100	27,900		
55	21,100	29,600	28,200	29,600	29,100	27,800	28,800	27,700	25,200	21,300
60	19,500	28,700	27,300	28,700	28,200	27,000	28,200	27,300	25,200	21,300
65	17,600	27,600	26,500	27,800	27,300	26,300	27,300	26,500	24,800	20,900
70	15,700	26,800	25,800	27,000	26,600	25,500	26,500	25,800	24,400	20,500
75		26,100	25,100	26,300	25,800	24,800	25,900	25,100	23,900	20,100
80		25,400	24,300	25,600	25,100	24,100	25,300	24,300	23,100	19,500
85		24,700	23,300	24,800	24,600	23,300	24,700	23,300	22,300	19,000
90		24,100	22,300	24,300	24,000	22,400	24,200	22,500	21,600	18,600
95		23,400	21,200	23,700	23,500	21,500	23,700	21,600	20,800	18,200
100		22,900	20,100	23,200	22,900	20,500	23,100	20,800	20,100	17,700
105		22,500	19,200	22,800	22,100	19,600	22,300	19,900	19,500	17,200
110		22,000	18,300	22,200	21,300	18,800	21,600	19,100	18,800	16,800
115		21,500	17,400	21,700	20,400	18,000	20,700	18,400	18,200	16,300
120		20,900	16,700	21,100	19,500	17,300	19,800	17,700	17,600	15,900
125		20,300	16,000	20,300	18,600	16,500	18,900	17,100	17,000	15,500
130		19,600	15,300	19,300	17,800	15,800	18,000	16,500	16,400	15,000
135		18,800	14,600	18,400	17,000	15,000	17,100	15,800	15,900	14,500
140		18,000	14,000	17,400	16,300	14,300	16,300	15,100	15,300	14,100
145		17,300	13,300	16,500	15,600	13,600	15,500	14,400	14,800	13,500
150		16,500	12,900	15,500	15,100	12,900	14,800	13,800	14,200	12,900
155		15,900	12,400	14,800	14,500	12,400	14,100	13,300	13,600	12,300
160		15,100	12,000	14,000	13,900	11,900	13,400	12,800	13,000	11,800
* n *	2	2	2	2	2	2	2	2	2	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	210	210	210	210	210	210	210	210	210	210

	T	K 20° 40ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 40' Extension

 ft	 ft > < lbs		CODE >0078< L133 0820 .x(x)							
	184	197								
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50										
55	13,400	9,300								
60	13,200	9,100								
65	12,300	8,100								
70	11,400	7,200								
75	10,500	6,400								
80	9,800	5,700								
85	9,000	5,000								
90	8,400	4,300								
95	7,800	3,700								
100	7,200									
105	6,600									
110	6,100									
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,700									
145	3,400									
150	3,100									
155	2,800									
160										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	210	210								


T

K 20°

40ft



152,100
lbs



29 x
27
ft



360°

24