








STERLING CRANE



Folding Fly, 20° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0081<		L133 0321 .x(x)				
	184	197							
36									
38									
40									
45									
50									
55									
60									
65									
70	11,400								
75	10,900	6,200							
80	10,200	6,100							
85	9,400	5,400							
90	8,700	4,700							
95	8,100	4,100							
100	7,500	3,500							
105	6,800								
110	5,800								
115	4,800								
120	3,900								
125									
130									
135									
140									
145									
150									
* n *	1	1							
1	92-	100-							
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 %									
 ft/s	23	23							
TAB 133	076	076							

	T	K 20° 72ft	 26,500 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE





Folding Fly, 20° Offset, 72' Extension


 ft	 ft > < lbs			CODE >0082< L133 0421 .x(x)						
	43	141	141	157	157	157	171	171	184	197
36	13,900									
38	13,800									
40	13,600									
45	12,900									
50	12,400									
55	11,900	13,200	12,600							
60	11,400	13,200	12,600							
65	11,100	13,200	12,600	13,000	12,800	12,400	12,400	11,900		
70	10,700	13,100	12,400	12,900	12,600	12,200	12,200	11,900	11,500	
75	10,400	12,800	12,200	12,600	12,400	12,000	12,000	11,800	11,400	10,600
80	10,100	12,500	11,900	12,300	12,100	11,800	11,900	11,600	11,400	10,600
85	9,700	12,200	11,700	11,900	12,000	11,500	11,800	11,500	11,200	10,600
90	9,400	12,000	11,600	11,800	11,800	11,300	11,600	11,300	11,000	10,400
95	9,100	11,700	11,400	11,600	11,500	11,200	11,400	11,100	10,900	10,400
100	8,800	11,400	11,200	11,400	11,200	11,000	11,200	10,900	10,700	10,300
105		11,200	11,000	11,200	11,000	10,900	11,000	10,800	10,500	10,200
110		11,100	10,800	11,100	10,900	10,700	10,800	10,600	10,400	10,100
115		10,900	10,600	10,300	10,800	10,500	10,100	10,500	9,900	9,500
120		10,500	10,400	9,200	10,300	10,400	9,100	10,200	9,200	8,800
125		9,600	10,300	8,100	9,500	10,200	8,000	9,600	8,200	7,800
130		8,700	10,200	7,200	8,500	9,600	7,100	8,600	7,200	6,800
135		7,800	9,700	6,300	7,600	8,900	6,200	7,700	6,400	6,000
140		6,900	9,100	5,400	6,800	8,000	5,400	6,900	5,600	5,200
145		6,100	8,200	4,600	6,000	7,300	4,600	6,200	4,800	4,500
150		5,400	7,400	3,900	5,300	6,500	3,900	5,400	4,100	3,700
155		4,700	6,700	3,200	4,600	5,800	3,200	4,800	3,500	3,100
160		4,000	6,000		4,000	5,200		4,200		
165		3,300	5,400		3,400	4,500		3,600		
170		2,700	4,800		2,800	3,900		3,000		
175			4,200			3,400				
180			3,700			2,800				
185			3,100							
190			2,700							
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	075	075	075	075	075	075	075	075	075	075

	T	K 20°	52,900 lbs	29 x 27 ft	360°		
--	---	-------	------------	------------	------	--	--

STERLING CRANE

Folding Fly, 20° Offset, 72' Extension





 ft	 ft > < lbs			CODE >0084< L133 0521 .x(x)						
	43	141	141	157	157	157	171	171	184	197
36	13,900									
38	13,800									
40	13,600									
45	12,900									
50	12,400									
55	11,900	13,200	12,600							
60	11,400	13,200	12,600							
65	11,100	13,200	12,600	13,000	12,800	12,400	12,400	11,900		
70	10,700	13,100	12,400	12,900	12,600	12,200	12,200	11,900	11,500	
75	10,400	12,800	12,200	12,600	12,400	12,000	12,000	11,800	11,400	10,600
80	10,100	12,500	11,900	12,300	12,100	11,800	11,900	11,600	11,400	10,600
85	9,700	12,200	11,700	11,900	12,000	11,500	11,800	11,500	11,200	10,600
90	9,400	12,000	11,600	11,800	11,800	11,300	11,600	11,300	11,000	10,400
95	9,100	11,700	11,400	11,600	11,500	11,200	11,400	11,100	10,900	10,400
100	8,800	11,400	11,200	11,400	11,200	11,000	11,200	10,900	10,700	10,300
105		11,200	11,000	11,200	11,000	10,900	11,000	10,800	10,500	10,200
110		11,100	10,800	11,100	10,900	10,700	10,800	10,600	10,400	10,100
115		10,900	10,600	10,900	10,800	10,500	10,700	10,500	10,300	9,900
120		10,700	10,400	10,700	10,600	10,400	10,500	10,300	10,100	9,800
125		10,600	10,300	10,500	10,400	10,200	10,400	10,200	10,000	9,700
130		10,400	10,200	10,400	10,300	10,100	10,200	10,000	9,900	9,600
135		10,300	10,000	10,200	10,200	10,000	10,100	9,900	9,800	9,500
140		10,100	9,900	9,900	10,100	9,900	9,700	9,800	9,600	9,200
145		9,900	9,700	9,100	9,900	9,700	9,100	9,700	9,200	8,800
150		9,300	9,600	8,300	9,400	9,500	8,200	9,600	8,400	8,000
155		8,500	9,400	7,400	8,600	9,300	7,400	8,900	7,600	7,200
160		7,700	9,100	6,600	7,800	8,900	6,700	8,100	6,900	6,500
165		6,900	8,700	5,800	7,000	8,100	6,000	7,400	6,200	5,800
170		6,200	8,200	5,100	6,300	7,400	5,300	6,600	5,500	5,100
175		5,500	7,500	4,400	5,600	6,700	4,600	6,000	4,900	4,500
180		4,800	6,900	3,800	5,000	6,100	4,000	5,300	4,300	3,900
185		4,200	6,300	3,200	4,400	5,500	3,400	4,800	3,700	3,400
190		3,600	5,700	2,600	3,800	4,900	2,800	4,200	3,200	2,900
195		3,100	5,200		3,300	4,400		3,700	2,700	2,400
200					2,800	3,900		3,100		
205						3,400		2,700		
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	074	074	074	074	074	074	074	074	074	074




	T	K 20°	 79,400 lbs	 29 x 27 ft	 360°		
--	---	-------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension





 ft	 ft > < lbs			CODE >0086< L133 0621 .x(x)						
	43	141	141	157	157	157	171	171	184	197
36	15,300									
38	15,100									
40	14,900									
45	14,200									
50	13,600									
55	13,100	14,600	13,800							
60	12,500	14,600	13,800							
65	12,200	14,600	13,800	14,300	14,100	13,600	13,600	13,100		
70	11,800	14,400	13,700	14,200	13,900	13,400	13,400	13,100	12,600	
75	11,400	14,100	13,400	13,900	13,600	13,200	13,200	13,000	12,600	11,600
80	11,100	13,700	13,100	13,500	13,300	13,000	13,100	12,800	12,500	11,600
85	10,700	13,400	12,900	13,100	13,200	12,600	12,900	12,600	12,300	11,600
90	10,300	13,200	12,700	12,900	13,000	12,400	12,700	12,400	12,100	11,500
95	10,000	12,900	12,500	12,700	12,600	12,300	12,500	12,200	11,900	11,400
100	9,700	12,600	12,300	12,600	12,300	12,100	12,300	12,000	11,800	11,300
105		12,400	12,100	12,400	12,100	11,900	12,100	11,800	11,600	11,200
110		12,200	11,800	12,200	12,000	11,700	11,900	11,700	11,400	11,000
115		12,000	11,700	12,000	11,800	11,600	11,700	11,500	11,300	10,900
120		11,800	11,500	11,800	11,600	11,400	11,600	11,300	11,100	10,800
125		11,600	11,300	11,600	11,500	11,200	11,400	11,200	11,000	10,700
130		11,500	11,200	11,400	11,300	11,100	11,200	11,000	10,900	10,600
135		11,300	11,000	11,300	11,200	11,000	11,100	10,900	10,800	10,400
140		11,100	10,900	11,100	11,100	10,800	10,900	10,800	10,600	10,300
145		11,000	10,700	11,000	10,900	10,700	10,800	10,700	10,500	10,100
150		10,700	10,500	10,900	10,800	10,500	10,800	10,600	10,400	10,000
155		10,500	10,300	10,700	10,600	10,300	10,600	10,500	10,300	9,800
160		10,400	10,000	10,100	10,500	10,100	10,100	10,400	10,000	9,500
165		10,200	9,700	9,200	10,300	9,900	9,200	10,200	9,400	9,100
170		9,600	9,500	8,500	9,800	9,700	8,500	10,000	8,700	8,300
175		8,800	9,200	7,700	9,000	9,400	7,700	9,300	8,000	7,600
180		8,000	8,800	6,900	8,200	9,000	7,000	8,600	7,300	6,900
185		7,300	8,400	6,100	7,500	8,600	6,400	7,900	6,600	6,300
190		6,500	8,200	5,400	6,800	8,000	5,600	7,200	6,000	5,700
195		5,900	7,900	4,700	6,100	7,300	5,000	6,500	5,400	5,100
200				4,100	5,500	6,700	4,300	5,900	4,800	4,600
205				3,500	4,800	6,100	3,700	5,300	4,200	4,000
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	212	212	212	212	212	212	212	212	212	212




	T	K 20°	 99,200 lbs	 29 x 27 ft	 360°		
--	---	-------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension





 ft	 ft > < lbs			CODE >0086< L133 0621 .x(x)							
	43	141	141	157	157	157	171	171	184	197	
210							3,200	4,700	3,600	3,500	
215							2,600	4,200	3,100	2,900	
220								3,600	2,600		
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	212	212	212	212	212	212	212	212	212	212	




	T	K 20° 72ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension





 ft	 ft > < lbs		CODE >0086<		L133 0621 .x(x)				
	184	197							
36									
38									
40									
45									
50									
55									
60									
65									
70	11,400								
75	10,900	6,200							
80	10,200	6,100							
85	9,400	5,400							
90	8,700	4,700							
95	8,100	4,100							
100	7,500	3,500							
105	6,900								
110	6,400								
115	6,000								
120	5,500								
125	5,000								
130	4,600								
135	4,200								
140	3,900								
145	3,500								
150	3,200								
155	2,900								
160									
165									
170									
175									
180									
185									
190									
195									
200									
205									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							
TAB 133	212	212							




	T	K 20°	 99,200 lbs	 29 x 27 ft	 360°		
--	---	-------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension



 ft	 ft > < lbs		CODE >0086<		L133 0621 .x(x)							
	184	197										
210												
215												
220												
* n *	1	1										
 %	1	92-	100-									
2	92-	100-										
3	92-	100-										
4	92-	100-										
5	92-	100-										
 ft/s	23	23										
TAB 133	212	212										




	T	K 20° 72ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension

 ft	 ft > < lbs			CODE >0088< L133 0721 .x(x)						
	43	141	141	157	157	157	171	171	184	197
36	15,300									
38	15,100									
40	14,900									
45	14,200									
50	13,600									
55	13,100	14,600	13,800							
60	12,500	14,600	13,800							
65	12,200	14,600	13,800	14,300	14,100	13,600	13,600	13,100		
70	11,800	14,400	13,700	14,200	13,900	13,400	13,400	13,100	12,600	
75	11,400	14,100	13,400	13,900	13,600	13,200	13,200	13,000	12,600	11,600
80	11,100	13,700	13,100	13,500	13,300	13,000	13,100	12,800	12,500	11,600
85	10,700	13,400	12,900	13,100	13,200	12,600	12,900	12,600	12,300	11,600
90	10,300	13,200	12,700	12,900	13,000	12,400	12,700	12,400	12,100	11,500
95	10,000	12,900	12,500	12,700	12,600	12,300	12,500	12,200	11,900	11,400
100	9,700	12,600	12,300	12,600	12,300	12,100	12,300	12,000	11,800	11,300
105		12,400	12,100	12,400	12,100	11,900	12,100	11,800	11,600	11,200
110		12,200	11,800	12,200	12,000	11,700	11,900	11,700	11,400	11,000
115		12,000	11,700	12,000	11,800	11,600	11,700	11,500	11,300	10,900
120		11,800	11,500	11,800	11,600	11,400	11,600	11,300	11,100	10,800
125		11,600	11,300	11,600	11,500	11,200	11,400	11,200	11,000	10,700
130		11,500	11,200	11,400	11,300	11,100	11,200	11,000	10,900	10,600
135		11,300	11,000	11,300	11,200	11,000	11,100	10,900	10,800	10,400
140		11,100	10,900	11,100	11,100	10,800	10,900	10,800	10,600	10,300
145		11,000	10,700	11,000	10,900	10,700	10,800	10,700	10,500	10,100
150		10,700	10,500	10,900	10,800	10,500	10,800	10,600	10,400	10,000
155		10,500	10,300	10,700	10,600	10,300	10,700	10,500	10,300	9,800
160		10,400	10,000	10,600	10,500	10,100	10,600	10,400	10,200	9,600
165		10,200	9,700	10,400	10,400	9,900	10,500	10,200	10,100	9,500
170		10,000	9,500	10,200	10,200	9,700	10,400	10,000	10,000	9,300
175		9,800	9,200	10,100	10,100	9,400	10,200	9,800	9,800	9,100
180		9,700	8,800	9,800	10,000	9,000	10,000	9,500	9,600	8,800
185		9,700	8,400	9,300	9,900	8,600	9,600	9,200	9,400	8,600
190		9,600	8,200	8,500	9,700	8,300	8,800	8,900	9,200	8,200
195		8,900	7,900	7,800	9,100	7,900	8,000	8,600	8,500	7,900
200				7,100	8,400	7,500	7,300	8,300	7,800	7,400
205				6,400	7,700	7,200	6,700	7,900	7,100	6,900
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	211	211	211	211	211	211	211	211	211	211

	T	K 20°	 125,700 lbs	 29 x 27 ft	 360°		
--	---	-------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension





 ft ft > < lbs	CODE >0088< L133 0721 .x(x)										
	43	141	141	157	157	157	171	171	184	197	
210							6,000	7,500	6,500	6,300	
215							5,400	6,900	5,900	5,700	
220							4,800	6,400	5,300	5,100	
225									4,700	4,600	
230									4,200	4,000	
235									3,700	3,500	
240										3,100	
245										2,600	
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s		23	23	23	23	23	23	23	23	23	23
TAB 133		211	211	211	211	211	211	211	211	211	211




	T	K 20° 72ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	---------------	--------------------	----------------------	----------	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension





 ft	 ft > < lbs		CODE >0088<		L133 0721 .x(x)				
	184	197							
36									
38									
40									
45									
50									
55									
60									
65									
70	11,400								
75	10,900	6,200							
80	10,200	6,100							
85	9,400	5,400							
90	8,700	4,700							
95	8,100	4,100							
100	7,500	3,500							
105	6,900								
110	6,400								
115	6,000								
120	5,500								
125	5,000								
130	4,600								
135	4,200								
140	3,900								
145	3,500								
150	3,200								
155	2,900								
160									
165									
170									
175									
180									
185									
190									
195									
200									
205									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							
TAB 133	211	211							




	T	K 20°	 125,700 lbs	 29 x 27 ft	 360°		
--	---	-------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension




 ft	 ft > < lbs		CODE >0088< L133 0721 .x(x)							
	184	197								
210										
215										
220										
225										
230										
235										
240										
245										
* n *	1	1								
 %	1	92-	100-							
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 ft/s	23	23								
TAB 133	211	211								




	T	K 20° 72ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension





 ft	 ft > < lbs			CODE >0090< L133 0821 .x(x)						
	43	141	141	157	157	157	171	171	184	197
36	15,300									
38	15,100									
40	14,900									
45	14,200									
50	13,600									
55	13,100	14,600	13,800							
60	12,500	14,600	13,800							
65	12,200	14,600	13,800	14,300	14,100	13,600	13,600	13,100		
70	11,800	14,400	13,700	14,200	13,900	13,400	13,400	13,100	12,600	
75	11,400	14,100	13,400	13,900	13,600	13,200	13,200	13,000	12,600	11,600
80	11,100	13,700	13,100	13,500	13,300	13,000	13,100	12,800	12,500	11,600
85	10,700	13,400	12,900	13,100	13,200	12,600	12,900	12,600	12,300	11,600
90	10,300	13,200	12,700	12,900	13,000	12,400	12,700	12,400	12,100	11,500
95	10,000	12,900	12,500	12,700	12,600	12,300	12,500	12,200	11,900	11,400
100	9,700	12,600	12,300	12,600	12,300	12,100	12,300	12,000	11,800	11,300
105		12,400	12,100	12,400	12,100	11,900	12,100	11,800	11,600	11,200
110		12,200	11,800	12,200	12,000	11,700	11,900	11,700	11,400	11,000
115		12,000	11,700	12,000	11,800	11,600	11,700	11,500	11,300	10,900
120		11,800	11,500	11,800	11,600	11,400	11,600	11,300	11,100	10,800
125		11,600	11,300	11,600	11,500	11,200	11,400	11,200	11,000	10,700
130		11,500	11,200	11,400	11,300	11,100	11,200	11,000	10,900	10,600
135		11,300	11,000	11,300	11,200	11,000	11,100	10,900	10,800	10,400
140		11,100	10,900	11,100	11,100	10,800	10,900	10,800	10,600	10,300
145		11,000	10,700	11,000	10,900	10,700	10,800	10,700	10,500	10,100
150		10,700	10,500	10,900	10,800	10,500	10,800	10,600	10,400	10,000
155		10,500	10,300	10,700	10,600	10,300	10,700	10,500	10,300	9,800
160		10,400	10,000	10,600	10,500	10,100	10,600	10,400	10,200	9,600
165		10,200	9,700	10,400	10,400	9,900	10,500	10,200	10,100	9,500
170		10,000	9,500	10,200	10,200	9,700	10,400	10,000	10,000	9,300
175		9,800	9,200	10,100	10,100	9,400	10,200	9,800	9,800	9,100
180		9,700	8,800	10,000	10,000	9,000	10,100	9,500	9,600	8,800
185		9,700	8,400	9,900	9,900	8,600	9,900	9,200	9,400	8,600
190		9,700	8,200	9,700	9,700	8,300	9,800	8,900	9,200	8,200
195		9,700	7,900	9,500	9,400	7,900	9,300	8,600	8,800	7,900
200				9,300	9,000	7,500	8,900	8,300	8,500	7,500
205				8,900	8,700	7,200	8,500	8,000	8,100	7,200
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	210	210	210	210	210	210	210	210	210	210




	T	K 20°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	-------	---	--	---	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 72' Extension





 ft	 ft > < lbs				CODE >0090< L133 0821 .x(x)																	
	43	141	141	157	157	157	171	171	184	197												
210							8,000	7,600	7,700	6,800												
215							7,600	7,400	7,400	6,500												
220							7,100	7,100	7,000	6,100												
225									6,700	5,800												
230									6,300	5,400												
235									6,000	5,100												
240										4,800												
245										4,500												
* n *	1	1	1	1	1	1	1	1	1	1												
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+											
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	92+	100+											
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	92+	100+											
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	92+	100+											
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	92+	100+											
 ft/s	23	23	23	23	23	23	23	23	23	23												
TAB 133	210	210	210	210	210	210	210	210	210	210												



	T	K 20° 72ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	---	--	--	--

STERLING CRANE

85%





Folding Fly, 20° Offset, 72' Extension



 ft	 ft > < lbs		CODE >0090<		L133 0821 .x(x)				
	184	197							
36									
38									
40									
45									
50									
55									
60									
65									
70	11,400								
75	10,900	6,200							
80	10,200	6,100							
85	9,400	5,400							
90	8,700	4,700							
95	8,100	4,100							
100	7,500	3,500							
105	6,900								
110	6,400								
115	6,000								
120	5,500								
125	5,000								
130	4,600								
135	4,200								
140	3,900								
145	3,500								
150	3,200								
155	2,900								
160									
165									
170									
175									
180									
185									
190									
195									
200									
205									
* n *	1	1							
 %	1	92-	100-						
	2	92-	100-						
	3	92-	100-						
	4	92-	100-						
	5	92-	100-						
 ft/s	23	23							
TAB 133	210	210							

	T	K 20°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	-------	---	---	--	--	--

85%

Folding Fly, 20° Offset, 72' Extension

		CODE >0090< L133 0821 .x(x)							
		184	197						
210									
215									
220									
225									
230									
235									
240									
245									
* n *	1	1							
	1	92-	100-						
	2	92-	100-						
	3	92-	100-						
	4	92-	100-						
	5	92-	100-						
		23	23						
	TAB 133	210	210						

	T	K 20°					
--	---	-------	---	---	--	--	--