


LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

Folding Fly, 20° Offset, 95' Extension

[illegible]

STERLING CRANE

Folding Fly, 20° Offset, 95' Extension


				ft> < lbs		CODE >0093<		L133 0322 .x(x)	
	 ft	184	197						
50									
55									
60									
65									
70									
75									
80									
85		7,700							
90		7,600	4,400						
95		7,400	4,100						
100		7,200	3,500						
105		6,700	2,900						
110		6,200	2,400						
115		5,500							
120		4,600							
125									
130									
135									
140									
145									
150									
155									
* n *		1	1						
1		92-	100-						
2		92-	100-						
3		92-	100-						
4		92-	100-						
5		92-	100-						
 %									
 ft/s		23	23						
TAB 133		076	076						

The diagram shows a room layout with the following items and labels:

- A table labeled "T" with a chair labeled "K 20°" and a distance of "95ft" between them.
- A scale labeled "26,500 lbs".
- A table labeled "29 x 27 ft".
- A circular arrow indicating a rotation of "360°".

STERLING CRANE




Folding Fly, 20° Offset, 95' Extension


 ft	 ft> < lbs		CODE >0094< L133 0422 .x(x)								
	43	141	141	157	157	157	171	171	184	197	
50	9,300										
55	9,000										
60	8,600										
65	8,000										
70	7,600	9,300	8,600								
75	7,300	9,200	8,500	8,600	8,400	8,200	8,200	7,700			
80	7,000	9,000	8,300	8,600	8,400	8,100	8,200	7,700			
85	6,800	8,800	8,200	8,400	8,400	8,000	8,200	7,700	7,700		
90	6,500	8,500	8,000	8,200	8,200	7,800	8,000	7,600	7,600	6,800	
95	6,300	8,300	7,800	8,100	8,000	7,600	7,800	7,500	7,400	6,800	
100	6,000	8,000	7,700	7,900	7,700	7,400	7,700	7,400	7,300	6,800	
105	5,800	7,800	7,500	7,700	7,500	7,300	7,500	7,300	7,100	6,700	
110	5,600	7,600	7,300	7,600	7,300	7,100	7,300	7,100	7,000	6,600	
115	5,400	7,400	7,100	7,400	7,200	6,900	7,200	7,000	6,800	6,500	
120	5,300	7,300	7,000	7,200	7,000	6,800	7,000	6,800	6,700	6,400	
125		7,100	6,800	7,000	6,800	6,600	6,900	6,700	6,600	6,300	
130		6,900	6,600	6,900	6,700	6,500	6,700	6,500	6,400	6,200	
135		6,800	6,500	6,700	6,600	6,400	6,500	6,400	6,300	6,100	
140		6,600	6,400	6,200	6,500	6,300	6,100	6,300	6,000	5,700	
145		6,400	6,300	5,400	6,300	6,200	5,300	6,200	5,400	5,000	
150		6,000	6,200	4,700	5,800	6,100	4,500	5,800	4,600	4,300	
155		5,300	6,100	4,000	5,200	6,000	3,900	5,200	4,000	3,600	
160		4,700	5,900	3,300	4,500	5,600	3,200	4,600	3,300	3,000	
165		4,100	5,700		3,900	5,000		4,000			
170		3,500	5,300		3,300	4,400		3,400			
175		2,900	4,800		2,800	3,900		2,900			
180			4,200			3,400					
185			3,700			2,900					
190			3,200			2,400					
195			2,800								
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	075	075	075	075	075	075	075	075	075	075	

	T	K 20°	52,900 lbs	29 x 27 ft	360°		
--	---	-------	------------	------------	------	--	--

STERLING CRANE


Folding Fly, 20° Offset, 95' Extension

				ft > < lbs		CODE > 0094 <		L133 0422 .x(x)	
		184	197						
50									
55									
60									
65									
70									
75									
80									
85	7,700								
90	7,600	4,400							
95	7,400	4,100							
100	7,200	3,500							
105	6,700	2,900							
110	6,200	2,400							
115	5,700								
120	5,200								
125	4,800								
130	4,400								
135	4,000								
140	3,600								
145	3,200								
150	2,900								
155									
160									
165									
170									
175									
180									
185									
190									
195									
* n *	1	1							
1	92-	100-							
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
	23	23							
TAB 133	075	075							



STERLING CRANE

Folding Fly, 20° Offset, 95' Extension

				ft> < lbs		CODE >0096<		L133 0522 .x(x)			
ft		43	141	141	157	157	157	171	171	184	197
50	9,300										
55	9,000										
60	8,600										
65	8,000										
70	7,600	9,300	8,600								
75	7,300	9,200	8,500	8,600	8,400	8,200	8,200	7,700			
80	7,000	9,000	8,300	8,600	8,400	8,100	8,200	7,700			
85	6,800	8,800	8,200	8,400	8,400	8,000	8,200	7,700	7,700		
90	6,500	8,500	8,000	8,200	8,200	7,800	8,000	7,600	7,600	6,800	
95	6,300	8,300	7,800	8,100	8,000	7,600	7,800	7,500	7,400	6,800	
100	6,000	8,000	7,700	7,900	7,700	7,400	7,700	7,400	7,300	6,800	
105	5,800	7,800	7,500	7,700	7,500	7,300	7,500	7,300	7,100	6,700	
110	5,600	7,600	7,300	7,600	7,300	7,100	7,300	7,100	7,000	6,600	
115	5,400	7,400	7,100	7,400	7,200	6,900	7,200	7,000	6,800	6,500	
120	5,300	7,300	7,000	7,200	7,000	6,800	7,000	6,800	6,700	6,400	
125		7,100	6,800	7,000	6,800	6,600	6,900	6,700	6,600	6,300	
130		6,900	6,600	6,900	6,700	6,500	6,700	6,500	6,400	6,200	
135		6,800	6,500	6,700	6,600	6,400	6,600	6,400	6,300	6,100	
140		6,600	6,400	6,600	6,500	6,300	6,400	6,300	6,200	6,000	
145		6,500	6,300	6,400	6,400	6,200	6,300	6,200	6,100	5,900	
150		6,300	6,200	6,300	6,200	6,100	6,200	6,100	6,000	5,800	
155		6,200	6,100	6,200	6,100	6,000	6,200	6,000	5,900	5,800	
160		6,100	5,900	6,100	6,000	5,900	6,100	6,000	5,900	5,700	
165		5,900	5,800	6,000	5,900	5,800	6,000	5,900	5,800	5,600	
170		5,800	5,700	5,900	5,800	5,700	5,800	5,800	5,700	5,500	
175		5,700	5,600	5,300	5,800	5,600	5,200	5,700	5,300	4,900	
180		5,400	5,500	4,700	5,500	5,600	4,600	5,600	4,700	4,300	
185		5,100	5,500	4,000	5,100	5,500	4,000	5,400	4,100	3,700	
190		4,500	5,400	3,500	4,500	5,400	3,500	4,800	3,600	3,200	
195		3,900	5,300	2,900	4,000	4,900	2,900	4,200	3,100	2,700	
200		3,400	5,100		3,500	4,400		3,700	2,600		
205		2,900	4,700		3,000	3,900		3,200			
210			4,200			3,400		2,700			
215			3,800			3,000		2,300			
220			3,300			2,600					
* n *	1	1	1	1	1	1	1	1	1	1	1
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	23
TAB 133	074	074	074	074	074	074	074	074	074	074	074

	T	K 20°	79,400 lbs	29 x 27 ft	360°		
--	---	-------	------------	------------	------	--	--

STERLING CRANE

Folding Fly, 20° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0096< L133 0522 .x(x)							
	184	197								
50										
55										
60										
65										
70										
75										
80										
85	7,700									
90	7,600	4,400								
95	7,400	4,100								
100	7,200	3,500								
105	6,700	2,900								
110	6,200	2,400								
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,600									
145	3,200									
150	2,900									
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	074	074								


T

K 20°

95ft



79,400
lbs



29 x
27
ft



360°

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

			CODE >0098< L133 0622 .x(x)							
	43	141	141	157	157	157	171	171	184	197
50	10,200									
55	9,900									
60	9,400									
65	8,800									
70	8,400	10,200	9,500							
75	8,000	10,100	9,400	9,500	9,200	9,000	9,000	8,500		
80	7,700	9,900	9,200	9,400	9,200	8,900	9,000	8,500		
85	7,500	9,700	9,000	9,200	9,200	8,700	9,000	8,500	8,500	
90	7,200	9,400	8,800	9,000	9,000	8,600	8,800	8,400	8,300	7,500
95	6,900	9,100	8,600	8,900	8,700	8,400	8,600	8,300	8,200	7,500
100	6,600	8,800	8,400	8,700	8,400	8,200	8,400	8,200	8,000	7,500
105	6,400	8,600	8,200	8,500	8,200	8,000	8,200	8,000	7,800	7,400
110	6,200	8,400	8,000	8,300	8,100	7,800	8,100	7,800	7,600	7,300
115	6,000	8,200	7,800	8,100	7,900	7,600	7,900	7,700	7,500	7,200
120	5,800	8,000	7,700	7,900	7,700	7,500	7,700	7,500	7,300	7,100
125		7,800	7,500	7,800	7,500	7,300	7,500	7,400	7,200	7,000
130		7,600	7,300	7,600	7,300	7,200	7,400	7,200	7,100	6,800
135		7,400	7,100	7,400	7,200	7,100	7,200	7,000	7,000	6,700
140		7,300	7,000	7,300	7,100	7,000	7,100	6,900	6,800	6,600
145		7,100	6,900	7,100	7,000	6,800	7,000	6,800	6,700	6,500
150		6,900	6,800	6,900	6,900	6,700	6,900	6,700	6,600	6,400
155		6,800	6,700	6,800	6,800	6,600	6,800	6,600	6,500	6,300
160		6,700	6,500	6,700	6,600	6,500	6,700	6,600	6,400	6,300
165		6,500	6,400	6,600	6,500	6,400	6,600	6,500	6,400	6,100
170		6,400	6,200	6,600	6,400	6,300	6,500	6,400	6,300	6,100
175		6,200	6,100	6,400	6,300	6,200	6,400	6,300	6,300	6,000
180		6,100	6,100	6,300	6,200	6,100	6,300	6,200	6,200	6,000
185		5,900	6,000	6,100	6,100	6,000	6,200	6,100	6,100	5,900
190		5,800	5,900	6,100	6,000	5,900	6,100	6,100	6,100	5,900
195		5,800	5,800	5,600	5,900	5,800	5,700	6,000	5,700	5,400
200		5,700	5,700	5,000	5,900	5,800	5,100	5,900	5,300	4,900
205		5,500	5,600	4,400	5,600	5,700	4,500	5,700	4,700	4,400
210		4,900	5,600	3,800	5,000	5,600	3,900	5,300	4,200	3,900
215		4,300	5,600	3,200	4,500	5,400	3,400	4,800	3,700	3,400
220			5,500	2,700	3,900	5,000	2,800	4,200	3,200	2,900
225					3,400	4,500		3,700	2,700	
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
%										
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	212	212	212	212	212	212	212	212	212	212

	T	K 20°	99,200 lbs	29 x 27 ft	360°		
--	---	-------	------------	------------	------	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0098< L133 0622 .x(x)							
	184	197								
50										
55										
60										
65										
70										
75										
80										
85	8,500									
90	8,300	4,400								
95	7,900	4,100								
100	7,300	3,500								
105	6,700	2,900								
110	6,200	2,400								
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,600									
145	3,200									
150	2,900									
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 ft/s	23	23								
TAB 133	212	212								


T

K 20°

95ft



99,200
lbs



29 x
27
ft



360°

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

[illegible]


The diagram shows a room layout with the following objects and dimensions:

- A table with a top width of 29 ft and a height of 27 ft.
- A hanging light fixture with a diameter of 20 ft and a height of 95 ft.
- A rectangular object with a width of 27 ft and a height of 95 ft.
- A circular object with a diameter of 360 ft.

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

	 ft> < lbs		CODE >0100< L133 0722 .x(x)								
	43	141	141	157	157	157	171	171	184	197	
50	10,200										
55	9,900										
60	9,400										
65	8,800										
70	8,400	10,200	9,500								
75	8,000	10,100	9,400	9,500	9,200	9,000	9,000	8,500			
80	7,700	9,900	9,200	9,400	9,200	8,900	9,000	8,500			
85	7,500	9,700	9,000	9,200	9,200	8,700	9,000	8,500	8,500		
90	7,200	9,400	8,800	9,000	9,000	8,600	8,800	8,400	8,300	7,500	
95	6,900	9,100	8,600	8,900	8,700	8,400	8,600	8,300	8,200	7,500	
100	6,600	8,800	8,400	8,700	8,400	8,200	8,400	8,200	8,000	7,500	
105	6,400	8,600	8,200	8,500	8,200	8,000	8,200	8,000	7,800	7,400	
110	6,200	8,400	8,000	8,300	8,100	7,800	8,100	7,800	7,600	7,300	
115	6,000	8,200	7,800	8,100	7,900	7,600	7,900	7,700	7,500	7,200	
120	5,800	8,000	7,700	7,900	7,700	7,500	7,700	7,500	7,300	7,100	
125		7,800	7,500	7,800	7,500	7,300	7,500	7,400	7,200	7,000	
130		7,600	7,300	7,600	7,300	7,200	7,400	7,200	7,100	6,800	
135		7,400	7,100	7,400	7,200	7,100	7,200	7,000	7,000	6,700	
140		7,300	7,000	7,300	7,100	7,000	7,100	6,900	6,800	6,600	
145		7,100	6,900	7,100	7,000	6,800	7,000	6,800	6,700	6,500	
150		6,900	6,800	6,900	6,900	6,700	6,900	6,700	6,600	6,400	
155		6,800	6,700	6,800	6,800	6,600	6,800	6,600	6,500	6,300	
160		6,700	6,500	6,700	6,600	6,500	6,700	6,600	6,400	6,300	
165		6,500	6,400	6,600	6,500	6,400	6,600	6,500	6,400	6,100	
170		6,400	6,200	6,600	6,400	6,300	6,500	6,400	6,300	6,100	
175		6,200	6,100	6,400	6,300	6,200	6,400	6,300	6,300	6,000	
180		6,100	6,100	6,300	6,200	6,100	6,300	6,200	6,200	6,000	
185		5,900	6,000	6,100	6,100	6,000	6,200	6,100	6,100	5,900	
190		5,800	5,900	6,100	6,000	5,900	6,100	6,100	6,100	5,900	
195		5,800	5,800	6,000	5,900	5,800	6,100	6,000	6,000	5,800	
200		5,800	5,700	5,900	5,900	5,800	6,000	5,900	6,000	5,800	
205		5,800	5,600	5,800	5,800	5,700	5,900	5,800	5,900	5,700	
210		5,800	5,600	5,800	5,700	5,600	5,800	5,700	5,800	5,700	
215		5,800	5,600	5,700	5,600	5,600	5,700	5,600	5,800	5,600	
220			5,500	5,300	5,600	5,600	5,400	5,600	5,700	5,400	
225				4,800	5,600	5,500	5,000	5,600	5,300	5,100	
* n *	1	1	1	1	1	1	1	1	1	1	
	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	211	211	211	211	211	211	211	211	211	211	


	T	K 20°	125,700 lbs	29 x 27 ft	360°		
--	---	-------	----------------	------------------	------	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension


 ft	 ft > < lbs		CODE >0100< L133 0722 .x(x)							
	184	197								
50										
55										
60										
65										
70										
75										
80										
85	8,500									
90	8,300	4,400								
95	7,900	4,100								
100	7,300	3,500								
105	6,700	2,900								
110	6,200	2,400								
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,600									
145	3,200									
150	2,900									
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	211	211								




T


K 20°
95ft


125,700
lbs


29 x
27
ft


360°






STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

			 ft > lbs	CODE >0100<		L133 0722 .x(x)					
	ft	184	197								
230											
235											
240											
245											
250											
255											
* n *		1	1								
1		92-	100-								
2		92-	100-								
3		92-	100-								
4		92-	100-								
5		92-	100-								
 %											
 ft/s		23	23								
TAB 133		211	211								

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

			CODE >0102< L133 0822 .x(x)							
	43	141	141	157	157	157	171	171	184	197
50	10,200									
55	9,900									
60	9,400									
65	8,800									
70	8,400	10,200	9,500							
75	8,000	10,100	9,400	9,500	9,200	9,000	9,000	8,500		
80	7,700	9,900	9,200	9,400	9,200	8,900	9,000	8,500		
85	7,500	9,700	9,000	9,200	9,200	8,700	9,000	8,500	8,500	
90	7,200	9,400	8,800	9,000	9,000	8,600	8,800	8,400	8,300	7,500
95	6,900	9,100	8,600	8,900	8,700	8,400	8,600	8,300	8,200	7,500
100	6,600	8,800	8,400	8,700	8,400	8,200	8,400	8,200	8,000	7,500
105	6,400	8,600	8,200	8,500	8,200	8,000	8,200	8,000	7,800	7,400
110	6,200	8,400	8,000	8,300	8,100	7,800	8,100	7,800	7,600	7,300
115	6,000	8,200	7,800	8,100	7,900	7,600	7,900	7,700	7,500	7,200
120	5,800	8,000	7,700	7,900	7,700	7,500	7,700	7,500	7,300	7,100
125		7,800	7,500	7,800	7,500	7,300	7,500	7,400	7,200	7,000
130		7,600	7,300	7,600	7,300	7,200	7,400	7,200	7,100	6,800
135		7,400	7,100	7,400	7,200	7,100	7,200	7,000	7,000	6,700
140		7,300	7,000	7,300	7,100	7,000	7,100	6,900	6,800	6,600
145		7,100	6,900	7,100	7,000	6,800	7,000	6,800	6,700	6,500
150		6,900	6,800	6,900	6,900	6,700	6,900	6,700	6,600	6,400
155		6,800	6,700	6,800	6,800	6,600	6,800	6,600	6,500	6,300
160		6,700	6,500	6,700	6,600	6,500	6,700	6,600	6,400	6,300
165		6,500	6,400	6,600	6,500	6,400	6,600	6,500	6,400	6,100
170		6,400	6,200	6,600	6,400	6,300	6,500	6,400	6,300	6,100
175		6,200	6,100	6,400	6,300	6,200	6,400	6,300	6,300	6,000
180		6,100	6,100	6,300	6,200	6,100	6,300	6,200	6,200	6,000
185		5,900	6,000	6,100	6,100	6,000	6,200	6,100	6,100	5,900
190		5,800	5,900	6,100	6,000	5,900	6,100	6,100	6,100	5,900
195		5,800	5,800	6,000	5,900	5,800	6,100	6,000	6,000	5,800
200		5,800	5,700	5,900	5,900	5,800	6,000	5,900	6,000	5,800
205		5,800	5,600	5,800	5,800	5,700	5,900	5,800	5,900	5,700
210		5,800	5,600	5,800	5,700	5,600	5,800	5,700	5,800	5,700
215		5,800	5,600	5,700	5,600	5,600	5,700	5,600	5,800	5,600
220			5,500	5,600	5,600	5,600	5,600	5,600	5,700	5,500
225				5,600	5,600	5,500	5,500	5,600	5,700	5,300
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	210	210	210	210	210	210	210	210	210	210

	T	K 20°	152,100 lbs	29 x 27 ft	360°		
--	---	-------	----------------	------------------	------	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

 ft	 ft> < lbs		CODE >0102<				L133 0822 .x(x)			
	43	141	141	157	157	157	171	171	184	197
230							5,500	5,600	5,600	5,100
235							5,500	5,500	5,600	4,900
240							5,400	5,300	5,300	4,600
245									5,100	4,300
250									4,800	4,000
255									4,600	3,800
260									4,100	3,500
265										3,300

T

K 20°

95ft

152,100

lbs

29 x

27

ft

360°

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0102< L133 0822 .x(x)							
	184	197								
50										
55										
60										
65										
70										
75										
80										
85	8,500									
90	8,300	4,400								
95	7,900	4,100								
100	7,300	3,500								
105	6,700	2,900								
110	6,200	2,400								
115	5,700									
120	5,200									
125	4,800									
130	4,400									
135	4,000									
140	3,600									
145	3,200									
150	2,900									
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 %										
 ft/s	23	23								
TAB 133	210	210								


T

K 20°

95ft



152,100
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, 20° Offset, 95' Extension

			 ft > lbs	CODE >0102<		L133 0822 .x(x)					
	ft	184	197								
230											
235											
240											
245											
250											
255											
260											
265											
* n *		1	1								
1		92-	100-								
2		92-	100-								
3		92-	100-								
4		92-	100-								
5		92-	100-								
 %											
 ft/s		23	23								
TAB 133		210	210								