


LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

[illegible]

STERLING CRANE

Folding Fly, 40° Offset, 118' Extension


[illegible]

Diagram illustrating a crane system with the following components and labels:

- Top Left:** A rectangular box labeled **T**.
- Top Middle:** A rectangular box labeled **K 40°** and **118ft**.
- Top Right:** A rectangular box containing a crane hook icon, labeled **52,900** and **lbs**.
- Bottom Left:** A rectangular box containing a crane base icon, labeled **29 x** and **27** and **ft**.
- Bottom Right:** A rectangular box containing a circular arrow icon, labeled **360°**.

STERLING CRANE

Folding Fly, 40° Offset, 118' Extension


			CODE >0156< L133 0533 .x(x)								
	ft> < lbs										
ft	43	141	141	157	157	157	171	171	184	184	
90	4,100										
95	4,000										
100	3,800										
105	3,700										
110	3,600										
115	3,500	4,000	3,800	3,800	3,800						
120	3,300	3,900	3,800	3,800	3,800	3,500	3,500	3,500			
125	3,200	3,900	3,700	3,800	3,800	3,500	3,500	3,500			
130	3,200	3,800	3,700	3,800	3,700	3,500	3,500	3,500	3,300	3,300	
135	3,200	3,700	3,600	3,700	3,700	3,500	3,500	3,500	3,300	3,300	
140	3,100	3,600	3,600	3,600	3,600	3,500	3,500	3,500	3,300	3,300	
145		3,600	3,500	3,600	3,500	3,500	3,500	3,500	3,300	3,300	
150		3,500	3,400	3,500	3,500	3,400	3,500	3,400	3,300	3,300	
155		3,500	3,400	3,500	3,400	3,400	3,400	3,400	3,300	3,100	
160		3,400	3,400	3,400	3,400	3,400	3,400	3,300	3,300	2,800	
165		3,300	3,300	3,400	3,300	3,300	3,300	3,300	3,200		
170		3,300	3,300	3,300	3,300	3,300	3,300	3,300	3,200		
175		3,200	3,200	3,300	3,300	3,200	3,300	3,200	3,200		
180		3,200	3,200	3,200	3,200	3,200	3,200	3,200	3,200		
185		3,100	3,100	3,200	3,200	3,100	3,200	3,200	3,200		
190		3,100	3,100	3,200	3,100	3,100	3,200	3,100	3,100		
195		3,100	3,000	3,100	3,100	3,100	3,100	3,100	3,100		
200		3,100	3,000	3,100	3,000	3,000	3,100	3,100	3,100		
205		3,100	3,000	3,100	3,000	3,000	3,100	3,000	3,100		
210		3,100	3,000	3,000	3,000	3,000	3,000	3,000	3,100		
215		3,100	3,000	2,500	3,000	3,000	2,500	3,000	2,700		
220		2,700	3,000		2,800	3,000		2,900			
225			3,000			2,900		2,700			
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	92-
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	92-
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	92-
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	92-
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	92-
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	084	084	084	084	084	084	084	084	084	084	

STERLING CRANE

85%

Folding Fly, 40° Offset, 118' Extension


	 ft > < lbs CODE >0158< L133 0633 .x(x)									
	43	141	141	157	157	157	171	171	184	184
90	4,500									
95	4,400									
100	4,200									
105	4,100									
110	3,900									
115	3,800	4,400	4,100	4,100	4,100					
120	3,700	4,300	4,100	4,100	4,100	3,900	3,900	3,900		
125	3,600	4,300	4,100	4,100	4,100	3,900	3,900	3,900		
130	3,500	4,200	4,100	4,100	4,100	3,900	3,900	3,900	3,600	3,600
135	3,500	4,100	4,000	4,100	4,000	3,900	3,900	3,900	3,600	3,600
140	3,400	4,000	3,900	4,000	4,000	3,900	3,900	3,900	3,600	3,600
145		3,900	3,900	3,900	3,900	3,800	3,900	3,800	3,600	3,600
150		3,900	3,800	3,900	3,900	3,700	3,800	3,700	3,600	3,500
155		3,800	3,700	3,800	3,800	3,700	3,800	3,700	3,600	3,200
160		3,800	3,700	3,800	3,700	3,700	3,700	3,700	3,600	2,800
165		3,700	3,600	3,700	3,700	3,700	3,700	3,600	3,600	
170		3,600	3,600	3,700	3,600	3,600	3,600	3,600	3,600	
175		3,600	3,500	3,600	3,600	3,600	3,600	3,600	3,500	
180		3,500	3,500	3,600	3,500	3,500	3,600	3,500	3,500	
185		3,500	3,400	3,500	3,500	3,500	3,500	3,500	3,500	
190		3,400	3,400	3,500	3,400	3,400	3,500	3,400	3,400	
195		3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,400	
200		3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,400	
205		3,400	3,400	3,400	3,400	3,300	3,400	3,300	3,400	
210		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,400	
215		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300	
220		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300	
225		3,400	3,400	3,300	3,400	3,300	3,300	3,300	3,300	
230				3,000	3,400	3,300	3,300	3,300	3,300	
235				2,400	3,300	3,300	2,700	3,300	3,000	
240					2,900	3,300		3,100	2,600	
245								2,800		
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	92-
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	92-
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	92-
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	92-
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	92-
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	215	215	215	215	215	215	215	215	215	215

	T	K 40°	 99,200 lbs	 29 x 27 ft	 360°		
--	---	-------	---	--	---	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 118' Extension


 ft			CODE >0160< L133 0733 .x(x)								
	ft> <lbs										
	43	141	141	157	157	157	171	171	184	184	
90	4,500										
95	4,400										
100	4,200										
105	4,100										
110	3,900										
115	3,800	4,400	4,100	4,100	4,100						
120	3,700	4,300	4,100	4,100	4,100	3,900	3,900	3,900			
125	3,600	4,300	4,100	4,100	4,100	3,900	3,900	3,900			
130	3,500	4,200	4,100	4,100	4,100	3,900	3,900	3,900	3,600	3,600	
135	3,500	4,100	4,000	4,100	4,000	3,900	3,900	3,900	3,600	3,600	
140	3,400	4,000	3,900	4,000	4,000	3,900	3,900	3,900	3,600	3,600	
145		3,900	3,900	3,900	3,900	3,800	3,900	3,800	3,600	3,600	
150		3,900	3,800	3,900	3,900	3,700	3,800	3,700	3,600	3,500	
155		3,800	3,700	3,800	3,800	3,700	3,800	3,700	3,600	3,200	
160		3,800	3,700	3,800	3,700	3,700	3,700	3,700	3,600	2,800	
165		3,700	3,600	3,700	3,700	3,700	3,700	3,600	3,600		
170		3,600	3,600	3,700	3,600	3,600	3,600	3,600	3,600		
175		3,600	3,500	3,600	3,600	3,600	3,600	3,600	3,500		
180		3,500	3,500	3,600	3,500	3,500	3,600	3,500	3,500		
185		3,500	3,400	3,500	3,500	3,500	3,500	3,500	3,500		
190		3,400	3,400	3,500	3,400	3,400	3,500	3,400	3,400		
195		3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,400		
200		3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,400		
205		3,400	3,400	3,400	3,400	3,300	3,400	3,300	3,400		
210		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,400		
215		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300		
220		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300		
225		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300		
230				3,400	3,400	3,300	3,300	3,300	3,300		
235				3,400	3,400	3,300	3,300	3,300	3,300		
240				3,400	3,400	3,300	3,300	3,300	3,300		
245							3,300	3,300	3,300		
250							3,300	3,300	3,300		
255							2,800	3,300	3,300		
260									2,800		
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	92-
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	92-
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	92-
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	92-
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	92-
 ft/s	23	23	23	23	23	23	23	23	23	23	23
TAB 133	214	214	214	214	214	214	214	214	214	214	214

	T	K 40°	118ft	125,700 lbs	29 x 27 ft	360°		
--	---	-------	-------	-------------	------------	------	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 118' Extension

 ft			ft> < lbs				CODE >0162< L133 0833 .x(x)				
	43	141	141	157	157	157	171	171	184	184	
90	4,500										
95	4,400										
100	4,200										
105	4,100										
110	3,900										
115	3,800	4,400	4,100	4,100	4,100						
120	3,700	4,300	4,100	4,100	4,100	3,900	3,900	3,900			
125	3,600	4,300	4,100	4,100	4,100	3,900	3,900	3,900			
130	3,500	4,200	4,100	4,100	4,100	3,900	3,900	3,900	3,600	3,600	
135	3,500	4,100	4,000	4,100	4,000	3,900	3,900	3,900	3,600	3,600	
140	3,400	4,000	3,900	4,000	4,000	3,900	3,900	3,900	3,600	3,600	
145		3,900	3,900	3,900	3,900	3,800	3,900	3,800	3,600	3,600	
150		3,900	3,800	3,900	3,900	3,700	3,800	3,700	3,600	3,500	
155		3,800	3,700	3,800	3,800	3,700	3,800	3,700	3,600	3,200	
160		3,800	3,700	3,800	3,700	3,700	3,700	3,700	3,600	2,800	
165		3,700	3,600	3,700	3,700	3,700	3,700	3,600	3,600		
170		3,600	3,600	3,700	3,600	3,600	3,600	3,600	3,600		
175		3,600	3,500	3,600	3,600	3,600	3,600	3,600	3,500		
180		3,500	3,500	3,600	3,500	3,500	3,600	3,500	3,500		
185		3,500	3,400	3,500	3,500	3,500	3,500	3,500	3,500		
190		3,400	3,400	3,500	3,400	3,400	3,500	3,400	3,400		
195		3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,400		
200		3,400	3,400	3,400	3,400	3,400	3,400	3,400	3,400		
205		3,400	3,400	3,400	3,400	3,300	3,400	3,300	3,400		
210		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,400		
215		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300		
220		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300		
225		3,400	3,400	3,400	3,400	3,300	3,300	3,300	3,300		
230				3,400	3,400	3,300	3,300	3,300	3,300		
235				3,400	3,400	3,300	3,300	3,300	3,300		
240				3,400	3,400	3,300	3,300	3,300	3,300		
245							3,300	3,300	3,300		
250							3,300	3,300	3,300		
255							3,300	3,300	3,300		
260									3,300		
265									3,300		
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	92-
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	92-
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	92-
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	92-
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	92-
 ft/s	23	23	23	23	23	23	23	23	23	23	23
TAB 133	213	213	213	213	213	213	213	213	213	213	213

	T	K 40°	152,100 lbs	29 x 27 ft	360°		
		118ft					