




LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

[illegible]

STERLING CRANE

Folding Fly, 40° Offset, 40' Extension


			 ft > lbs	CODE >0116<		L133 0230 .x(x)				
	ft	184	197							
28										
30										
32										
34										
36										
38										
40										
45										
50										
55										
60										
65	10,400									
70	8,700	7,600								
75	6,900	6,800								
80										
85										
90										
95										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 %										
 ft/s	23	23								
TAB 133	087	087								



STERLING CRANE

Folding Fly, 40° Offset, 40' Extension


	 CODE >0118< L133 0430 .x(x)									
	43	141	141	157	157	157	171	171	184	197
28	21,600									
30	21,500									
32	21,100									
34	20,700									
36	20,300									
38	19,900									
40	19,600									
45	19,000									
50	18,400	20,900	20,300							
55	18,100	20,800	20,200	20,300	20,100	19,600	19,800	19,600		
60	17,800	20,400	19,900	20,200	20,000	19,600	19,800	19,600		
65	16,900	19,900	19,500	20,000	19,700	19,500	19,700	19,200	18,700	
70	14,400	19,600	19,200	19,600	19,500	19,200	19,400	19,100	18,700	18,100
75		19,300	19,000	19,400	19,200	18,900	19,100	18,800	18,600	18,100
80		19,200	18,800	19,100	19,000	18,700	18,900	18,600	18,400	18,000
85		18,900	18,600	18,800	18,800	18,400	18,600	18,400	18,200	17,500
90		18,100	18,400	16,800	18,000	18,200	16,700	17,900	16,700	16,500
95		16,700	18,200	14,900	16,500	17,500	14,900	16,600	15,100	15,000
100		14,900	17,600	13,200	14,800	16,300	13,200	15,000	13,400	13,400
105		13,300	16,100	11,700	13,300	14,700	11,700	13,500	12,000	12,000
110		11,900	14,600	10,300	11,900	13,300	10,300	12,100	10,600	10,600
115		10,600	13,200	9,000	10,600	12,100	9,100	10,900	9,400	9,400
120		9,400	11,800	7,800	9,400	10,900	7,900	9,700	8,300	8,300
125		8,200	10,600	6,700	8,300	9,800	6,900	8,600	7,200	7,300
130		7,100	9,500	5,700	7,300	8,700	5,900	7,700	6,300	6,300
135		6,100	8,500	4,800	6,400	7,700	5,000	6,800	5,400	5,400
140		5,100	7,600	3,900	5,500	6,800	4,100	5,900	4,500	4,600
145		4,200	6,700		4,700	5,900		5,100	3,700	3,800
150		3,400	5,900		3,900	5,200		4,400	3,000	3,100
155			5,200		3,100	4,400		3,700		
160						3,700		3,000		
165						3,100				
170						2,400				
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
	23	23	23	23	23	23	23	23	23	23
TAB 133	085	085	085	085	085	085	085	085	085	085

	T	K 40° 40ft					
--	---	---------------	---	---	--	--	--

STERLING CRANE


Folding Fly, 40° Offset, 40' Extension



 ft	 ft > < lbs		CODE >0118< L133 0430 .x(x)							
	184	197								
28										
30										
32										
34										
36										
38										
40										
45										
50										
55										
60										
65	12,700									
70	11,900	7,600								
75	11,100	7,200								
80	10,300	6,400								
85	9,500	5,600								
90	8,800	5,000								
95	8,200	4,300								
100	7,600	3,800								
105	7,000									
110	6,500									
115	6,000									
120	5,500									
125	5,100									
130	4,700									
135	4,300									
140	3,900									
145	3,500									
150	3,000									
155										
160										
165										
170										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	085	085								

	T	K 40° 40ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

Folding Fly, 40° Offset, 40' Extension

			CODE >0120< L133 0530 .x(x)							
	43	141	141	157	157	157	171	171	184	197
28	21,600									
30	21,500									
32	21,100									
34	20,700									
36	20,300									
38	19,900									
40	19,600									
45	19,000									
50	18,400	20,900	20,300							
55	18,100	20,800	20,200	20,300	20,100	19,600	19,800	19,600		
60	17,800	20,400	19,900	20,200	20,000	19,600	19,800	19,600		
65	16,900	19,900	19,500	20,000	19,700	19,500	19,700	19,200	18,700	
70	14,400	19,600	19,200	19,600	19,500	19,200	19,400	19,100	18,700	18,100
75		19,300	19,000	19,400	19,200	18,900	19,100	18,800	18,600	18,100
80		19,200	18,800	19,100	19,000	18,700	18,900	18,600	18,400	18,000
85		18,900	18,600	18,800	18,800	18,400	18,600	18,400	18,200	17,500
90		18,700	18,400	18,700	18,600	18,200	18,400	18,200	18,100	17,100
95		18,500	18,200	18,500	18,400	18,000	18,300	18,100	17,900	16,800
100		18,300	18,000	18,200	18,200	17,700	18,100	17,900	17,700	16,400
105		18,100	17,700	17,900	18,000	17,500	17,900	17,700	17,400	15,900
110		17,400	16,900	16,300	17,500	17,000	16,300	17,200	16,300	15,500
115		16,100	16,100	14,700	16,300	16,400	14,800	16,300	15,000	14,700
120		14,500	15,400	13,300	14,900	15,700	13,400	15,200	13,700	13,600
125		13,000	14,700	12,000	13,400	14,700	12,100	13,900	12,400	12,400
130		11,700	14,000	10,700	12,100	13,400	10,900	12,700	11,200	11,300
135		10,500	13,000	9,500	10,900	12,200	9,800	11,500	10,200	10,200
140		9,400	11,900	8,400	9,800	11,100	8,800	10,400	9,200	9,200
145		8,400	10,900	7,300	8,800	10,100	7,800	9,400	8,200	8,300
150		7,400	9,900	6,400	7,800	9,100	6,800	8,400	7,400	7,400
155		6,500	9,000	5,500	6,900	8,200	5,900	7,600	6,600	6,600
160				4,600	6,100	7,400	5,100	6,700	5,700	5,800
165				3,800	5,300	6,600	4,300	6,000	5,000	5,100
170				3,100	4,600	5,900	3,600	5,200	4,200	4,400
175							2,900	4,600	3,600	3,800
180								3,900	2,900	3,100
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
	23	23	23	23	23	23	23	23	23	23
TAB 133	084	084	084	084	084	084	084	084	084	084

	T	K 40° 40ft					
--	---	---------------	---	---	--	--	--

STERLING CRANE

Folding Fly, 40° Offset, 40' Extension

 ft	 ft > < lbs		CODE >0120< L133 0530 .x(x)							
	184	197								
28										
30										
32										
34										
36										
38										
40										
45										
50										
55										
60										
65	12,700									
70	11,900	7,600								
75	11,100	7,200								
80	10,300	6,400								
85	9,500	5,600								
90	8,800	5,000								
95	8,200	4,300								
100	7,600	3,800								
105	7,000									
110	6,500									
115	6,000									
120	5,500									
125	5,100									
130	4,700									
135	4,300									
140	3,900									
145	3,600									
150	3,300									
155	3,000									
160										
165										
170										
175										
180										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
	TAB 133	084	084							


T

K 40°

40ft



79,400
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

	 ft > < lbs CODE >0122< L133 0630 .x(x)									
	43	141	141	157	157	157	171	171	184	197
28	23,800									
30	23,700									
32	23,200									
34	22,700									
36	22,300									
38	21,900									
40	21,500									
45	20,800									
50	20,200	23,000	22,300							
55	19,900	22,900	22,200	22,300	22,100	21,600	21,800	21,600		
60	19,600	22,500	21,800	22,300	22,000	21,600	21,800	21,500		
65	18,600	21,900	21,500	22,000	21,700	21,400	21,700	21,100	20,600	
70	15,900	21,500	21,100	21,600	21,500	21,100	21,300	21,000	20,600	19,900
75		21,300	20,800	21,300	21,200	20,800	21,000	20,700	20,500	19,900
80		21,100	20,700	21,000	20,900	20,500	20,800	20,400	20,300	19,800
85		20,700	20,400	20,700	20,600	20,300	20,500	20,200	20,100	19,300
90		20,500	20,200	20,500	20,400	20,000	20,300	20,000	19,900	18,900
95		20,300	20,000	20,300	20,200	19,800	20,100	19,900	19,700	18,400
100		20,100	19,800	20,100	20,000	19,500	19,900	19,700	19,500	18,000
105		19,900	19,400	19,900	19,800	19,200	19,700	19,500	19,200	17,500
110		19,800	18,600	19,700	19,600	18,700	19,700	18,900	18,700	17,100
115		19,700	17,700	19,100	19,400	18,100	19,100	18,300	18,200	16,600
120		19,200	17,000	18,000	18,900	17,400	18,000	17,600	17,500	16,100
125		18,100	16,200	16,400	18,100	16,700	16,500	17,000	16,800	15,600
130		16,700	15,600	15,100	16,700	16,100	15,200	16,400	15,500	15,100
135		15,300	15,000	13,800	15,400	15,400	13,900	15,600	14,300	14,200
140		14,000	14,400	12,600	14,300	14,700	12,700	14,600	13,100	13,100
145		12,700	13,800	11,500	13,100	14,000	11,600	13,500	12,000	12,000
150		11,500	13,200	10,300	11,900	13,300	10,600	12,500	11,000	11,000
155		10,300	12,700	9,200	10,900	12,300	9,700	11,500	10,100	10,100
160				8,200	9,800	11,300	8,700	10,500	9,200	9,200
165				7,200	8,800	10,300	7,700	9,500	8,400	8,400
170				6,300	7,900	9,400	6,800	8,600	7,500	7,600
175							6,000	7,800	6,700	6,900
180							5,200	7,000	5,900	6,100
185									5,200	5,400
* n *	2	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	215	215	215	215	215	215	215	215	215	215

	T	K 40° 40ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	--	---	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

 ft	 ft > < lbs		CODE >0122< L133 0630 .x(x)							
	184	197								
28										
30										
32										
34										
36										
38										
40										
45										
50										
55										
60										
65	12,700									
70	11,900	7,600								
75	11,100	7,200								
80	10,300	6,400								
85	9,500	5,600								
90	8,800	5,000								
95	8,200	4,300								
100	7,600	3,800								
105	7,000									
110	6,500									
115	6,000									
120	5,500									
125	5,100									
130	4,700									
135	4,300									
140	3,900									
145	3,600									
150	3,300									
155	3,000									
160										
165										
170										
175										
180										
185										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 ft/s	23	23								
TAB 133	215	215								


T

K 40°

40ft



99,200
lbs



29 x
27
ft



360°

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

[illegible]

The diagram shows a room layout with the following items:


- A table labeled 'T' with a chair labeled 'K' at a 40° angle, and a distance of 40ft.
- A scale labeled '99,200 lbs'.
- A table labeled '29 x 27 ft'.
- A circular arrow indicating a 360° rotation.

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

	 ft > < lbs CODE >0124< L133 0730 .x(x)									
	43	141	141	157	157	157	171	171	184	197
28	23,800									
30	23,700									
32	23,200									
34	22,700									
36	22,300									
38	21,900									
40	21,500									
45	20,800									
50	20,200	23,000	22,300							
55	19,900	22,900	22,200	22,300	22,100	21,600	21,800	21,600		
60	19,600	22,500	21,800	22,300	22,000	21,600	21,800	21,500		
65	18,600	21,900	21,500	22,000	21,700	21,400	21,700	21,100	20,600	
70	15,900	21,500	21,100	21,600	21,500	21,100	21,300	21,000	20,600	19,900
75		21,300	20,800	21,300	21,200	20,800	21,000	20,700	20,500	19,900
80		21,100	20,700	21,000	20,900	20,500	20,800	20,400	20,300	19,800
85		20,700	20,400	20,700	20,600	20,300	20,500	20,200	20,100	19,300
90		20,500	20,200	20,500	20,400	20,000	20,300	20,000	19,900	18,900
95		20,300	20,000	20,300	20,200	19,800	20,100	19,900	19,700	18,400
100		20,100	19,800	20,100	20,000	19,500	19,900	19,700	19,500	18,000
105		19,900	19,400	19,900	19,800	19,200	19,700	19,500	19,200	17,500
110		19,800	18,600	19,700	19,600	18,700	19,700	18,900	18,700	17,100
115		19,700	17,700	19,500	19,400	18,100	19,600	18,300	18,200	16,600
120		19,600	17,000	19,300	19,200	17,400	19,400	17,600	17,600	16,100
125		19,500	16,200	19,200	18,900	16,700	19,200	17,000	17,000	15,600
130		19,200	15,600	19,000	18,100	16,100	18,400	16,400	16,500	15,100
135		18,900	15,000	18,100	17,300	15,400	17,700	15,800	16,000	14,600
140		18,100	14,400	17,000	16,600	14,700	16,800	15,300	15,500	14,200
145		16,800	13,800	15,700	15,900	14,000	15,900	14,800	15,000	13,700
150		15,500	13,200	14,300	15,200	13,400	14,800	14,200	14,500	13,200
155		14,200	12,700	13,100	14,500	12,800	13,600	13,600	13,900	12,700
160				11,900	13,600	12,200	12,500	13,000	13,100	12,100
165				10,900	12,500	11,600	11,400	12,500	12,100	11,500
170				9,800	11,500	11,100	10,400	12,000	11,100	10,900
175							9,400	11,200	10,100	10,300
180							8,500	10,300	9,300	9,500
185									8,400	8,600
* n *	2	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	214	214	214	214	214	214	214	214	214	214

	T	K 40° 40ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	--	---	--	--

14

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension


	 ft > < lbs		CODE >0124< L133 0730 .x(x)							
	184	197								
28										
30										
32										
34										
36										
38										
40										
45										
50										
55										
60										
65	12,700									
70	11,900	7,600								
75	11,100	7,200								
80	10,300	6,400								
85	9,500	5,600								
90	8,800	5,000								
95	8,200	4,300								
100	7,600	3,800								
105	7,000									
110	6,500									
115	6,000									
120	5,500									
125	5,100									
130	4,700									
135	4,300									
140	3,900									
145	3,600									
150	3,300									
155	3,000									
160										
165										
170										
175										
180										
185										
* n *	1	1								
	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
	ft/s	23	23							
TAB 133	214	214								




T


K 40°
40ft


125,700
lbs


29 x
27
ft


360°





STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

		ft > lbs	CODE \0124< L133 0730 .x(x)							
		184	197							
 ft 190 195 200 205										
* n *		1	1							
 % 1 2 3 4 5	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s		23	23							
	TAB 133	214	214							

The diagram shows a room layout with the following elements:


- A table labeled "T" with a chair labeled "K 40°" and a distance of "40ft" from the table.
- A hanging scale labeled "125,700 lbs".
- A table with two chairs, labeled "29 x 27 ft".
- A circular arrow indicating a rotation of "360°".

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

 ft	 ft > < lbs CODE >0126< L133 0830 .x(x)									
	43	141	141	157	157	157	171	171	184	197
28	23,800									
30	23,700									
32	23,200									
34	22,700									
36	22,300									
38	21,900									
40	21,500									
45	20,800									
50	20,200	23,000	22,300							
55	19,900	22,900	22,200	22,300	22,100	21,600	21,800	21,600		
60	19,600	22,500	21,800	22,300	22,000	21,600	21,800	21,500		
65	18,600	21,900	21,500	22,000	21,700	21,400	21,700	21,100	20,600	
70	15,900	21,500	21,100	21,600	21,500	21,100	21,300	21,000	20,600	19,900
75		21,300	20,800	21,300	21,200	20,800	21,000	20,700	20,500	19,900
80		21,100	20,700	21,000	20,900	20,500	20,800	20,400	20,300	19,800
85		20,700	20,400	20,700	20,600	20,300	20,500	20,200	20,100	19,300
90		20,500	20,200	20,500	20,400	20,000	20,300	20,000	19,900	18,900
95		20,300	20,000	20,300	20,200	19,800	20,100	19,900	19,700	18,400
100		20,100	19,800	20,100	20,000	19,500	19,900	19,700	19,500	18,000
105		19,900	19,400	19,900	19,800	19,200	19,700	19,500	19,200	17,500
110		19,800	18,600	19,700	19,600	18,700	19,700	18,900	18,700	17,100
115		19,700	17,700	19,500	19,400	18,100	19,600	18,300	18,200	16,600
120		19,600	17,000	19,300	19,200	17,400	19,400	17,600	17,600	16,100
125		19,500	16,200	19,200	18,900	16,700	19,200	17,000	17,000	15,600
130		19,200	15,600	19,000	18,100	16,100	18,400	16,400	16,500	15,100
135		18,900	15,000	18,600	17,300	15,400	17,700	15,800	16,000	14,600
140		18,400	14,400	18,000	16,600	14,700	16,900	15,300	15,500	14,200
145		17,600	13,800	17,100	15,900	14,000	16,100	14,800	15,000	13,700
150		16,900	13,200	16,200	15,200	13,400	15,300	14,200	14,500	13,200
155		16,200	12,700	15,300	14,600	12,800	14,600	13,600	13,900	12,700
160				14,500	14,000	12,200	13,900	13,000	13,300	12,100
165				13,700	13,500	11,600	13,200	12,500	12,700	11,500
170				12,900	12,900	11,100	12,500	12,000	12,100	10,900
175							11,900	11,500	11,600	10,400
180							11,200	11,100	11,000	9,900
185									10,500	9,400
* n *	2	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	213	213	213	213	213	213	213	213	213	213

	T	K 40° 40ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

[illegible]

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

 ft	 ft > < lbs		CODE >0126< L133 0830 .x(x)							
	184	197								
28										
30										
32										
34										
36										
38										
40										
45										
50										
55										
60										
65	12,700									
70	11,900	7,600								
75	11,100	7,200								
80	10,300	6,400								
85	9,500	5,600								
90	8,800	5,000								
95	8,200	4,300								
100	7,600	3,800								
105	7,000									
110	6,500									
115	6,000									
120	5,500									
125	5,100									
130	4,700									
135	4,300									
140	3,900									
145	3,600									
150	3,300									
155	3,000									
160										
165										
170										
175										
180										
185										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 ft/s	23	23								
TAB 133	213	213								


T

K 40°

40ft



152,100
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, 40° Offset, 40' Extension

			ft > lbs		CODE > 0126 <		L133 0830 .x(x)			
	ft	184	197							
190										
195										
200										
205										
* n *		1	1							
1		92-	100-							
2		92-	100-							
3		92-	100-							
4		92-	100-							
5		92-	100-							
 %										
 ft/s		23	23							
TAB 133		213	213							

The diagram shows a room layout with the following elements:

- A table labeled "T" with a chair labeled "K 40°" and a distance of "40ft" indicated.
- A hanging scale labeled "152,100 lbs".
- A table with two chairs, labeled "29 x" and "27 ft".
- A circular arrow indicating a "360°" rotation.