



LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY


		 ft> < lbs		CODE >0184<		L133 0316 .x(x)				
		43	157	171	184	197				
14	11,500									
15	11,500									
16	11,500									
17	11,500									
18	11,500									
20	11,500									
22	11,500									
24	11,500									
26	11,500									
28	11,500									
30	11,500									
32	11,500									
34	11,500									
36	11,500									
38	11,400									
40	11,300									
45	11,200	11,500	10,900							
50	10,800	11,500	10,900	9,900	8,800					
55	10,200	11,500	10,900	9,900	8,800					
60	9,600	11,500	10,800	9,900	8,800					
65	9,100	11,500	10,800	9,900	8,800					
70	8,600	11,400	10,800	9,900	8,800					
75	8,100	11,400	10,700	9,900	8,800					
80	7,600	11,300	10,400	9,500	8,500					
85	7,200	11,100	9,700	8,000	7,400					
90	6,800	9,900	8,500	6,800	6,200					
95	6,400	8,600	7,300	5,700	5,100					
100	6,100	7,500	6,200							
105	5,800	6,500	5,200							
110	5,400	5,600	4,300							
115	5,000	4,800								
120	4,600	4,000								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	200	200	200	200	200					



STERLING CRANE


Folding Fly, Lattice Extension, 0° Offset, 72' Extension


 ft	 ft > < lbs					CODE >0185<		L133 0416 .x(x)		
	43	157	171	184	197					
14	11,500									
15	11,500									
16	11,500									
17	11,500									
18	11,500									
20	11,500									
22	11,500									
24	11,500									
26	11,500									
28	11,500									
30	11,500									
32	11,500									
34	11,500									
36	11,500									
38	11,400									
40	11,300									
45	11,200	11,500	10,900							
50	10,800	11,500	10,900	9,900	8,800					
55	10,200	11,500	10,900	9,900	8,800					
60	9,600	11,500	10,800	9,900	8,800					
65	9,100	11,500	10,800	9,900	8,800					
70	8,600	11,400	10,800	9,900	8,800					
75	8,100	11,400	10,700	9,900	8,800					
80	7,600	11,300	10,600	9,900	8,800					
85	7,200	11,200	10,500	9,900	8,800					
90	6,800	11,100	10,400	9,800	8,700					
95	6,400	10,800	10,300	9,700	8,600					
100	6,100	10,500	10,100	9,600	8,500					
105	5,800	10,300	10,000	9,500	8,400					
110	5,400	10,000	9,700	8,400	7,700					
115	5,000	9,700	8,900	7,400	6,800					
120	4,600	9,200	8,000	6,400	5,900					
125		8,400	7,100	5,600	5,000					
130		7,500	6,300	4,800	4,300					
135		6,800	5,500	4,000	3,500					
140		6,000	4,800							
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	199	199	199	199	199					

	T	VK 0° 72ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

Folding Fly, Lattice Extension, 0° Offset, 72' Extension



				CODE >0185<		L133 0416 .x(x)					
ft		43	157	171	184	197					
145			5,400	4,100							
150			4,700	3,500							
155			4,100	3,000							
160			3,600								
165			3,100								
170			2,600								



STERLING CRANE

Folding Fly, Lattice Extension, 0° Offset, 72' Extension


 ft	 ft > < lbs					CODE >0186<		L133 0516 .x(x)		
	43	157	171	184	197					
14	11,500									
15	11,500									
16	11,500									
17	11,500									
18	11,500									
20	11,500									
22	11,500									
24	11,500									
26	11,500									
28	11,500									
30	11,500									
32	11,500									
34	11,500									
36	11,500									
38	11,400									
40	11,300									
45	11,200	11,500	10,900							
50	10,800	11,500	10,900	9,900	8,800					
55	10,200	11,500	10,900	9,900	8,800					
60	9,600	11,500	10,800	9,900	8,800					
65	9,100	11,500	10,800	9,900	8,800					
70	8,600	11,400	10,800	9,900	8,800					
75	8,100	11,400	10,700	9,900	8,800					
80	7,600	11,300	10,600	9,900	8,800					
85	7,200	11,200	10,500	9,900	8,800					
90	6,800	11,100	10,400	9,800	8,700					
95	6,400	10,800	10,300	9,700	8,600					
100	6,100	10,500	10,100	9,600	8,500					
105	5,800	10,300	10,000	9,500	8,400					
110	5,400	10,000	9,800	9,400	8,300					
115	5,000	9,700	9,700	9,200	8,100					
120	4,600	9,400	9,500	9,100	8,000					
125		9,100	9,200	9,000	7,900					
130		8,800	8,900	8,800	7,700					
135		8,500	8,600	8,400	7,500					
140		8,200	8,300	7,800	7,200					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	198	198	198	198	198					

	T	VK 0° 72ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

Folding Fly, Lattice Extension, 0° Offset, 72' Extension

			CODE >0186< L133 0516 .x(x)								
ft		ft> < lbs									
		43	157	171	184	197					
	145		8,000	8,100	7,000	6,500					
	150		7,700	7,700	6,300	5,800					
	155		7,500	7,100	5,600	5,100					
	160		7,200	6,400	4,900	4,500					
	165		6,900	5,800	4,300	3,800					
	170		6,200	5,200	3,800	3,300					
	175		5,600	4,700	3,200	2,700					
	180		5,100	4,200	2,700						
	185		4,500	3,600							
	190		4,000	3,100							
	195		3,600	2,700							
	200		3,100								
	205		2,700								




STERLING CRANE

85%

Folding Fly, Lattice Extension, 0° Offset, 72' Extension

 ft	 ft > < lbs					CODE >0188< L133 0616 .x(x)				
	43	157	171	184	197					
14	12,600									
15	12,600									
16	12,600									
17	12,600									
18	12,600									
20	12,600									
22	12,600									
24	12,600									
26	12,600									
28	12,600									
30	12,600									
32	12,600									
34	12,600									
36	12,600									
38	12,500									
40	12,400									
45	12,300	12,600	11,900							
50	11,900	12,600	11,900	10,900	9,700					
55	11,200	12,600	11,900	10,900	9,700					
60	10,600	12,600	11,900	10,900	9,700					
65	10,000	12,600	11,900	10,900	9,700					
70	9,400	12,600	11,800	10,900	9,700					
75	8,900	12,500	11,800	10,900	9,700					
80	8,400	12,400	11,700	10,900	9,700					
85	7,900	12,300	11,600	10,900	9,700					
90	7,500	12,200	11,500	10,800	9,600					
95	7,100	11,900	11,300	10,700	9,500					
100	6,700	11,600	11,200	10,600	9,400					
105	6,400	11,300	11,000	10,400	9,200					
110	5,900	11,000	10,800	10,300	9,100					
115	5,500	10,600	10,600	10,200	9,000					
120	5,000	10,300	10,400	10,100	8,800					
125		10,000	10,100	9,900	8,700					
130		9,700	9,800	9,600	8,500					
135		9,400	9,500	9,300	8,300					
140		9,100	9,200	9,100	8,100					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	230	230	230	230	230					


	T	VK 0° 72ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 0° Offset, 72' Extension

						CODE >0190< L133 0716 .x(x)				
	43	157	171	184	197					
14	12,600									
15	12,600									
16	12,600									
17	12,600									
18	12,600									
20	12,600									
22	12,600									
24	12,600									
26	12,600									
28	12,600									
30	12,600									
32	12,600									
34	12,600									
36	12,600									
38	12,500									
40	12,400									
45	12,300	12,600	11,900							
50	11,900	12,600	11,900	10,900	9,700					
55	11,200	12,600	11,900	10,900	9,700					
60	10,600	12,600	11,900	10,900	9,700					
65	10,000	12,600	11,900	10,900	9,700					
70	9,400	12,600	11,800	10,900	9,700					
75	8,900	12,500	11,800	10,900	9,700					
80	8,400	12,400	11,700	10,900	9,700					
85	7,900	12,300	11,600	10,900	9,700					
90	7,500	12,200	11,500	10,800	9,600					
95	7,100	11,900	11,300	10,700	9,500					
100	6,700	11,600	11,200	10,600	9,400					
105	6,400	11,300	11,000	10,400	9,200					
110	5,900	11,000	10,800	10,300	9,100					
115	5,500	10,600	10,600	10,200	9,000					
120	5,000	10,300	10,400	10,100	8,800					
125		10,000	10,100	9,900	8,700					
130		9,700	9,800	9,600	8,500					
135		9,400	9,500	9,300	8,300					
140		9,100	9,200	9,100	8,100					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
	23	23	23	23	23					
TAB 133	229	229	229	229	229					


	T	VK 0° 72ft					
--	---	---------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 0° Offset, 72' Extension

 ft	 ft > < lbs					CODE >0192< L133 0816 .x(x)				
	43	157	171	184	197					
14	12,600									
15	12,600									
16	12,600									
17	12,600									
18	12,600									
20	12,600									
22	12,600									
24	12,600									
26	12,600									
28	12,600									
30	12,600									
32	12,600									
34	12,600									
36	12,600									
38	12,500									
40	12,400									
45	12,300	12,600	11,900							
50	11,900	12,600	11,900	10,900	9,700					
55	11,200	12,600	11,900	10,900	9,700					
60	10,600	12,600	11,900	10,900	9,700					
65	10,000	12,600	11,900	10,900	9,700					
70	9,400	12,600	11,800	10,900	9,700					
75	8,900	12,500	11,800	10,900	9,700					
80	8,400	12,400	11,700	10,900	9,700					
85	7,900	12,300	11,600	10,900	9,700					
90	7,500	12,200	11,500	10,800	9,600					
95	7,100	11,900	11,300	10,700	9,500					
100	6,700	11,600	11,200	10,600	9,400					
105	6,400	11,300	11,000	10,400	9,200					
110	5,900	11,000	10,800	10,300	9,100					
115	5,500	10,600	10,600	10,200	9,000					
120	5,000	10,300	10,400	10,100	8,800					
125		10,000	10,100	9,900	8,700					
130		9,700	9,800	9,600	8,500					
135		9,400	9,500	9,300	8,300					
140		9,100	9,200	9,100	8,100					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	228	228	228	228	228					

	T	VK 0° 72ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	---------------	---	---	--	--	--

