




LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY


				CODE >0224<		L133 0324 .x(x)				
		43	157	171	184	197				
22	19,800									
24	19,800									
26	19,800									
28	19,500									
30	19,100									
32	18,500									
34	17,900									
36	17,400									
38	16,900									
40	16,400									
45	15,100									
50	14,000	19,400								
55	13,100	19,200	18,100	16,800						
60	12,200	18,700	18,000	16,700						
65	11,500	18,000	17,500	16,400	14,300					
70	10,700	17,400	16,500	15,000	13,900					
75	9,900	16,200	15,000	13,200	12,700					
80	9,100	14,500	13,100	11,400	10,900					
85	8,200	12,800	11,400	9,800	9,300					
90	7,300	11,300	10,000	8,400	7,900					
95	6,700	9,900	8,600	7,100	6,600					
100		8,700	7,400	5,900	5,500					
105		7,500	6,300	4,800						
110		6,500	5,300	3,900						
115		5,600	4,400							
120		4,700								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
ft/s	23	23	23	23	23					
TAB 133	156	156	156	156	156					



STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 40' Extension



	 ft > < lbs					CODE >0225< L133 0424 .x(x)				
	43	157	171	184	197					
22	19,800									
24	19,800									
26	19,800									
28	19,500									
30	19,100									
32	18,500									
34	17,900									
36	17,400									
38	16,900									
40	16,400									
45	15,100									
50	14,000	19,400								
55	13,100	19,200	18,100	16,800						
60	12,200	18,700	18,000	16,700						
65	11,500	18,000	17,500	16,400	14,300					
70	10,700	17,400	17,000	16,100	14,200					
75	9,900	16,800	16,500	15,800	14,000					
80	9,100	16,200	16,000	15,400	13,700					
85	8,200	15,600	15,500	15,100	13,400					
90	7,300	15,000	14,900	14,700	13,100					
95	6,700	14,500	14,500	13,600	12,500					
100		14,000	13,700	12,100	11,600					
105		13,500	12,300	10,800	10,300					
110		12,300	11,100	9,600	9,100					
115		11,200	10,000	8,400	8,000					
120		10,100	8,900	7,400	7,000					
125		9,100	7,900	6,400	6,000					
130		8,200	7,000	5,600	5,200					
135		7,400	6,200	4,700	4,300					
140		6,600	5,400	4,000	3,600					
145		5,800	4,700							
150		5,100	4,000							
155		4,500	3,400							
160		3,800								
165		3,200								
170		2,700								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	155	155	155	155	155					

	T	VK 20° 40ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	--	---	--	--

STERLING CRANE


Folding Fly, Lattice Extension, 20° Offset, 40' Extension

 ft	 ft > < lbs					CODE >0226< L133 0524 .x(x)				
	43	157	171	184	197					
22	19,800									
24	19,800									
26	19,800									
28	19,500									
30	19,100									
32	18,500									
34	17,900									
36	17,400									
38	16,900									
40	16,400									
45	15,100									
50	14,000	19,400								
55	13,100	19,200	18,100	16,800						
60	12,200	18,700	18,000	16,700						
65	11,500	18,000	17,500	16,400	14,300					
70	10,700	17,400	17,000	16,100	14,200					
75	9,900	16,800	16,500	15,800	14,000					
80	9,100	16,200	16,000	15,400	13,700					
85	8,200	15,600	15,500	15,100	13,400					
90	7,300	15,000	14,900	14,700	13,100					
95	6,700	14,500	14,500	14,200	12,700					
100		14,000	14,000	13,800	12,400					
105		13,500	13,600	13,400	12,100					
110		13,100	13,100	13,000	11,800					
115		12,700	12,800	12,700	11,500					
120		12,300	12,400	12,200	11,200					
125		12,000	12,100	11,500	10,900					
130		11,600	11,700	10,500	10,000					
135		11,300	10,900	9,500	9,000					
140		10,800	10,000	8,500	8,100					
145		10,000	9,100	7,700	7,300					
150		9,100	8,300	6,900	6,500					
155		8,300	7,500	6,100	5,700					
160		7,500	6,700	5,400	5,000					
165		6,800	6,000	4,700	4,400					
170		6,100	5,300	4,100	3,700					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	154	154	154	154	154					

	T	VK 20° 40ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--


STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 40' Extension


 ft	 ft > < lbs					CODE >0226< L133 0524 .x(x)				
	43	157	171	184	197					
175		5,500	4,700	3,500	3,200					
180		4,900	4,100	3,000						
185		4,300	3,500							
190		3,800	3,000							
195		3,300	2,500							
200		2,800								
* n *	1	1	1	1	1					
 %	1	0+	0+	46+	92+	100+				
2	0+	92+	92+	92+	92+	100+				
3	0+	92+	92+	92+	92+	100+				
4	0+	92+	92+	92+	92+	100+				
5	0+	92+	92+	92+	92+	100+				
 ft/s	23	23	23	23	23					
TAB 133	154	154	154	154	154					

T

VK 20°
40ft



79,400
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 40' Extension

 ft	 ft > < lbs					CODE >0228< L133 0624 .x(x)				
	43	157	171	184	197					
22	21,800									
24	21,800									
26	21,800									
28	21,400									
30	21,000									
32	20,300									
34	19,700									
36	19,200									
38	18,600									
40	18,000									
45	16,700									
50	15,400	21,300								
55	14,400	21,100	19,900	18,400						
60	13,400	20,500	19,800	18,400						
65	12,600	19,800	19,300	18,000	15,800					
70	11,800	19,200	18,700	17,700	15,600					
75	10,900	18,500	18,200	17,300	15,400					
80	10,000	17,800	17,600	17,000	15,100					
85	9,000	17,200	17,000	16,600	14,800					
90	8,000	16,500	16,400	16,100	14,400					
95	7,400	15,900	15,900	15,600	14,000					
100		15,400	15,400	15,200	13,700					
105		14,900	14,900	14,800	13,300					
110		14,400	14,500	14,300	13,000					
115		14,000	14,000	13,900	12,600					
120		13,600	13,600	13,500	12,400					
125		13,100	13,300	13,200	12,100					
130		12,800	12,900	12,900	11,800					
135		12,400	12,500	12,600	11,500					
140		12,000	12,200	12,100	11,200					
145		11,700	11,900	11,400	10,800					
150		11,200	11,500	10,500	10,000					
155		10,800	10,900	9,600	9,200					
160		10,400	10,200	8,800	8,400					
165		10,000	9,500	8,000	7,600					
170		9,500	8,700	7,300	6,900					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	224	224	224	224	224					


	T	VK 20° 40ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 40' Extension

 ft	 ft > < lbs					CODE >0230< L133 0724 .x(x)				
	43	157	171	184	197					
22	21,800									
24	21,800									
26	21,800									
28	21,400									
30	21,000									
32	20,300									
34	19,700									
36	19,200									
38	18,600									
40	18,000									
45	16,700									
50	15,400	21,300								
55	14,400	21,100	19,900	18,400						
60	13,400	20,500	19,800	18,400						
65	12,600	19,800	19,300	18,000	15,800					
70	11,800	19,200	18,700	17,700	15,600					
75	10,900	18,500	18,200	17,300	15,400					
80	10,000	17,800	17,600	17,000	15,100					
85	9,000	17,200	17,000	16,600	14,800					
90	8,000	16,500	16,400	16,100	14,400					
95	7,400	15,900	15,900	15,600	14,000					
100		15,400	15,400	15,200	13,700					
105		14,900	14,900	14,800	13,300					
110		14,400	14,500	14,300	13,000					
115		14,000	14,000	13,900	12,600					
120		13,600	13,600	13,500	12,400					
125		13,100	13,300	13,200	12,100					
130		12,800	12,900	12,900	11,800					
135		12,400	12,500	12,600	11,500					
140		12,000	12,200	12,300	11,200					
145		11,700	11,900	12,000	10,900					
150		11,200	11,500	11,600	10,500					
155		10,800	11,100	11,300	10,200					
160		10,400	10,700	10,900	9,900					
165		10,000	10,400	10,500	9,600					
170		9,500	10,100	10,200	9,200					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	223	223	223	223	223					


	T	VK 20° 40ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 40' Extension

	 ft > < lbs					CODE >0232< L133 0824 .x(x)				
	43	157	171	184	197					
22	21,800									
24	21,800									
26	21,800									
28	21,400									
30	21,000									
32	20,300									
34	19,700									
36	19,200									
38	18,600									
40	18,000									
45	16,700									
50	15,400	21,300								
55	14,400	21,100	19,900	18,400						
60	13,400	20,500	19,800	18,400						
65	12,600	19,800	19,300	18,000	15,800					
70	11,800	19,200	18,700	17,700	15,600					
75	10,900	18,500	18,200	17,300	15,400					
80	10,000	17,800	17,600	17,000	15,100					
85	9,000	17,200	17,000	16,600	14,800					
90	8,000	16,500	16,400	16,100	14,400					
95	7,400	15,900	15,900	15,600	14,000					
100		15,400	15,400	15,200	13,700					
105		14,900	14,900	14,800	13,300					
110		14,400	14,500	14,300	13,000					
115		14,000	14,000	13,900	12,600					
120		13,600	13,600	13,500	12,400					
125		13,100	13,300	13,200	12,100					
130		12,800	12,900	12,900	11,800					
135		12,400	12,500	12,600	11,500					
140		12,000	12,200	12,300	11,200					
145		11,700	11,900	12,000	10,900					
150		11,200	11,500	11,600	10,500					
155		10,800	11,100	11,300	10,200					
160		10,400	10,700	10,900	9,900					
165		10,000	10,400	10,500	9,600					
170		9,500	10,100	10,200	9,200					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
ft/s	23	23	23	23	23					
TAB 133	222	222	222	222	222					

	T	VK 20° 40ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	--	---	--	--

10