



LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY


		 ft> < lbs	CODE)0234(L133 0325 .x(x)							
	ft	43	157	171	184	197				
36	14,100									
38	14,000									
40	13,800									
45	12,900									
50	12,100									
55	11,200									
60	10,500									
65	9,700	13,500								
70	9,100	13,300	12,800							
75	8,600	12,900	12,600	11,700	10,100					
80	8,000	12,400	12,200	11,500	10,100					
85	7,600	12,000	11,800	10,800	10,100					
90	7,100	11,500	10,700	9,400	8,800					
95	6,800	10,600	9,500	8,100	7,600					
100	6,400	9,500	8,300	6,800	6,400					
105	6,100	8,300	7,100	5,700	5,300					
110	5,600	7,300	6,100	4,700	4,300					
115	5,000	6,300	5,200							
120		5,400	4,300							
125		4,600								
130		3,900								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 % ft/s	23	23	23	23	23					
TAB 133	156	156	156	156	156					



STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 63' Extension



 ft	 ft > < lbs					CODE >0235<		L133 0425 .x(x)		
	43	157	171	184	197					
36	14,100									
38	14,000									
40	13,800									
45	12,900									
50	12,100									
55	11,200									
60	10,500									
65	9,700	13,500								
70	9,100	13,300	12,800							
75	8,600	12,900	12,600	11,700	10,100					
80	8,000	12,400	12,200	11,600	10,100					
85	7,600	12,000	11,800	11,400	10,100					
90	7,100	11,500	11,400	11,100	9,800					
95	6,800	11,100	11,100	10,800	9,600					
100	6,400	10,700	10,700	10,500	9,400					
105	6,100	10,400	10,300	10,200	9,200					
110	5,600	10,000	10,000	9,900	8,900					
115	5,000	9,600	9,700	9,100	8,400					
120		9,300	9,200	8,200	7,700					
125		9,000	8,600	7,200	6,700					
130		8,600	7,600	6,300	5,800					
135		7,900	6,800	5,400	5,000					
140		7,100	6,000	4,700	4,200					
145		6,400	5,200	3,900	3,500					
150		5,600	4,500	3,200	2,800					
155		5,000	3,900							
160		4,400	3,300							
165		3,800								
170		3,200								
175		2,700								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
 ft/s	23	23	23	23	23					
TAB 133	155	155	155	155	155					

	T	VK 20° 63ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 63' Extension

 ft	 ft > < lbs					CODE >0236<		L133 0525 .x(x)		
	43	157	171	184	197					
36	14,100									
38	14,000									
40	13,800									
45	12,900									
50	12,100									
55	11,200									
60	10,500									
65	9,700	13,500								
70	9,100	13,300	12,800							
75	8,600	12,900	12,600	11,700	10,100					
80	8,000	12,400	12,200	11,600	10,100					
85	7,600	12,000	11,800	11,400	10,100					
90	7,100	11,500	11,400	11,100	9,800					
95	6,800	11,100	11,100	10,800	9,600					
100	6,400	10,700	10,700	10,500	9,400					
105	6,100	10,400	10,300	10,200	9,200					
110	5,600	10,000	10,000	9,900	8,900					
115	5,000	9,600	9,700	9,600	8,600					
120		9,300	9,400	9,300	8,400					
125		9,000	9,100	9,000	8,200					
130		8,700	8,800	8,800	8,000					
135		8,500	8,500	8,500	7,800					
140		8,200	8,300	8,300	7,600					
145		8,000	8,100	8,000	7,300					
150		7,700	7,800	7,400	7,000					
155		7,500	7,600	6,700	6,300					
160		7,300	7,200	6,000	5,500					
165		7,000	6,600	5,300	4,900					
170		6,800	6,000	4,600	4,200					
175		6,200	5,400	4,000	3,600					
180		5,500	4,800	3,500	3,100					
185		4,900	4,200	2,900						
190		4,400	3,600	2,400						
195		3,900	3,100							
200		3,400	2,600							
205		2,900								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	154	154	154	154	154					


	T	VK 20° 63ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 63' Extension

 ft	 ft > < lbs					CODE >0238<		L133 0625 .x(x)		
	43	157	171	184	197					
36	15,500									
38	15,400									
40	15,200									
45	14,200									
50	13,300									
55	12,400									
60	11,500									
65	10,700	14,800								
70	10,000	14,600	14,100							
75	9,400	14,200	13,800	12,900	11,200					
80	8,800	13,700	13,400	12,800	11,100					
85	8,300	13,200	13,000	12,500	11,100					
90	7,900	12,700	12,600	12,200	10,800					
95	7,500	12,200	12,200	11,900	10,600					
100	7,100	11,800	11,700	11,500	10,300					
105	6,700	11,400	11,400	11,200	10,100					
110	6,200	11,000	11,000	10,800	9,800					
115	5,500	10,600	10,700	10,500	9,500					
120		10,300	10,300	10,200	9,300					
125		9,900	10,000	9,900	9,000					
130		9,600	9,700	9,600	8,800					
135		9,300	9,400	9,400	8,500					
140		9,000	9,100	9,100	8,300					
145		8,700	8,900	8,900	8,100					
150		8,500	8,600	8,600	7,900					
155		8,200	8,400	8,400	7,700					
160		8,000	8,100	8,200	7,500					
165		7,800	7,900	8,000	7,400					
170		7,600	7,700	7,700	7,200					
175		7,400	7,600	7,100	6,700					
180		7,200	7,400	6,400	6,000					
185		7,000	7,100	5,800	5,400					
190		6,800	6,500	5,200	4,800					
195		6,600	5,900	4,600	4,300					
200		6,100	5,300	4,100	3,700					
205		5,500	4,700	3,600	3,200					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	224	224	224	224	224					

	T	VK 20° 63ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 63' Extension

[illegible]


The diagram shows a stage layout. On the left is a 29' x 27' ft stage area. To its right is a 63ft x 20ft stage extension. A turntable is indicated by a circular arrow with '360°' inside. A weight of 99,200 lbs is shown hanging from the stage extension. The stage extension is labeled 'T' and 'VK 20°'.

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 63' Extension

 ft	 ft > < lbs					CODE >0240<		L133 0725 .x(x)		
	43	157	171	184	197					
36	15,500									
38	15,400									
40	15,200									
45	14,200									
50	13,300									
55	12,400									
60	11,500									
65	10,700	14,800								
70	10,000	14,600	14,100							
75	9,400	14,200	13,800	12,900	11,200					
80	8,800	13,700	13,400	12,800	11,100					
85	8,300	13,200	13,000	12,500	11,100					
90	7,900	12,700	12,600	12,200	10,800					
95	7,500	12,200	12,200	11,900	10,600					
100	7,100	11,800	11,700	11,500	10,300					
105	6,700	11,400	11,400	11,200	10,100					
110	6,200	11,000	11,000	10,800	9,800					
115	5,500	10,600	10,700	10,500	9,500					
120		10,300	10,300	10,200	9,300					
125		9,900	10,000	9,900	9,000					
130		9,600	9,700	9,600	8,800					
135		9,300	9,400	9,400	8,500					
140		9,000	9,100	9,100	8,300					
145		8,700	8,900	8,900	8,100					
150		8,500	8,600	8,600	7,900					
155		8,200	8,400	8,400	7,700					
160		8,000	8,100	8,200	7,500					
165		7,800	7,900	8,000	7,400					
170		7,600	7,700	7,800	7,200					
175		7,400	7,600	7,600	7,100					
180		7,200	7,400	7,400	6,900					
185		7,000	7,200	7,300	6,800					
190		6,800	7,000	7,100	6,600					
195		6,600	6,900	6,900	6,400					
200		6,400	6,700	6,700	6,200					
205		6,200	6,500	6,400	6,000					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
 ft/s	23	23	23	23	23					
TAB 133	223	223	223	223	223					

	T	VK 20° 63ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 63' Extension

[illegible]


Diagram showing a table with dimensions 29' x 27' ft. A load of 125,700 lbs is applied to the table. The table is labeled with 'T' and 'VK 20° 63ft'. A circular arrow indicates a 360° rotation.

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 63' Extension

 ft	 ft > < lbs					CODE >0242<		L133 0825 .x(x)		
	43	157	171	184	197					
36	15,500									
38	15,400									
40	15,200									
45	14,200									
50	13,300									
55	12,400									
60	11,500									
65	10,700	14,800								
70	10,000	14,600	14,100							
75	9,400	14,200	13,800	12,900	11,200					
80	8,800	13,700	13,400	12,800	11,100					
85	8,300	13,200	13,000	12,500	11,100					
90	7,900	12,700	12,600	12,200	10,800					
95	7,500	12,200	12,200	11,900	10,600					
100	7,100	11,800	11,700	11,500	10,300					
105	6,700	11,400	11,400	11,200	10,100					
110	6,200	11,000	11,000	10,800	9,800					
115	5,500	10,600	10,700	10,500	9,500					
120		10,300	10,300	10,200	9,300					
125		9,900	10,000	9,900	9,000					
130		9,600	9,700	9,600	8,800					
135		9,300	9,400	9,400	8,500					
140		9,000	9,100	9,100	8,300					
145		8,700	8,900	8,900	8,100					
150		8,500	8,600	8,600	7,900					
155		8,200	8,400	8,400	7,700					
160		8,000	8,100	8,200	7,500					
165		7,800	7,900	8,000	7,400					
170		7,600	7,700	7,800	7,200					
175		7,400	7,600	7,600	7,100					
180		7,200	7,400	7,400	6,900					
185		7,000	7,200	7,300	6,800					
190		6,800	7,000	7,100	6,600					
195		6,600	6,900	6,900	6,400					
200		6,400	6,700	6,700	6,200					
205		6,200	6,500	6,600	6,000					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
 ft/s	23	23	23	23	23					
TAB 133	222	222	222	222	222					

	T	VK 20° 63ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 63' Extension

	CODE \0242<					L133 0825 .x(x)				
	43	157	171	184	197					
210		5,900	6,400	6,400	5,700					
215		5,600	6,100	6,200	5,400					
220		5,300	5,900	6,000	5,100					
225			5,600	5,700	4,800					
230			5,400	5,400	4,500					
235			5,100	5,200	4,200					
240				4,900	4,000					
245				4,500	3,700					
250					3,500					
255					3,200					
260					2,900					
* n *	1	1	1	1	1					
1 2 3 4 5	0+ 0+ 0+ 0+ 0+	0+ 92+ 92+ 92+ 92+	46+ 92+ 92+ 92+ 92+	92+ 92+ 92+ 92+ 92+	100+ 100+ 100+ 100+ 100+					
TAB 133	22	22	22	22	22					

Diagram illustrating a table with dimensions 29' x 27' and a load of 152,100 lbs. The table is shown with a 360-degree rotation arrow, indicating it can rotate.