



LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY


	 ft > lbs	CODE >0244<						L133 0326 .x(x)			
ft	43	157	171	184	197						
38	11,500										
40	11,400										
45	11,300										
50	11,000										
55	10,600										
60	10,000										
65	9,300										
70	8,800	11,000									
75	8,200	11,000	10,600	10,100							
80	7,800	11,000	10,600	10,100							
85	7,300	10,900	10,600	10,100	8,800						
90	6,900	10,600	10,300	9,700	8,800						
95	6,500	10,200	9,800	8,800	8,100						
100	6,200	9,700	8,900	7,500	7,000						
105	5,900	8,900	7,800	6,400	6,000						
110	5,600	7,900	6,800	5,400	5,000						
115	5,400	6,900	5,800	4,500	4,100						
120	5,100	6,000	4,900								
125		5,200	4,100								
130		4,400	3,400								
135		3,700									
* n *	1	1	1	1	1						
1	0+	0+	46+	92+	100+						
2	0+	92+	92+	92+	100+						
3	0+	92+	92+	92+	100+						
4	0+	92+	92+	92+	100+						
5	0+	92+	92+	92+	100+						
 ft/s	23	23	23	23	23						
TAB 133	156	156	156	156	156						



STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 72' Extension



 ft	 ft > < lbs					CODE >0245<		L133 0426 .x(x)		
	43	157	171	184	197					
38	11,500									
40	11,400									
45	11,300									
50	11,000									
55	10,600									
60	10,000									
65	9,300									
70	8,800	11,000								
75	8,200	11,000	10,600	10,100						
80	7,800	11,000	10,600	10,100						
85	7,300	10,900	10,600	10,100	8,800					
90	6,900	10,600	10,300	10,000	8,800					
95	6,500	10,200	10,100	9,800	8,700					
100	6,200	9,900	9,800	9,600	8,500					
105	5,900	9,500	9,500	9,300	8,300					
110	5,600	9,200	9,200	9,000	8,100					
115	5,400	8,900	8,900	8,800	7,900					
120	5,100	8,600	8,700	8,400	7,700					
125		8,300	8,400	7,800	7,300					
130		8,100	8,100	6,900	6,400					
135		7,900	7,400	6,000	5,600					
140		7,500	6,600	5,200	4,800					
145		6,900	5,800	4,500	4,100					
150		6,200	5,100	3,800	3,400					
155		5,500	4,400	3,200						
160		4,900	3,800							
165		4,300	3,200							
170		3,700	2,700							
175		3,200								
180		2,700								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
 ft/s	23	23	23	23	23					
TAB 133	155	155	155	155	155					

	T	VK 20° 72ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	--	---	--	--

STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 72' Extension


 ft	 ft > < lbs					CODE >0246<		L133 0526 .x(x)		
	43	157	171	184	197					
38	11,500									
40	11,400									
45	11,300									
50	11,000									
55	10,600									
60	10,000									
65	9,300									
70	8,800	11,000								
75	8,200	11,000	10,600	10,100						
80	7,800	11,000	10,600	10,100						
85	7,300	10,900	10,600	10,100	8,800					
90	6,900	10,600	10,300	10,000	8,800					
95	6,500	10,200	10,100	9,800	8,700					
100	6,200	9,900	9,800	9,600	8,500					
105	5,900	9,500	9,500	9,300	8,300					
110	5,600	9,200	9,200	9,000	8,100					
115	5,400	8,900	8,900	8,800	7,900					
120	5,100	8,600	8,700	8,500	7,700					
125		8,300	8,400	8,300	7,500					
130		8,100	8,100	8,100	7,300					
135		7,900	7,900	7,900	7,100					
140		7,600	7,700	7,600	7,000					
145		7,400	7,500	7,400	6,800					
150		7,200	7,300	7,200	6,600					
155		6,900	7,000	7,000	6,500					
160		6,700	6,900	6,500	6,100					
165		6,500	6,700	5,800	5,400					
170		6,400	6,400	5,200	4,800					
175		6,200	5,900	4,600	4,200					
180		5,900	5,300	4,000	3,600					
185		5,500	4,700	3,400	3,000					
190		4,900	4,200	2,900	2,500					
195		4,400	3,600	2,400						
200		3,900	3,100							
205		3,400	2,700							
210		2,900								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	154	154	154	154	154					

	T	VK 20° 72ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 72' Extension

 ft		 ft > lbs	CODE }0246<						L133 0526 .x(x)	
215	43	157	171	184	197					
		2,500								
* n *	1	1	1	1	1					
1 2 3 4 5	0+ 0+ 0+ 0+ 0+	0+ 92+ 92+ 92+ 92+	46+ 92+ 92+ 92+ 92+	92+ 92+ 92+ 92+ 92+	100+ 100+ 100+ 100+ 100+					
 ft/s	23	23	23	23	23					
TAB 133	154	154	154	154	154					




STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 72' Extension

 ft	 ft > < lbs					CODE >0248<		L133 0626 .x(x)		
	43	157	171	184	197					
38	12,600									
40	12,600									
45	12,400									
50	12,100									
55	11,600									
60	11,000									
65	10,300									
70	9,600	12,100								
75	9,100	12,100	11,600	11,200						
80	8,500	12,100	11,600	11,200						
85	8,100	11,900	11,600	11,200	9,700					
90	7,600	11,600	11,400	11,000	9,700					
95	7,200	11,200	11,100	10,800	9,600					
100	6,800	10,900	10,800	10,600	9,400					
105	6,500	10,500	10,500	10,200	9,200					
110	6,200	10,100	10,100	9,900	8,900					
115	5,900	9,800	9,800	9,700	8,700					
120	5,600	9,500	9,500	9,400	8,500					
125		9,200	9,200	9,100	8,300					
130		8,900	9,000	8,900	8,000					
135		8,600	8,700	8,600	7,800					
140		8,400	8,400	8,400	7,700					
145		8,100	8,200	8,200	7,500					
150		7,900	8,000	8,000	7,300					
155		7,600	7,800	7,800	7,100					
160		7,400	7,500	7,600	6,900					
165		7,200	7,300	7,400	6,800					
170		7,000	7,100	7,200	6,600					
175		6,900	6,900	7,000	6,500					
180		6,700	6,800	6,700	6,300					
185		6,500	6,700	6,300	5,900					
190		6,400	6,500	5,700	5,300					
195		6,200	6,300	5,100	4,800					
200		6,000	5,900	4,600	4,200					
205		5,800	5,300	4,100	3,700					
210		5,500	4,700	3,600	3,200					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	224	224	224	224	224					


	T	VK 20° 72ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 72' Extension

 ft	 ft > < lbs					CODE >0250<		L133 0726 .x(x)		
	43	157	171	184	197					
38	12,600									
40	12,600									
45	12,400									
50	12,100									
55	11,600									
60	11,000									
65	10,300									
70	9,600	12,100								
75	9,100	12,100	11,600	11,200						
80	8,500	12,100	11,600	11,200						
85	8,100	11,900	11,600	11,200	9,700					
90	7,600	11,600	11,400	11,000	9,700					
95	7,200	11,200	11,100	10,800	9,600					
100	6,800	10,900	10,800	10,600	9,400					
105	6,500	10,500	10,500	10,200	9,200					
110	6,200	10,100	10,100	9,900	8,900					
115	5,900	9,800	9,800	9,700	8,700					
120	5,600	9,500	9,500	9,400	8,500					
125		9,200	9,200	9,100	8,300					
130		8,900	9,000	8,900	8,000					
135		8,600	8,700	8,600	7,800					
140		8,400	8,400	8,400	7,700					
145		8,100	8,200	8,200	7,500					
150		7,900	8,000	8,000	7,300					
155		7,600	7,800	7,800	7,100					
160		7,400	7,500	7,600	6,900					
165		7,200	7,300	7,400	6,800					
170		7,000	7,100	7,200	6,600					
175		6,900	6,900	7,000	6,500					
180		6,700	6,800	6,800	6,300					
185		6,500	6,700	6,700	6,200					
190		6,400	6,500	6,600	6,100					
195		6,200	6,400	6,400	6,000					
200		6,000	6,200	6,300	5,800					
205		5,900	6,100	6,200	5,700					
210		5,700	5,900	6,000	5,500					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
ft/s	23	23	23	23	23					
TAB 133	223	223	223	223	223					


	T	VK 20° 72ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 72' Extension

						CODE >0252< L133 0826 .x(x)				
	43	157	171	184	197					
38	12,600									
40	12,600									
45	12,400									
50	12,100									
55	11,600									
60	11,000									
65	10,300									
70	9,600	12,100								
75	9,100	12,100	11,600	11,200						
80	8,500	12,100	11,600	11,200						
85	8,100	11,900	11,600	11,200	9,700					
90	7,600	11,600	11,400	11,000	9,700					
95	7,200	11,200	11,100	10,800	9,600					
100	6,800	10,900	10,800	10,600	9,400					
105	6,500	10,500	10,500	10,200	9,200					
110	6,200	10,100	10,100	9,900	8,900					
115	5,900	9,800	9,800	9,700	8,700					
120	5,600	9,500	9,500	9,400	8,500					
125		9,200	9,200	9,100	8,300					
130		8,900	9,000	8,900	8,000					
135		8,600	8,700	8,600	7,800					
140		8,400	8,400	8,400	7,700					
145		8,100	8,200	8,200	7,500					
150		7,900	8,000	8,000	7,300					
155		7,600	7,800	7,800	7,100					
160		7,400	7,500	7,600	6,900					
165		7,200	7,300	7,400	6,800					
170		7,000	7,100	7,200	6,600					
175		6,900	6,900	7,000	6,500					
180		6,700	6,800	6,800	6,300					
185		6,500	6,700	6,700	6,200					
190		6,400	6,500	6,600	6,100					
195		6,200	6,400	6,400	6,000					
200		6,000	6,200	6,300	5,800					
205		5,900	6,100	6,200	5,700					
210		5,700	5,900	6,000	5,500					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	222	222	222	222	222					

	T	VK 20° 72ft					
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 72' Extension

				ft> < lbs		CODE >0252<		L133 0826 .x(x)		
ft		43	157	171	184	197				
215			5,500	5,800	5,900	5,300				
220			5,300	5,600	5,700	5,200				
225			5,100	5,500	5,500	5,000				
230				5,300	5,400	4,700				
235				5,200	5,200	4,400				
240				5,000	5,000	4,200				
245				4,800	4,800	3,900				
250					4,500	3,700				
255					4,100	3,400				
260					3,700	3,100				
265						2,900				
								</		

Diagram illustrating a table with dimensions 29' x 27' and a load of 152,100 lbs. The table is shown with a height of 72ft and a rotation of 360°.