


LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY


		 ft> < lbs	CODE)0264(L133 0328 .x(x)							
	ft	43	157	171	184	197				
50	7,600									
55	7,500									
60	7,400									
65	7,100									
70	6,900									
75	6,700									
80	6,400									
85	6,200	7,300								
90	5,800	7,300	6,900	6,600						
95	5,400	7,200	6,900	6,600	6,000					
100	5,100	7,000	6,800	6,600	6,000					
105	4,900	6,900	6,700	6,500	6,000					
110	4,600	6,800	6,600	5,900	5,400					
115	4,400	6,600	6,100	5,100	4,600					
120	4,200	6,300	5,400	4,200						
125	4,000	5,600	4,600							
130	3,900	4,900	3,900							
135	3,700	4,200								
140	3,600	3,500								
145	3,400									
150	3,100									
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
	ft/s	23	23	23	23					
TAB 133		156	156	156	156					



STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 95' Extension



 ft	 ft > < lbs					CODE >0265<		L133 0428 .x(x)		
	43	157	171	184	197					
50	7,600									
55	7,500									
60	7,400									
65	7,100									
70	6,900									
75	6,700									
80	6,400									
85	6,200	7,300								
90	5,800	7,300	6,900	6,600						
95	5,400	7,200	6,900	6,600	6,000					
100	5,100	7,000	6,800	6,600	6,000					
105	4,900	6,900	6,700	6,500	6,000					
110	4,600	6,800	6,600	6,400	6,000					
115	4,400	6,600	6,500	6,300	5,900					
120	4,200	6,500	6,400	6,200	5,700					
125	4,000	6,400	6,300	6,000	5,600					
130	3,900	6,200	6,100	5,900	5,400					
135	3,700	6,000	6,000	5,800	5,300					
140	3,600	5,800	5,800	5,500	5,000					
145	3,400	5,600	5,600	5,000	4,500					
150	3,100	5,400	5,400	4,300	3,800					
155		5,200	4,800	3,600	3,200					
160		5,000	4,200	3,000						
165		4,600	3,600							
170		4,000	3,000							
175		3,500								
180		3,000								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
ft/s	23	23	23	23	23					
TAB 133	155	155	155	155	155					

	T	VK 20° 95ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

Folding Fly, Lattice Extension, 20° Offset, 95' Extension

 ft	 ft > < lbs					CODE >0266<		L133 0528 .x(x)		
	43	157	171	184	197					
50	7,600									
55	7,500									
60	7,400									
65	7,100									
70	6,900									
75	6,700									
80	6,400									
85	6,200	7,300								
90	5,800	7,300	6,900	6,600						
95	5,400	7,200	6,900	6,600	6,000					
100	5,100	7,000	6,800	6,600	6,000					
105	4,900	6,900	6,700	6,500	6,000					
110	4,600	6,800	6,600	6,400	6,000					
115	4,400	6,600	6,500	6,300	5,900					
120	4,200	6,500	6,400	6,200	5,700					
125	4,000	6,400	6,300	6,000	5,600					
130	3,900	6,200	6,100	5,900	5,400					
135	3,700	6,000	6,000	5,800	5,300					
140	3,600	5,800	5,800	5,700	5,200					
145	3,400	5,600	5,600	5,600	5,100					
150	3,100	5,400	5,500	5,500	4,900					
155		5,200	5,300	5,300	4,800					
160		5,100	5,200	5,200	4,700					
165		4,900	5,000	5,000	4,600					
170		4,800	4,900	4,900	4,500					
175		4,700	4,700	4,700	4,300					
180		4,600	4,600	4,300	3,900					
185		4,500	4,500	3,700	3,400					
190		4,300	4,400	3,200	2,800					
195		4,200	3,900	2,700	2,300					
200		4,100	3,400							
205		3,800	3,000							
210		3,400								
215		2,900								
220		2,500								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	154	154	154	154	154					


	T	VK 20° 95ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 95' Extension


						CODE >0268<		L133 0628 .x(x)		
	43	157	171	184	197					
50	8,300									
55	8,300									
60	8,100									
65	7,800									
70	7,600									
75	7,300									
80	7,100									
85	6,800	8,000								
90	6,400	8,000	7,600	7,300						
95	6,000	7,900	7,600	7,300	6,600					
100	5,600	7,700	7,500	7,200	6,600					
105	5,300	7,600	7,400	7,100	6,600					
110	5,100	7,400	7,300	7,000	6,600					
115	4,900	7,300	7,200	6,900	6,400					
120	4,600	7,200	7,000	6,800	6,300					
125	4,400	7,000	6,900	6,600	6,100					
130	4,300	6,800	6,700	6,500	6,000					
135	4,100	6,600	6,600	6,400	5,800					
140	4,000	6,400	6,400	6,300	5,700					
145	3,800	6,200	6,200	6,100	5,600					
150	3,400	6,000	6,000	6,000	5,400					
155		5,700	5,900	5,800	5,300					
160		5,600	5,700	5,700	5,100					
165		5,400	5,500	5,500	5,000					
170		5,300	5,300	5,400	4,900					
175		5,200	5,200	5,200	4,800					
180		5,000	5,100	5,100	4,700					
185		4,900	5,000	5,000	4,600					
190		4,800	4,800	4,900	4,500					
195		4,600	4,700	4,800	4,400					
200		4,500	4,600	4,600	4,300					
205		4,400	4,500	4,400	4,000					
210		4,300	4,400	3,900	3,500					
215		4,200	4,300	3,400	3,000					
220		4,200	4,000	2,900	2,500					
225		4,100	3,600							
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
	23	23	23	23	23					
TAB 133	224	224	224	224	224					

	T	VK 20° 95ft					
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 95' Extension


[illegible]

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 95' Extension

 ft	 ft > < lbs					CODE >0270<		L133 0728 .x(x)		
	43	157	171	184	197					
50	8,300									
55	8,300									
60	8,100									
65	7,800									
70	7,600									
75	7,300									
80	7,100									
85	6,800	8,000								
90	6,400	8,000	7,600	7,300						
95	6,000	7,900	7,600	7,300	6,600					
100	5,600	7,700	7,500	7,200	6,600					
105	5,300	7,600	7,400	7,100	6,600					
110	5,100	7,400	7,300	7,000	6,600					
115	4,900	7,300	7,200	6,900	6,400					
120	4,600	7,200	7,000	6,800	6,300					
125	4,400	7,000	6,900	6,600	6,100					
130	4,300	6,800	6,700	6,500	6,000					
135	4,100	6,600	6,600	6,400	5,800					
140	4,000	6,400	6,400	6,300	5,700					
145	3,800	6,200	6,200	6,100	5,600					
150	3,400	6,000	6,000	6,000	5,400					
155		5,700	5,900	5,800	5,300					
160		5,600	5,700	5,700	5,100					
165		5,400	5,500	5,500	5,000					
170		5,300	5,300	5,400	4,900					
175		5,200	5,200	5,200	4,800					
180		5,000	5,100	5,100	4,700					
185		4,900	5,000	5,000	4,600					
190		4,800	4,800	4,900	4,500					
195		4,600	4,700	4,800	4,400					
200		4,500	4,600	4,600	4,300					
205		4,400	4,500	4,600	4,300					
210		4,300	4,400	4,500	4,200					
215		4,200	4,300	4,400	4,100					
220		4,200	4,200	4,300	4,000					
225		4,100	4,200	4,200	3,900					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
 ft/s	23	23	23	23	23					
TAB 133	223	223	223	223	223					


	T	VK 20° 95ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 20° Offset, 95' Extension

 ft	 ft > < lbs					CODE >0272<		L133 0828 .x(x)		
	43	157	171	184	197					
50	8,300									
55	8,300									
60	8,100									
65	7,800									
70	7,600									
75	7,300									
80	7,100									
85	6,800	8,000								
90	6,400	8,000	7,600	7,300						
95	6,000	7,900	7,600	7,300	6,600					
100	5,600	7,700	7,500	7,200	6,600					
105	5,300	7,600	7,400	7,100	6,600					
110	5,100	7,400	7,300	7,000	6,600					
115	4,900	7,300	7,200	6,900	6,400					
120	4,600	7,200	7,000	6,800	6,300					
125	4,400	7,000	6,900	6,600	6,100					
130	4,300	6,800	6,700	6,500	6,000					
135	4,100	6,600	6,600	6,400	5,800					
140	4,000	6,400	6,400	6,300	5,700					
145	3,800	6,200	6,200	6,100	5,600					
150	3,400	6,000	6,000	6,000	5,400					
155		5,700	5,900	5,800	5,300					
160		5,600	5,700	5,700	5,100					
165		5,400	5,500	5,500	5,000					
170		5,300	5,300	5,400	4,900					
175		5,200	5,200	5,200	4,800					
180		5,000	5,100	5,100	4,700					
185		4,900	5,000	5,000	4,600					
190		4,800	4,800	4,900	4,500					
195		4,600	4,700	4,800	4,400					
200		4,500	4,600	4,600	4,300					
205		4,400	4,500	4,600	4,300					
210		4,300	4,400	4,500	4,200					
215		4,200	4,300	4,400	4,100					
220		4,200	4,200	4,300	4,000					
225		4,100	4,200	4,200	3,900					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
ft/s	23	23	23	23	23					
TAB 133	222	222	222	222	222					

	T	VK 20° 95ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	---	--	--	--

