



LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY


				CODE > 0284 <		L133 0334 .x(x)				
		43	157	171	184	197				
32	18,500									
34	18,200									
36	17,700									
38	17,200									
40	16,700									
45	15,400									
50	14,300									
55	13,300									
60	12,400									
65	11,600	16,800	16,500							
70	10,900	16,300	16,100	15,400						
75	10,200	15,800	15,600	14,700	13,200					
80	9,500	15,200	14,800	13,300	12,700					
85	8,400	14,200	13,000	11,500	11,000					
90	7,800	12,700	11,400	10,000	9,500					
95		11,200	10,000	8,600	8,100					
100		9,800	8,700	7,300	6,800					
105		8,600	7,500	6,100	5,700					
110		7,500	6,400	5,000	4,700					
115		6,500	5,400	4,100						
120		5,600	4,500							
125		4,700								
130		3,900								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
	23	23	23	23	23					
TAB 133	166	166	166	166	166					



STERLING CRANE

Folding Fly, Lattice Extension, 40° Offset, 40' Extension



 ft	 ft > < lbs					CODE >0285<		L133 0434 .x(x)		
	43	157	171	184	197					
32	18,500									
34	18,200									
36	17,700									
38	17,200									
40	16,700									
45	15,400									
50	14,300									
55	13,300									
60	12,400									
65	11,600	16,800	16,500							
70	10,900	16,300	16,100	15,400						
75	10,200	15,800	15,600	15,200	13,200					
80	9,500	15,300	15,100	14,800	13,200					
85	8,400	14,700	14,600	14,400	13,000					
90	7,800	14,300	14,200	14,000	12,700					
95		13,800	13,800	13,600	12,400					
100		13,300	13,400	13,000	12,000					
105		12,900	13,000	12,100	11,600					
110		12,600	12,100	10,800	10,300					
115		11,900	11,000	9,600	9,200					
120		11,000	9,800	8,400	8,100					
125		9,900	8,800	7,400	7,000					
130		8,900	7,800	6,500	6,100					
135		8,000	6,900	5,600	5,200					
140		7,200	6,100	4,700	4,400					
145		6,400	5,300	4,000	3,600					
150		5,600	4,600	3,200	2,900					
155		4,900	3,900							
160		4,200	3,200							
165		3,500								
170		2,900								
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 %										
 ft/s	23	23	23	23	23					
TAB 133	165	165	165	165	165					

	T	VK 40° 40ft	 52,900 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

Folding Fly, Lattice Extension, 40° Offset, 40' Extension

 ft	 ft > < lbs					CODE >0286<		L133 0534 .x(x)		
	43	157	171	184	197					
32	18,500									
34	18,200									
36	17,700									
38	17,200									
40	16,700									
45	15,400									
50	14,300									
55	13,300									
60	12,400									
65	11,600	16,800	16,500							
70	10,900	16,300	16,100	15,400						
75	10,200	15,800	15,600	15,200	13,200					
80	9,500	15,300	15,100	14,800	13,200					
85	8,400	14,700	14,600	14,400	13,000					
90	7,800	14,300	14,200	14,000	12,700					
95		13,800	13,800	13,600	12,400					
100		13,300	13,400	13,200	12,100					
105		12,900	13,000	12,800	11,800					
110		12,600	12,600	12,500	11,500					
115		12,200	12,300	12,200	11,200					
120		11,800	11,900	11,900	10,900					
125		11,500	11,600	11,600	10,700					
130		11,200	11,400	11,200	10,400					
135		10,900	11,100	10,300	9,800					
140		10,700	10,600	9,300	8,900					
145		10,400	9,800	8,400	8,000					
150		9,600	8,900	7,500	7,200					
155		8,700	8,000	6,700	6,400					
160		7,900	7,200	6,000	5,600					
165		7,100	6,400	5,300	4,900					
170		6,400	5,700	4,600	4,300					
175		5,700	5,000	4,000	3,600					
180		5,100	4,400	3,400	3,000					
185			3,800	2,800						
190			3,200	2,200						
195			2,600							
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	164	164	164	164	164					


	T	VK 40° 40ft	 79,400 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 40° Offset, 40' Extension



	 ft > < lbs					CODE >0288< L133 0634 .x(x)				
	43	157	171	184	197					
32	20,400									
34	20,000									
36	19,400									
38	18,900									
40	18,300									
45	16,900									
50	15,700									
55	14,600									
60	13,600									
65	12,700	18,400	18,200							
70	12,000	18,000	17,700	17,000						
75	11,200	17,400	17,200	16,700	14,600					
80	10,400	16,800	16,600	16,200	14,500					
85	9,300	16,200	16,100	15,800	14,300					
90	8,500	15,700	15,600	15,400	13,900					
95		15,200	15,100	14,900	13,600					
100		14,700	14,700	14,500	13,300					
105		14,200	14,300	14,100	12,900					
110		13,800	13,900	13,700	12,600					
115		13,400	13,500	13,400	12,300					
120		13,000	13,100	13,100	12,000					
125		12,700	12,800	12,800	11,700					
130		12,400	12,500	12,500	11,500					
135		12,000	12,200	12,200	11,200					
140		11,700	11,900	11,900	11,000					
145		11,500	11,600	11,600	10,700					
150		11,200	11,300	11,100	10,500					
155		10,900	11,000	10,300	9,800					
160		10,600	10,600	9,400	9,000					
165		10,200	9,900	8,500	8,200					
170		9,700	9,100	7,800	7,400					
175		9,000	8,300	7,000	6,700					
180		8,300	7,500	6,300	6,000					
185			6,700	5,700	5,400					
190			6,000	5,000	4,800					
195			5,400	4,300	4,200					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	227	227	227	227	227					



	T	VK 40° 40ft	 99,200 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	--	---	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 40° Offset, 40' Extension


	 ft > < lbs					CODE >0290< L133 0734 .x(x)				
	43	157	171	184	197					
32	20,400									
34	20,000									
36	19,400									
38	18,900									
40	18,300									
45	16,900									
50	15,700									
55	14,600									
60	13,600									
65	12,700	18,400	18,200							
70	12,000	18,000	17,700	17,000						
75	11,200	17,400	17,200	16,700	14,600					
80	10,400	16,800	16,600	16,200	14,500					
85	9,300	16,200	16,100	15,800	14,300					
90	8,500	15,700	15,600	15,400	13,900					
95		15,200	15,100	14,900	13,600					
100		14,700	14,700	14,500	13,300					
105		14,200	14,300	14,100	12,900					
110		13,800	13,900	13,700	12,600					
115		13,400	13,500	13,400	12,300					
120		13,000	13,100	13,100	12,000					
125		12,700	12,800	12,800	11,700					
130		12,400	12,500	12,500	11,500					
135		12,000	12,200	12,200	11,200					
140		11,700	11,900	11,900	11,000					
145		11,500	11,600	11,600	10,700					
150		11,200	11,300	11,400	10,500					
155		10,900	11,000	11,100	10,200					
160		10,600	10,800	10,900	9,900					
165		10,200	10,500	10,600	9,600					
170		9,700	10,200	10,300	9,300					
175		9,200	9,800	10,000	9,000					
180		8,800	9,500	9,600	8,600					
185			9,100	8,900	8,200					
190			8,700	8,100	7,800					
195			8,300	7,400	7,200					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
%										
ft/s	23	23	23	23	23					
TAB 133	226	226	226	226	226					

	T	VK 40° 40ft	 125,700 lbs	 29 x 27 ft	 360°		
--	---	----------------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 40° Offset, 40' Extension

				CODE \0290<		L133 0734 .x(x)					
	ft	43	157	171	184	197					
200					6,700	6,600					
205					6,000	5,900					
210						5,200					
215						4,600					
220						4,000					

The diagram shows a crane system with the following components labeled in boxes:


- Top Left:** A box containing the letter **T**.
- Top Middle:** A box containing **VK 40°** and **40ft**.
- Top Right:** A box containing a crane hook icon, the number **125,700**, and the unit **lbs**.
- Bottom Left:** A box containing a table icon, the number **29**, and the unit **x**.
- Bottom Middle:** A box containing a table icon, the number **27**, and the unit **ft**.
- Bottom Right:** A box containing a circular arrow icon and the number **360°**.

STERLING CRANE

85%

Folding Fly, Lattice Extension, 40° Offset, 40' Extension

 ft	 ft > < lbs					CODE >0292<		L133 0834 .x(x)		
	43	157	171	184	197					
32	20,400									
34	20,000									
36	19,400									
38	18,900									
40	18,300									
45	16,900									
50	15,700									
55	14,600									
60	13,600									
65	12,700	18,400	18,200							
70	12,000	18,000	17,700	17,000						
75	11,200	17,400	17,200	16,700	14,600					
80	10,400	16,800	16,600	16,200	14,500					
85	9,300	16,200	16,100	15,800	14,300					
90	8,500	15,700	15,600	15,400	13,900					
95		15,200	15,100	14,900	13,600					
100		14,700	14,700	14,500	13,300					
105		14,200	14,300	14,100	12,900					
110		13,800	13,900	13,700	12,600					
115		13,400	13,500	13,400	12,300					
120		13,000	13,100	13,100	12,000					
125		12,700	12,800	12,800	11,700					
130		12,400	12,500	12,500	11,500					
135		12,000	12,200	12,200	11,200					
140		11,700	11,900	11,900	11,000					
145		11,500	11,600	11,600	10,700					
150		11,200	11,300	11,400	10,500					
155		10,900	11,000	11,100	10,200					
160		10,600	10,800	10,900	9,900					
165		10,200	10,500	10,600	9,600					
170		9,700	10,200	10,300	9,300					
175		9,200	9,800	10,000	9,000					
180		8,800	9,500	9,700	8,600					
185			9,100	9,300	8,200					
190			8,700	8,900	7,800					
195			8,300	8,400	7,500					
* n *	1	1	1	1	1					
1	0+	0+	46+	92+	100+					
2	0+	92+	92+	92+	100+					
3	0+	92+	92+	92+	100+					
4	0+	92+	92+	92+	100+					
5	0+	92+	92+	92+	100+					
 ft/s	23	23	23	23	23					
TAB 133	225	225	225	225	225					

	T	VK 40° 40ft	 152,100 lbs	 29 x 27 ft	 360°		
--	---	----------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 40° Offset, 40' Extension

[illegible]

Diagram illustrating the stage layout and equipment:

- Stage dimensions: 29' x 27' ft.
- Truss height: 40ft.
- Weight: 152,100 lbs.
- Rotation: 360°.