



LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

[illegible]

STERLING CRANE

Folding Fly, 40° Offset, 72' Extension

			ft > lbs		CODE >0128<		L133 0231 .x(x)	
	ft	184	197					
55								
60								
65								
70								
75								
80								
85								
90		6,200						
95		5,400						
100								
105								
110								
115								
* n *		1	0					
1		92-	100-					
2		92-	100-					
3		92-	100-					
4		92-	100-					
5		92-	100-					
 %								
 ft/s		23	23					
TAB 133		087	---					



STERLING CRANE

Folding Fly, 40° Offset, 72' Extension

[illegible]


The diagram shows a bridge with several components labeled in boxes:

- Top Left:** A box containing the letter **T**.
- Top Middle:** A box containing **K 40°** and **72ft**.
- Top Right:** A box containing a diagram of a hanging weight labeled **26,500 lbs**.
- Bottom Left:** A box containing a diagram of a table with two legs, labeled **29 x 27 ft**.
- Bottom Middle:** A box containing a diagram of a circular arrow labeled **360°**.

STERLING CRANE

Folding Fly, 40° Offset, 72' Extension


 ft			CODE >0130< L133 0431 .x(x)								
	ft> < lbs										
	43	141	141	157	157	157	171	171	184	197	
55	10,400										
60	10,300										
65	10,000										
70	9,600										
75	9,300	10,400	10,100								
80	9,000	10,400	10,100								
85	8,800	10,400	10,100	10,400	10,100	10,000	10,000	9,700			
90	8,700	10,200	10,000	10,300	10,100	10,000	10,000	9,700	9,700		
95	8,500	10,000	9,800	10,100	10,000	9,800	9,900	9,700	9,700	9,300	
100		9,800	9,600	9,900	9,800	9,700	9,800	9,700	9,600	9,300	
105		9,600	9,500	9,700	9,600	9,500	9,700	9,600	9,500	9,200	
110		9,500	9,300	9,600	9,500	9,400	9,500	9,400	9,400	9,200	
115		9,300	9,200	9,400	9,400	9,200	9,400	9,300	9,300	9,100	
120		9,200	9,100	9,300	9,200	9,100	9,300	9,200	9,200	9,000	
125		9,100	9,000	9,100	9,100	9,000	9,100	9,100	9,100	8,900	
130		8,900	8,900	8,700	8,900	8,900	8,700	9,000	8,800	8,500	
135		8,700	8,700	7,900	8,700	8,800	7,800	8,800	8,000	7,700	
140		8,200	8,600	6,900	8,200	8,700	6,900	8,300	7,100	6,800	
145		7,300	8,500	6,000	7,300	8,400	6,000	7,400	6,300	5,900	
150		6,400	8,200	5,100	6,400	7,600	5,200	6,600	5,400	5,200	
155		5,600	7,500	4,400	5,700	6,800	4,400	5,900	4,700	4,400	
160		4,800	6,700	3,600	4,900	6,000	3,700	5,200	4,000	3,700	
165		4,000	5,900		4,200	5,300		4,500	3,300		
170		3,300	5,200		3,600	4,600		3,800	2,700		
175		2,600	4,600		2,900	4,000		3,200			
180			4,000			3,300					
185			3,300			2,700					
190			2,700			2,200					
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	085	085	085	085	085	085	085	085	085	085	

	T	K 40°					
		72ft	52,900 lbs	29 x 27 ft	360°		

STERLING CRANE


Folding Fly, 40° Offset, 72' Extension

		ft> < lbs		CODE \0130< L133 0431 .x(x)						
	184	197								
55										
60										
65										
70										
75										
80										
85										
90	9,400									
95	9,000	4,900								
100	8,400	4,700								
105	7,800	4,100								
110	7,200	3,500								
115	6,700	3,000								
120	6,200									
125	5,700									
130	5,200									
135	4,800									
140	4,400									
145	4,000									
150	3,700									
155	3,300									
160	3,000									
165										
170										
175										
180										
185										
190										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
	23	23								
TAB 133	085	085								



STERLING CRANE

Folding Fly, 40° Offset, 72' Extension

 ft			CODE >0132< L133 0531 .x(x)								
	ft> < lbs										
	43	141	141	157	157	157	171	171	184	197	
55	10,400										
60	10,300										
65	10,000										
70	9,600										
75	9,300	10,400	10,100								
80	9,000	10,400	10,100								
85	8,800	10,400	10,100	10,400	10,100	10,000	10,000	9,700			
90	8,700	10,200	10,000	10,300	10,100	10,000	10,000	9,700	9,700		
95	8,500	10,000	9,800	10,100	10,000	9,800	9,900	9,700	9,700	9,300	
100		9,800	9,600	9,900	9,800	9,700	9,800	9,700	9,600	9,300	
105		9,600	9,500	9,700	9,600	9,500	9,700	9,600	9,500	9,200	
110		9,500	9,300	9,600	9,500	9,400	9,500	9,400	9,400	9,200	
115		9,300	9,200	9,400	9,400	9,200	9,400	9,300	9,300	9,100	
120		9,200	9,100	9,300	9,200	9,100	9,300	9,200	9,200	9,000	
125		9,100	9,000	9,200	9,100	9,000	9,200	9,100	9,100	8,900	
130		8,900	8,900	9,100	8,900	8,900	9,100	9,000	9,000	8,800	
135		8,800	8,700	8,900	8,800	8,800	9,000	8,900	8,900	8,800	
140		8,700	8,600	8,800	8,700	8,700	8,900	8,800	8,800	8,700	
145		8,500	8,500	8,700	8,600	8,600	8,800	8,700	8,800	8,600	
150		8,400	8,400	8,600	8,500	8,500	8,700	8,600	8,700	8,600	
155		8,400	8,400	8,200	8,400	8,400	8,400	8,600	8,500	8,300	
160		8,100	8,400	7,600	8,200	8,300	7,800	8,500	8,000	7,700	
165		7,600	8,400	6,700	7,900	8,300	7,000	8,200	7,200	6,900	
170		6,700	8,400	5,900	7,000	8,000	6,200	7,500	6,500	6,200	
175		5,900	7,900	5,100	6,300	7,300	5,400	6,700	5,800	5,500	
180		5,200	7,200	4,400	5,500	6,600	4,700	6,000	5,100	4,900	
185		4,400	6,500	3,600	4,800	5,900	4,000	5,300	4,500	4,200	
190		3,700	5,800	3,000	4,200	5,200	3,400	4,700	3,900	3,600	
195					3,500	4,600	2,700	4,100	3,300	3,100	
200					2,900	4,000		3,500	2,700	2,500	
205								2,900			
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	084	084	084	084	084	084	084	084	084	084	

	T	K 40°	72ft	79,400 lbs	29 x 27 ft	360°		
--	---	-------	------	------------	------------	------	--	--

STERLING CRANE


Folding Fly, 40° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0132< L133 0531 .x(x)							
	184	197								
55										
60										
65										
70										
75										
80										
85										
90	9,400									
95	9,000	4,900								
100	8,400	4,700								
105	7,800	4,100								
110	7,200	3,500								
115	6,700	3,000								
120	6,200									
125	5,700									
130	5,200									
135	4,800									
140	4,400									
145	4,000									
150	3,700									
155	3,300									
160	3,000									
165										
170										
175										
180										
185										
190										
195										
200										
205										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 %										
ft/s	23	23								
TAB 133	084	084								


T

K 40°

72ft



79,400
lbs



29 x
27
ft



360°

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension

			CODE >0134< L133 0631 .x(x)							
	43	141	141	157	157	157	171	171	184	197
55	11,400									
60	11,300									
65	11,000									
70	10,600									
75	10,200	11,400	11,200							
80	9,900	11,400	11,200							
85	9,700	11,400	11,200	11,400	11,200	11,000	11,000	10,700		
90	9,600	11,200	11,000	11,300	11,100	10,900	11,000	10,700	10,700	
95	9,400	11,000	10,800	11,100	11,000	10,800	10,900	10,700	10,600	10,200
100		10,800	10,600	10,900	10,800	10,600	10,800	10,600	10,500	10,200
105		10,600	10,400	10,700	10,600	10,500	10,700	10,500	10,400	10,200
110		10,400	10,300	10,500	10,500	10,300	10,500	10,300	10,300	10,100
115		10,300	10,100	10,400	10,300	10,200	10,300	10,200	10,200	10,000
120		10,100	10,000	10,200	10,200	10,100	10,200	10,100	10,100	9,900
125		10,000	9,900	10,100	10,000	9,900	10,100	10,000	10,000	9,800
130		9,800	9,700	10,000	9,800	9,800	10,000	9,900	9,900	9,700
135		9,700	9,600	9,800	9,700	9,700	9,900	9,800	9,800	9,700
140		9,600	9,500	9,700	9,600	9,600	9,700	9,700	9,700	9,600
145		9,400	9,400	9,600	9,400	9,400	9,600	9,600	9,600	9,500
150		9,200	9,200	9,500	9,300	9,300	9,500	9,500	9,500	9,400
155		9,200	9,200	9,400	9,200	9,200	9,400	9,400	9,500	9,400
160		9,200	9,200	9,300	9,200	9,200	9,300	9,300	9,400	9,300
165		9,200	9,200	9,200	9,200	9,200	9,200	9,200	9,300	9,200
170		9,200	9,200	9,200	9,200	9,200	9,100	9,100	9,200	9,100
175		9,000	9,200	8,400	9,200	9,200	8,500	9,100	8,800	8,600
180		8,400	9,100	7,500	8,700	9,200	7,800	8,900	8,100	7,900
185		7,500	8,800	6,600	8,000	9,000	7,100	8,500	7,400	7,200
190		6,600	8,500	5,800	7,200	8,300	6,300	7,700	6,700	6,500
195				5,000	6,400	7,600	5,500	7,000	6,100	5,800
200				4,200	5,600	6,800	4,800	6,300	5,400	5,200
205							4,000	5,600	4,700	4,600
210							3,400	4,900	4,000	4,000
215							2,700	4,200	3,400	3,400
220									2,800	2,800
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	215	215	215	215	215	215	215	215	215	215


	T	K 40°	99,200 lbs	29 x 27 ft	360°		
--	---	-------	------------	------------	------	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension


 ft	 ft > < lbs		CODE >0134< L133 0631 .x(x)							
	184	197								
55										
60										
65										
70										
75										
80										
85										
90	9,400									
95	9,000	4,900								
100	8,400	4,700								
105	7,800	4,100								
110	7,200	3,500								
115	6,700	3,000								
120	6,200									
125	5,700									
130	5,200									
135	4,800									
140	4,400									
145	4,000									
150	3,700									
155	3,300									
160	3,000									
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	215	215								


	T	K 40°	 99,200 lbs	 29 x 27 ft	 360°		
--	---	-------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension

	 CODE >0136< L133 0731 .x(x)									
	43	141	141	157	157	157	171	171	184	197
55	11,400									
60	11,300									
65	11,000									
70	10,600									
75	10,200	11,400	11,200							
80	9,900	11,400	11,200							
85	9,700	11,400	11,200	11,400	11,200	11,000	11,000	10,700		
90	9,600	11,200	11,000	11,300	11,100	10,900	11,000	10,700	10,700	
95	9,400	11,000	10,800	11,100	11,000	10,800	10,900	10,700	10,600	10,200
100		10,800	10,600	10,900	10,800	10,600	10,800	10,600	10,500	10,200
105		10,600	10,400	10,700	10,600	10,500	10,700	10,500	10,400	10,200
110		10,400	10,300	10,500	10,500	10,300	10,500	10,300	10,300	10,100
115		10,300	10,100	10,400	10,300	10,200	10,300	10,200	10,200	10,000
120		10,100	10,000	10,200	10,200	10,100	10,200	10,100	10,100	9,900
125		10,000	9,900	10,100	10,000	9,900	10,100	10,000	10,000	9,800
130		9,800	9,700	10,000	9,800	9,800	10,000	9,900	9,900	9,700
135		9,700	9,600	9,800	9,700	9,700	9,900	9,800	9,800	9,700
140		9,600	9,500	9,700	9,600	9,600	9,700	9,700	9,700	9,600
145		9,400	9,400	9,600	9,400	9,400	9,600	9,600	9,600	9,500
150		9,200	9,200	9,500	9,300	9,300	9,500	9,500	9,500	9,400
155		9,200	9,200	9,400	9,200	9,200	9,400	9,400	9,500	9,400
160		9,200	9,200	9,300	9,200	9,200	9,300	9,300	9,400	9,300
165		9,200	9,200	9,200	9,200	9,200	9,200	9,200	9,300	9,200
170		9,200	9,200	9,200	9,200	9,200	9,100	9,100	9,200	9,100
175		9,200	9,200	9,200	9,200	9,200	9,100	9,100	9,100	9,100
180		9,200	9,100	9,200	9,200	9,200	9,100	9,100	9,100	8,900
185		9,200	8,800	9,100	9,200	9,100	9,100	9,100	9,100	8,800
190		9,200	8,500	8,900	9,200	8,700	9,100	9,100	9,100	8,600
195				8,100	9,100	8,300	8,500	8,900	8,900	8,300
200				7,200	8,600	7,800	7,800	8,600	8,400	7,900
205							7,000	8,200	7,600	7,500
210							6,200	7,700	6,900	6,900
215							5,500	7,000	6,200	6,200
220									5,500	5,500
225									4,900	4,900
230										4,300
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
	23	23	23	23	23	23	23	23	23	23
TAB 133	214	214	214	214	214	214	214	214	214	214

	T	K 40°					
		72ft	125,700 lbs	29 x 27 ft	360°		

12

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0136< L133 0731 .x(x)							
	184	197								
55										
60										
65										
70										
75										
80										
85										
90	9,400									
95	9,000	4,900								
100	8,400	4,700								
105	7,800	4,100								
110	7,200	3,500								
115	6,700	3,000								
120	6,200									
125	5,700									
130	5,200									
135	4,800									
140	4,400									
145	4,000									
150	3,700									
155	3,300									
160	3,000									
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
230										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	214	214								


T

K 40°

72ft



125,700
lbs



29 x
27
ft





360°

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension

			CODE >0138< L133 0831 .x(x)							
	43	141	141	157	157	157	171	171	184	197
55	11,400									
60	11,300									
65	11,000									
70	10,600									
75	10,200	11,400	11,200							
80	9,900	11,400	11,200							
85	9,700	11,400	11,200	11,400	11,200	11,000	11,000	10,700		
90	9,600	11,200	11,000	11,300	11,100	10,900	11,000	10,700	10,700	
95	9,400	11,000	10,800	11,100	11,000	10,800	10,900	10,700	10,600	10,200
100		10,800	10,600	10,900	10,800	10,600	10,800	10,600	10,500	10,200
105		10,600	10,400	10,700	10,600	10,500	10,700	10,500	10,400	10,200
110		10,400	10,300	10,500	10,500	10,300	10,500	10,300	10,300	10,100
115		10,300	10,100	10,400	10,300	10,200	10,300	10,200	10,200	10,000
120		10,100	10,000	10,200	10,200	10,100	10,200	10,100	10,100	9,900
125		10,000	9,900	10,100	10,000	9,900	10,100	10,000	10,000	9,800
130		9,800	9,700	10,000	9,800	9,800	10,000	9,900	9,900	9,700
135		9,700	9,600	9,800	9,700	9,700	9,900	9,800	9,800	9,700
140		9,600	9,500	9,700	9,600	9,600	9,700	9,700	9,700	9,600
145		9,400	9,400	9,600	9,400	9,400	9,600	9,600	9,600	9,500
150		9,200	9,200	9,500	9,300	9,300	9,500	9,500	9,500	9,400
155		9,200	9,200	9,400	9,200	9,200	9,400	9,400	9,500	9,400
160		9,200	9,200	9,300	9,200	9,200	9,300	9,300	9,400	9,300
165		9,200	9,200	9,200	9,200	9,200	9,200	9,200	9,300	9,200
170		9,200	9,200	9,200	9,200	9,200	9,100	9,100	9,200	9,100
175		9,200	9,200	9,200	9,200	9,200	9,100	9,100	9,100	9,100
180		9,200	9,100	9,200	9,200	9,200	9,100	9,100	9,100	8,900
185		9,200	8,800	9,200	9,200	9,100	9,100	9,100	9,100	8,800
190		9,200	8,500	9,200	9,200	8,700	9,100	9,100	9,100	8,600
195				9,200	9,200	8,300	9,100	8,900	9,100	8,300
200				9,200	9,100	7,800	9,000	8,600	8,800	7,900
205							8,700	8,200	8,400	7,500
210							8,200	7,900	8,000	7,100
215							7,700	7,600	7,600	6,700
220									7,200	6,300
225									6,700	5,900
230										5,500
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
	23	23	23	23	23	23	23	23	23	23
TAB 133	213	213	213	213	213	213	213	213	213	213

	T	K 40°					
		72ft	152,100 lbs	29 x 27 ft	360°		

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension

[illegible]

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0138< L133 0831 .x(x)							
	184	197								
55										
60										
65										
70										
75										
80										
85										
90	9,400									
95	9,000	4,900								
100	8,400	4,700								
105	7,800	4,100								
110	7,200	3,500								
115	6,700	3,000								
120	6,200									
125	5,700									
130	5,200									
135	4,800									
140	4,400									
145	4,000									
150	3,700									
155	3,300									
160	3,000									
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
230										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
	TAB 133	213	213							


T

K 40°

72ft



152,100
lbs



29 x
27
ft



360°

STERLING CRANE

85%

Folding Fly, 40° Offset, 72' Extension

[illegible]