




LIFTING CHARTS - All Terrain Cranes

LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY


Main Boom - Outriggers 29' x 18'


				CODE >0004<			L133 0300 .x(x)			
	43	59	59	59	72	72	72	85	85	85
9	261,000									
10	258,000									
11	237,000	191,000								
12	212,000	180,000	139,000	125,000						
13	182,000	157,000	139,000	125,000	135,000	125,000	112,000	117,000	119,000	124,000
14	161,000	141,000	136,000	126,000	124,000	124,000	112,000	108,000	110,000	117,000
15	143,000	126,000	130,000	125,000	112,000	121,000	112,000	98,000	100,000	110,000
16	128,000	115,000	118,000	119,000	102,000	111,000	109,000	90,000	91,500	101,000
17	117,000	105,000	109,000	111,000	94,000	103,000	104,000	83,500	85,000	94,000
18	107,000	97,000	101,000	103,000	87,500	96,000	96,500	77,500	79,000	88,000
20	89,500	82,000	85,000	87,000	74,000	82,500	83,000	66,000	67,500	76,000
22	77,500	71,000	74,000	76,000	65,000	72,500	73,000	57,800	59,100	67,500
24	67,000	62,000	65,000	67,000	56,700	64,500	64,500	50,600	51,900	60,000
26	58,700	54,500	57,300	59,100	49,900	57,200	57,600	44,600	45,700	53,700
28	51,500	48,600	51,300	53,100	44,600	51,700	52,100	39,700	40,900	48,600
30	44,900	43,300	45,900	47,600	39,700	46,600	47,000	35,300	36,400	44,000
32	39,600	39,000	41,500	43,200	35,700	42,500	42,800	31,600	32,700	40,100
34		35,200	37,500	39,100	32,200	38,800	39,100	28,300	29,400	36,700
36		31,700	33,900	35,200	29,000	35,400	35,800	25,300	26,400	33,600
38		28,800	30,700	31,900	26,300	32,700	33,000	22,900	23,800	31,000
40		26,000	27,800	29,000	23,800	30,100	30,400	20,600	21,500	28,600
45		20,000	21,800	23,100	18,800	24,700	24,900	15,800	16,700	23,600
50					14,900	20,200	20,400	12,000	12,900	19,700
55					11,500	16,500	16,700	8,900	9,800	16,400
60										13,500
65										11,000
70										9,000
75										
80										
85										
90										
95										
100										
* n *	13	9	7	6	6	6	5	6	6	6
1	0+	0+	0+	0+	0+	0+	0+	46+	0+	0+
2	0+	0+	0+	0+	46+	0+	0+	46+	92+	0+
3	0+	46+	0+	0+	46+	0+	0+	46+	46+	46+
4	0+	0+	46+	0+	0+	46+	0+	0+	0+	46+
5	0+	0+	0+	46+	0+	46+	92+	0+	0+	46+
ft/s	36	36	36	36	33	33	33	33	33	33
TAB 133	046	046	046	046	046	046	046	046	046	046



STERLING CRANE


Main Boom - Outriggers 29' x 18'



 ft	 ft > < lbs		CODE >0004< L133 0300 .x(x)							
	85	85	98	98	98	98	98	98	115	115
9										
10										
11										
12										
13	112,000	112,000								
14	112,000	112,000	88,500	91,000	94,000	100,000	101,000	91,500		
15	110,000	111,000	86,500	89,000	92,500	98,500	99,000	91,500		
16	102,000	104,000	80,000	82,000	85,500	91,000	92,000	91,500	71,000	73,500
17	95,000	97,000	74,000	76,500	79,500	85,000	86,000	88,500	68,500	70,500
18	89,000	91,000	68,500	71,000	74,000	79,500	80,500	83,500	64,000	66,000
20	77,000	79,000	58,900	61,000	64,000	69,500	70,000	74,000	55,000	57,200
22	68,500	70,000	51,500	53,700	56,500	61,500	62,500	66,000	48,400	50,500
24	61,000	62,500	45,200	47,300	50,000	55,000	55,600	59,200	42,600	44,600
26	54,400	56,200	39,700	41,800	44,400	49,300	49,800	53,400	37,600	39,600
28	49,300	51,100	35,200	37,300	39,900	44,600	45,200	48,600	33,500	35,400
30	44,600	46,400	31,200	33,200	35,700	40,400	40,900	44,300	29,700	31,600
32	40,700	42,500	27,800	29,800	32,200	36,800	37,300	40,700	26,500	28,400
34	37,300	39,000	24,800	26,700	29,100	33,700	34,200	37,400	23,700	25,600
36	34,200	35,900	22,000	23,900	26,300	30,800	31,200	34,500	21,100	22,900
38	31,600	33,200	19,600	21,600	23,900	28,300	28,800	32,000	18,900	20,700
40	29,200	30,800	17,500	19,400	21,700	26,100	26,500	29,700	16,800	18,600
45	24,100	25,700	13,000	14,900	17,100	21,300	21,800	24,800	12,500	14,300
50	20,200	21,700	9,400	11,200	13,400	17,600	18,100	21,000	9,100	10,800
55	16,800	18,300			10,400	14,500	14,900	17,800		
60	13,900	15,300				11,900	12,300	15,200		
65	11,400	12,800				9,700	10,200	13,000		
70	9,400	10,800				8,000	8,400	10,900		
75						6,400	6,800	9,200		
80								7,600		
85								6,300		
90										
95										
100										
* n *	5	5	4	4	5	5	5	4	4	4
1	0+	0+	92+	46+	46+	0+	0+	0+	92+	92+
2	0+	0+	46+	92+	46+	46+	0+	0+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	0+	46+
5	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
 ft/s	33	33	28	28	28	28	28	28	28	28
TAB 133	046	046	046	046	046	046	046	046	046	046



STERLING CRANE


Main Boom - Outriggers 29' x 18'


 ft	 ft > < lbs					CODE >0004<		L133 0300 .x(x)		
	115	115	115	115	115	128	128	128	128	128
9										
10										
11										
12										
13										
14										
15										
16	78,500	79,500	84,000	83,500	86,500					
17	76,000	77,000	81,000	80,500	83,500					
18	71,000	72,000	76,000	76,000	78,500	57,000	58,700	61,500	60,500	63,000
20	62,000	63,000	67,000	66,500	69,500	56,000	57,700	60,500	59,800	62,000
22	55,300	56,100	59,900	59,600	62,500	49,900	51,500	54,400	53,500	55,800
24	49,300	50,100	53,800	53,500	56,100	44,500	46,000	48,800	48,000	50,200
26	44,100	44,900	48,500	48,200	50,800	39,700	41,300	44,000	43,100	45,400
28	39,900	40,600	44,200	43,900	46,400	35,900	37,400	40,100	39,200	41,400
30	36,000	36,700	40,200	39,900	42,400	32,300	33,800	36,400	35,600	37,700
32	32,800	33,400	36,900	36,600	39,000	29,300	30,700	33,300	32,500	34,600
34	29,800	30,500	33,900	33,600	36,000	26,500	28,000	30,500	29,700	31,800
36	27,100	27,800	31,100	30,800	33,200	24,000	25,400	28,000	27,100	29,200
38	24,900	25,500	28,800	28,500	30,900	21,900	23,300	25,800	25,000	27,000
40	22,800	23,400	26,600	26,400	28,700	19,900	21,300	23,800	23,000	25,000
45	18,300	18,900	22,100	21,800	24,100	15,700	17,100	19,500	18,700	20,700
50	14,800	15,400	18,500	18,200	20,400	12,300	13,700	16,100	15,300	17,200
55	11,800	12,400	15,500	15,200	17,400	9,500	10,900	13,200	12,400	14,300
60	9,300	9,900	12,900	12,600	14,800		8,400	10,700	9,900	11,900
65	7,300	7,800	10,800	10,500	12,600		6,400	8,700	7,900	9,800
70			9,000	8,800	10,900			7,000		8,100
75			7,500	7,200	9,300					6,600
80			6,100	5,900	7,900					
85			5,000	4,700	6,600					
90					5,400					
95					4,500					
100					3,600					
* n *	4	4	4	4	4	3	3	3	3	3
1	46+	0+	0+	0+	0+	92+	46+	46+	0+	0+
2	46+	92+	46+	0+	0+	46+	92+	46+	92+	46+
3	46+	46+	46+	92+	46+	46+	46+	46+	92+	92+
4	46+	46+	46+	92+	92+	46+	46+	46+	46+	92+
5	46+	46+	92+	46+	92+	46+	46+	92+	46+	46+
 ft/s	28	28	28	28	28	28	28	28	28	28
TAB 133	046	046	046	046	046	046	046	046	046	046

	T	--	 26,500 lbs	 29 x 18 ft	 360°		
--	---	----	--	---	--	--	--

STERLING CRANE


Main Boom - Outriggers 29' x 18'



 ft	 ft > < lbs		CODE >0004< L133 0300 .x(x)							
	128	128	141	141	141	141	141	157	157	157
9										
10										
11										
12										
13										
14										
15										
16										
17										
18	64,500	65,500								
20	63,500	64,500								
22	57,300	58,200	43,900	46,200	49,600	48,800	51,500			
24	51,700	52,500	41,600	43,900	47,200	46,500	49,200			
26	46,800	47,600	37,300	39,500	42,800	42,000	44,700	35,100	38,100	40,000
28	42,800	43,600	33,700	35,900	39,100	38,400	40,900	32,200	35,300	37,100
30	39,100	39,900	30,400	32,500	35,700	35,000	37,500	29,100	32,100	33,900
32	36,000	36,700	27,500	29,700	32,800	32,000	34,500	26,500	29,400	31,200
34	33,100	33,900	25,000	27,100	30,100	29,400	31,900	24,000	26,900	28,700
36	30,500	31,300	22,600	24,700	27,700	27,000	29,400	21,800	24,700	26,500
38	28,300	29,100	20,600	22,700	25,600	24,900	27,300	19,900	22,700	24,500
40	26,300	27,000	18,700	20,800	23,700	23,000	25,400	18,100	20,900	22,700
45	22,000	22,600	14,700	16,700	19,600	18,900	21,300	14,300	17,000	18,800
50	18,500	19,100	11,500	13,500	16,300	15,600	17,900	11,200	13,900	15,600
55	15,600	16,200	8,800	10,700	13,500	12,800	15,100	8,600	11,200	12,900
60	13,100	13,700		8,400	11,100	10,500	12,700		9,000	10,600
65	11,000	11,600		6,400	9,200	8,500	10,700		7,100	8,700
70	9,300	9,900			7,500	6,800	9,000			7,100
75	7,800	8,300					7,500			
80	6,400	7,000					6,200			
85	5,300	5,800					5,000			
90		4,800								
95										
100										
* n *	3	3	2	2	3	3	3	2	2	2
1	0+	0+	92+	46+	46+	0+	0+	92+	46+	46+
2	46+	0+	92+	92+	46+	92+	46+	92+	92+	46+
3	46+	92+	46+	92+	46+	92+	92+	92+	92+	92+
4	92+	92+	46+	46+	92+	92+	92+	46+	92+	92+
5	92+	92+	46+	46+	92+	46+	92+	46+	46+	92+
 ft/s	28	28	28	28	28	28	28	28	28	28
TAB 133	046	046	046	046	046	046	046	046	046	046

	T	--	 26,500 lbs	 29 x 18 ft	 360°		
--	---	----	--	---	--	--	--

STERLING CRANE


Main Boom - Outriggers 29' x 18'


 ft	 ft > < lbs					CODE >0004<		L133 0300 .x(x)		
	157	171	171	184	197	59	72	85	98	59
9										
10										
11						71,000				75,500
12						71,000				75,500
13						71,000	60,500	51,800		75,500
14						71,000	60,000	51,600	36,000	75,500
15						71,000	60,000	51,300	35,900	75,500
16						71,000	59,800	51,100	35,300	75,500
17						71,000	59,700	50,800	34,800	75,500
18						71,000	59,500	50,600	34,300	75,500
20						70,500	59,300	50,100	33,300	75,000
22						67,500	59,100	49,700	32,400	71,000
24						62,000	55,900	47,700	31,500	65,000
26	40,600					54,500	49,800	44,200	30,600	57,300
28	37,600	29,500	32,300			48,600	44,600	39,700	29,800	51,300
30	34,400	28,900	31,700			43,300	39,700	35,300	28,800	45,900
32	31,700	26,400	29,100	25,700		39,000	35,700	31,600	27,100	41,500
34	29,200	24,100	26,800	24,500		35,200	32,200	28,300	24,800	37,500
36	26,900	22,000	24,600	22,400	21,500	31,700	29,000	25,300	22,000	33,900
38	25,000	20,100	22,800	20,700	19,900	28,800	26,300	22,900	19,600	30,700
40	23,100	18,400	21,100	19,000	18,300	26,000	23,800	20,600	17,500	27,800
45	19,200	14,800	17,300	15,500	14,900	20,000	18,800	15,800	13,000	21,800
50	16,000	11,800	14,300	12,600	12,100		14,900	12,000	9,400	
55	13,300	9,200	11,700	10,100	9,700		11,500	8,900		
60	11,000		9,600	8,000	7,700					
65	9,100		7,700	6,200	5,900					
70	7,500		6,100							
75	6,000									
80										
85										
90										
95										
100										
* n *	2	2	2	2	1	4	3	3	2	4
1	0+	92+	46+	92+	100+	0+	0+	46-	92-	0+
2	92+	92+	92+	92+	100+	0+	46-	46+	46+	0+
3	92+	92+	92+	92+	100+	46-	46+	46+	46+	0+
4	92+	92+	92+	92+	100+	0+	0+	0+	0+	46-
5	92+	46+	92+	92+	100+	0+	0+	0+	0+	0+
%										
ft/s	28	28	28	28	28	36	33	33	28	36
TAB 133	046	046	046	046	046	046	046	046	046	046

	T	--	 26,500 lbs	 29 x 18 ft	 360°		
--	---	----	--	---	--	--	--

STERLING CRANE


Main Boom - Outriggers 29' x 18'



 ft	 ft > < lbs		CODE >0004< L133 0300 .x(x)							
	98	115	85	98	115	59	72	85	98	115
9										
10										
11						79,000				
12						79,000				
13			47,800			79,000	73,000	64,000		
14	50,900		47,200	50,500		79,000	72,500	64,000	58,300	
15	50,800		46,100	50,400		79,000	72,500	63,500	58,200	
16	50,500	34,600	43,300	50,100	34,100	79,000	72,500	63,000	57,900	49,900
17	50,200	34,300	41,900	49,700	33,800	79,000	72,000	63,000	57,600	49,700
18	49,900	33,700	41,400	49,400	33,200	79,000	72,000	62,500	57,300	49,400
20	49,300	32,700	40,500	48,800	32,100	78,000	71,000	62,000	56,600	48,800
22	48,800	31,700	39,600	48,300	31,100	73,000	69,000	61,500	56,100	48,200
24	47,000	30,800	38,700	45,800	30,200	67,000	64,500	58,700	53,500	46,500
26	44,000	29,900	38,000	41,600	29,200	59,100	57,200	53,500	49,100	43,800
28	39,900	29,100	37,200	37,300	28,400	53,100	51,700	48,600	44,600	39,900
30	35,700	28,200	35,900	33,200	27,400	47,600	46,600	44,000	40,400	36,000
32	32,200	27,400	32,500	29,800	25,900	43,200	42,500	40,100	36,800	32,800
34	29,100	25,600	29,400	26,700	23,700	39,100	38,800	36,700	33,700	29,800
36	26,300	22,900	26,400	23,900	21,100	35,200	35,400	33,600	30,800	27,100
38	23,900	20,700	23,800	21,600	18,900	31,900	32,700	31,000	28,300	24,900
40	21,700	18,600	21,500	19,400	16,800	29,000	30,100	28,600	26,100	22,800
45	17,100	14,300	16,700	14,900	12,500	23,100	24,700	23,600	21,300	18,300
50	13,400	10,800	12,900	11,200	9,100		20,200	19,700	17,600	14,800
55	10,400		9,800				16,500	16,400	14,500	11,800
60								13,500	11,900	9,300
65								11,000	9,700	7,300
70								9,000	8,000	
75									6,400	
80										
85										
90										
95										
100										
* n *	3	2	3	3	2	4	4	3	3	3
1	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%										
ft/s	28	28	33	28	28	36	33	33	28	28
TAB 133	046	046	046	046	046	046	046	046	046	046

	T	--	 26,500 lbs	 29 x 18 ft	 360°		
--	---	----	--	---	--	--	--

STERLING CRANE


Main Boom - Outriggers 29' x 18'



 ft	 ft > < lbs CODE >0004< L133 0300 .x(x)									
	128	72	85	115	128	115	128	141	98	115
9										
10										
11										
12										
13		60,000	71,500							
14		59,500	71,000						52,500	
15		59,000	71,000						52,300	
16		58,400	70,500	57,200		40,300			51,600	61,500
17		57,900	70,000	57,000		39,900			50,900	61,000
18	32,600	57,500	70,000	56,600	48,700	39,400	48,200		50,300	61,000
20	32,400	56,500	69,000	55,900	48,600	38,300	48,000		49,000	60,000
22	31,400	55,700	66,000	55,300	47,900	37,200	47,400	30,100	47,900	59,300
24	30,500	54,900	62,000	52,700	46,300	36,300	45,000	29,600	45,800	56,100
26	29,500	54,100	56,100	48,400	43,700	35,300	41,200	28,700	42,800	50,800
28	28,700	50,800	51,100	44,200	40,100	34,500	37,400	27,800	41,700	46,400
30	27,900	47,000	46,400	40,200	36,400	33,600	33,800	26,900	40,800	42,400
32	27,100	42,800	42,500	36,900	33,300	32,500	30,700	26,100	39,700	39,000
34	25,700	39,100	39,000	33,900	30,500	30,500	28,000	24,600	37,400	36,000
36	24,000	35,800	35,900	31,100	28,000	27,800	25,400	22,600	34,500	33,200
38	21,900	33,000	33,200	28,800	25,800	25,500	23,300	20,600	32,000	30,900
40	19,900	30,400	30,800	26,600	23,800	23,400	21,300	18,700	29,700	28,700
45	15,700	24,900	25,700	22,100	19,500	18,900	17,100	14,700	24,800	24,100
50	12,300	20,400	21,700	18,500	16,100	15,400	13,700	11,500	21,000	20,400
55	9,500	16,700	18,300	15,500	13,200	12,400	10,900	8,800	17,800	17,400
60			15,300	12,900	10,700	9,900	8,400		15,200	14,800
65			12,800	10,800	8,700	7,800	6,400		13,000	12,600
70			10,800	9,000	7,000				10,900	10,900
75				7,500					9,200	9,300
80				6,100					7,600	7,900
85				5,000					6,300	6,600
90										5,400
95										4,500
100										3,600
* n *	2	3	4	3	3	2	3	2	3	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+
ft/s	28	33	33	28	28	28	28	28	28	28
TAB 133	046	046	046	046	046	046	046	046	046	046

	T	--	 26,500 lbs	 29 x 18 ft	 360°		
--	---	----	--	---	--	--	--

STERLING CRANE


Main Boom - Outriggers 29' x 18'



 ft	 ft > < lbs			CODE >0004<			L133 0300 .x(x)			
	128	141	98	128	141	157	128	141	157	85
9										
10										
11										
12										
13										55,100
14			49,400							54,500
15			49,200							53,900
16			48,600							53,300
17			47,900							52,700
18	55,500		47,300	37,700			41,300			52,100
20	55,400		45,800	37,500			41,100			51,000
22	54,600	47,300	42,700	36,400	46,200		40,000	51,500		49,900
24	51,700	45,700	40,800	35,400	43,900		38,900	49,200		48,900
26	46,800	42,600	39,900	34,400	39,500	28,100	37,900	44,700	40,000	48,000
28	42,800	39,100	39,000	33,500	35,900	27,300	37,000	40,900	37,100	46,600
30	39,100	35,700	38,000	32,600	32,500	26,500	36,100	37,500	33,900	44,600
32	36,000	32,800	36,500	31,600	29,700	25,600	35,200	34,500	31,200	40,700
34	33,100	30,100	34,200	29,700	27,100	24,000	33,500	31,900	28,700	37,300
36	30,500	27,700	31,200	27,100	24,700	21,800	31,300	29,400	26,500	34,200
38	28,300	25,600	28,800	25,000	22,700	19,900	29,100	27,300	24,500	31,600
40	26,300	23,700	26,500	23,000	20,800	18,100	27,000	25,400	22,700	29,200
45	22,000	19,600	21,800	18,700	16,700	14,300	22,600	21,300	18,800	24,100
50	18,500	16,300	18,100	15,300	13,500	11,200	19,100	17,900	15,600	20,200
55	15,600	13,500	14,900	12,400	10,700	8,600	16,200	15,100	12,900	16,800
60	13,100	11,100	12,300	9,900	8,400		13,700	12,700	10,600	13,900
65	11,000	9,200	10,200	7,900	6,400		11,600	10,700	8,700	11,400
70	9,300	7,500	8,400				9,900	9,000	7,100	9,400
75	7,800		6,800				8,300	7,500		
80	6,400						7,000	6,200		
85	5,300						5,800	5,000		
90							4,800			
95										
100										
* n *	3	3	3	2	2	2	2	3	2	3
1	0+	46-	0+	0+	46-	92-	0+	0+	46-	0+
2	46-	46+	0+	92-	92+	92+	0+	46-	46+	0+
3	46+	46+	92-	92+	92+	92+	92-	92+	92+	0+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	92-
5	92+	92+	46+	46+	46+	46+	92+	92+	92+	46+
 %										
ft/s	28	28	28	28	28	28	28	28	28	33
TAB 133	046	046	046	046	046	046	046	046	046	046

	T	--	 26,500 lbs	 29 x 18 ft	 360°		
--	---	----	--	---	--	--	--

STERLING CRANE

Main Boom - Outriggers 29' x 18'

 ft	 ft > < lbs CODE >0004< L133 0300 .x(x)									
	115	128	141	157	171	157	171	184	197	
9										
10										
11										
12										
13										
14										
15										
16	47,100									
17	46,100									
18	44,400	55,300								
20	41,500	55,100								
22	40,500	53,500	35,400							
24	39,400	50,200	34,900							
26	38,500	45,400	33,900	38,100		33,400				
28	37,600	41,400	32,900	35,300	26,300	32,500	32,300			
30	36,600	37,700	32,000	32,100	26,100	31,600	31,700			
32	35,600	34,600	31,200	29,400	25,300	30,700	29,100	25,100		
34	33,600	31,800	29,400	26,900	23,800	29,100	26,800	24,100		
36	30,800	29,200	27,000	24,700	22,000	26,900	24,600	22,400	15,700	
38	28,500	27,000	24,900	22,700	20,100	25,000	22,800	20,600	15,200	
40	26,400	25,000	23,000	20,900	18,400	23,100	21,100	18,900	14,600	
45	21,800	20,700	18,900	17,000	14,800	19,200	17,300	15,500	13,200	
50	18,200	17,200	15,600	13,900	11,800	16,000	14,300	12,600	11,600	
55	15,200	14,300	12,800	11,200	9,200	13,300	11,700	10,100	9,700	
60	12,600	11,900	10,500	9,000		11,000	9,600	8,000	7,700	
65	10,500	9,800	8,500	7,100		9,100	7,700	6,200	5,900	
70	8,800	8,100	6,800			7,500	6,100			
75	7,200	6,600				6,000				
80	5,900									
85	4,700									
90										
95										
100										
* n *	3	3	2	2	2	2	2	2	1	
1	0+	0+	0+	46-	92-	0+	46-	92-	100-	
2	0+	46-	92-	92+	92+	92-	92+	92-	100-	
3	92-	92+	92+	92+	92+	92+	92+	92-	100-	
4	92+	92+	92+	92+	92+	92+	92+	92-	100-	
5	46+	46+	46+	46+	46+	92+	92+	92-	100-	
 ft/s	28	28	28	28	28	28	28	28	28	
TAB 133	046	046	046	046	046	046	046	046	046	

	T	--	 26,500 lbs	 29 x 18 ft	 360°		
--	---	----	--	---	--	--	--