





LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

				ft > < lbs		CODE > 0057 <		L133 0313 .x(x)	
ft		184	197						
20									
22									
24									
26									
28									
30									
32									
34									
36									
38									
40									
45									
50	6,000								
55	6,000	5,100							
60	6,000	5,100							
65	6,000	5,100							
70	6,000	4,700							
75	6,000	4,200							
80	6,000	3,500							
85	6,000	2,800							
90	5,900								
95	5,500								
100	4,800								
105									
110									
115									
120									
125									
130									
135									
140									
145									
150									
* n *	1	1							
1	92-	100-							
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
	23	23							
TAB 133	066	066							



STERLING CRANE

Folding Fly, 0° Offset, 118' Extension


 ft	 ft > < lbs		CODE >0058< L133 0413 .x(x)							
	43	141	141	157	157	157	171	171	184	197
20	8,800									
22	8,800									
24	8,700									
26	8,600									
28	8,500									
30	8,500									
32	8,400									
34	8,400									
36	8,300									
38	8,300	8,200								
40	8,200	8,200								
45	7,900	8,200	7,100	7,500	7,100	6,600				
50	7,600	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	
55	7,200	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
60	6,800	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
65	6,500	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
70	6,100	8,000	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
75	5,800	7,800	7,100	7,400	7,100	6,600	6,800	6,400	6,000	5,100
80	5,500	7,700	7,000	7,200	7,000	6,600	6,800	6,400	6,000	5,100
85	5,300	7,500	6,800	7,100	6,800	6,600	6,700	6,300	6,000	5,100
90	5,000	7,300	6,700	6,900	6,700	6,500	6,600	6,200	5,900	5,100
95	4,800	7,100	6,500	6,700	6,500	6,300	6,500	6,000	5,800	5,100
100	4,600	6,800	6,300	6,600	6,300	6,100	6,400	5,900	5,700	5,100
105	4,400	6,600	6,200	6,400	6,200	6,000	6,200	5,700	5,500	5,100
110	4,300	6,500	6,000	6,200	6,000	5,800	6,000	5,600	5,400	5,100
115	4,100	6,200	5,800	6,100	5,800	5,600	5,800	5,400	5,300	5,000
120	4,000	5,900	5,600	6,000	5,700	5,500	5,700	5,300	5,200	4,900
125	3,900	5,700	5,500	5,800	5,500	5,300	5,500	5,200	5,100	4,800
130	3,800	5,600	5,300	5,200	5,300	5,100	4,900	5,100	4,800	4,300
135	3,700	5,400	5,200	4,500	5,200	5,000	4,200	5,000	4,200	3,700
140	3,500	5,100	5,000	3,800	4,900	4,900	3,500	4,800	3,500	
145	3,400	4,700	4,900		4,400	4,800		4,300		
150	3,300	4,100	4,800		3,800	4,700		3,700		
155		3,500	4,700		3,200	4,300		3,100		
160		3,000	4,600			3,800				
165			4,400			3,300				
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	065	065	065	065	065	065	065	065	065	065

	T	K 0°	52,900 lbs	29 x 27 ft	360°		
--	---	------	------------	------------	------	--	--

STERLING CRANE

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs		CODE >0058<		L133 0413 .x(x)				
	184	197							
20									
22									
24									
26									
28									
30									
32									
34									
36									
38									
40									
45									
50	6,000								
55	6,000	5,100							
60	6,000	5,100							
65	6,000	5,100							
70	6,000	4,700							
75	6,000	4,200							
80	6,000	3,500							
85	6,000	2,800							
90	5,900								
95	5,700								
100	5,400								
105	4,900								
110	4,400								
115	4,000								
120									
125									
130									
135									
140									
145									
150									
155									
160									
165									
* n *	1	1							
1	92-	100-							
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 %									
 ft/s	23	23							
TAB 133	065	065							

	T	K 0°	 52,900 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE



Folding Fly, 0° Offset, 118' Extension

			ft > lbs	CODE > 0058 <		L133 0413 .x(x)				
	ft	184	197							
170										
175										
180										
185										
190										
* n *		1	1							
1		92-	100-							
2		92-	100-							
3		92-	100-							
4		92-	100-							
5		92-	100-							
 %										
 ft/s		23	23							
TAB 133		065	065							

STERLING CRANE

Folding Fly, 0° Offset, 118' Extension


	 ft > < lbs CODE >0060< L133 0513 .x(x)									
	43	141	141	157	157	157	171	171	184	197
20	8,800									
22	8,800									
24	8,700									
26	8,600									
28	8,500									
30	8,500									
32	8,400									
34	8,400									
36	8,300									
38	8,300	8,200								
40	8,200	8,200								
45	7,900	8,200	7,100	7,500	7,100	6,600				
50	7,600	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	
55	7,200	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
60	6,800	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
65	6,500	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
70	6,100	8,000	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
75	5,800	7,800	7,100	7,400	7,100	6,600	6,800	6,400	6,000	5,100
80	5,500	7,700	7,000	7,200	7,000	6,600	6,800	6,400	6,000	5,100
85	5,300	7,500	6,800	7,100	6,800	6,600	6,700	6,300	6,000	5,100
90	5,000	7,300	6,700	6,900	6,700	6,500	6,600	6,200	5,900	5,100
95	4,800	7,100	6,500	6,700	6,500	6,300	6,500	6,000	5,800	5,100
100	4,600	6,800	6,300	6,600	6,300	6,100	6,400	5,900	5,700	5,100
105	4,400	6,600	6,200	6,400	6,200	6,000	6,200	5,700	5,500	5,100
110	4,300	6,500	6,000	6,200	6,000	5,800	6,000	5,600	5,400	5,100
115	4,100	6,200	5,800	6,100	5,800	5,600	5,800	5,400	5,300	5,000
120	4,000	5,900	5,600	6,000	5,700	5,500	5,700	5,300	5,200	4,900
125	3,900	5,700	5,500	5,800	5,500	5,300	5,500	5,200	5,100	4,800
130	3,800	5,600	5,300	5,600	5,300	5,100	5,400	5,100	5,000	4,700
135	3,700	5,400	5,200	5,500	5,200	5,000	5,200	5,000	4,900	4,700
140	3,500	5,200	5,000	5,300	5,100	4,900	5,100	4,900	4,800	4,600
145	3,400	5,100	4,900	5,200	5,000	4,800	4,900	4,800	4,700	4,500
150	3,300	5,000	4,800	5,000	4,900	4,700	4,800	4,700	4,600	4,400
155		4,900	4,700	4,900	4,800	4,700	4,800	4,600	4,500	4,300
160		4,800	4,600	4,800	4,700	4,600	4,700	4,500	4,400	4,200
165		4,700	4,500	4,600	4,600	4,500	4,500	4,400	4,300	4,000
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	064	064	064	064	064	064	064	064	064	064

	T	K 0°	 79,400 lbs	 29 x 27 ft	 360°		
--	---	------	---	--	---	--	--

STERLING CRANE

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs		CODE >0060<		L133 0513 .x(x)				
	184	197							
20									
22									
24									
26									
28									
30									
32									
34									
36									
38									
40									
45									
50	6,000								
55	6,000	5,100							
60	6,000	5,100							
65	6,000	5,100							
70	6,000	4,700							
75	6,000	4,200							
80	6,000	3,500							
85	6,000	2,800							
90	5,900								
95	5,700								
100	5,400								
105	4,900								
110	4,400								
115	4,000								
120									
125									
130									
135									
140									
145									
150									
155									
160									
165									
* n *	1	1							
 %	1	92-	100-						
	2	92-	100-						
	3	92-	100-						
	4	92-	100-						
	5	92-	100-						
 ft/s	23	23							
TAB 133	064	064							


	T	K 0°	 79,400 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs CODE >0062< L133 0613 .x(x)									
	43	141	141	157	157	157	171	171	184	197
20	9,700									
22	9,700									
24	9,600									
26	9,400									
28	9,400									
30	9,400									
32	9,300									
34	9,200									
36	9,200									
38	9,100	9,000								
40	9,000	9,000								
45	8,700	9,000	7,800	8,300	7,800	7,300				
50	8,400	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	
55	7,900	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
60	7,500	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
65	7,100	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
70	6,700	8,800	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
75	6,400	8,600	7,800	8,100	7,800	7,300	7,500	7,000	6,600	5,600
80	6,000	8,400	7,700	8,000	7,700	7,300	7,500	7,000	6,600	5,600
85	5,800	8,300	7,500	7,800	7,500	7,300	7,400	6,900	6,600	5,600
90	5,600	8,100	7,400	7,600	7,300	7,100	7,300	6,800	6,400	5,600
95	5,300	7,800	7,200	7,400	7,200	6,900	7,100	6,600	6,300	5,600
100	5,100	7,500	7,000	7,200	7,000	6,700	7,000	6,500	6,200	5,600
105	4,900	7,300	6,800	7,000	6,800	6,600	6,800	6,300	6,100	5,600
110	4,700	7,100	6,600	6,900	6,600	6,400	6,600	6,100	5,900	5,600
115	4,600	6,800	6,400	6,700	6,400	6,200	6,400	5,900	5,800	5,500
120	4,400	6,500	6,200	6,600	6,200	6,000	6,200	5,800	5,700	5,400
125	4,300	6,300	6,000	6,400	6,100	5,800	6,100	5,700	5,600	5,300
130	4,200	6,100	5,900	6,200	5,900	5,600	5,900	5,600	5,500	5,200
135	4,000	5,900	5,700	6,000	5,700	5,500	5,700	5,500	5,400	5,100
140	3,900	5,700	5,500	5,800	5,600	5,400	5,600	5,400	5,300	5,000
145	3,700	5,600	5,400	5,700	5,500	5,300	5,400	5,300	5,200	4,900
150	3,600	5,500	5,200	5,600	5,400	5,200	5,300	5,200	5,100	4,800
155		5,400	5,100	5,400	5,300	5,100	5,200	5,100	5,000	4,800
160		5,300	5,000	5,300	5,200	5,000	5,100	5,000	4,900	4,700
165		5,100	4,900	5,200	5,100	4,900	5,100	4,900	4,800	4,600
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	209	209	209	209	209	209	209	209	209	209

	T	K 0°	 99,200 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs		CODE >0062< L133 0613 .x(x)							
	184	197								
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50	6,600									
55	6,600	5,600								
60	6,600	5,600								
65	6,600	5,600								
70	6,600	4,900								
75	6,600	4,200								
80	6,600	3,500								
85	6,600	2,800								
90	6,400									
95	6,000									
100	5,400									
105	4,900									
110	4,400									
115	4,000									
120										
125										
130										
135										
140										
145										
150										
155										
160										
165										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 ft/s	23	23								
TAB 133	209	209								


T

K 0°

118ft



99,200
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension


				ft > lbs		CODE \0062<		L133 0613 .x(x)	
	 ft	184	197						
170									
175									
180									
185									
190									
195									
200									
205									
210									
215									
220									
225									
230									
235									
240									
* n *	1	1							
1	92-	100-							
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 %									
 ft/s	23	23							
TAB 133	209	209							

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs CODE >0064< L133 0713 .x(x)									
	43	141	141	157	157	157	171	171	184	197
20	9,700									
22	9,700									
24	9,600									
26	9,400									
28	9,400									
30	9,400									
32	9,300									
34	9,200									
36	9,200									
38	9,100	9,000								
40	9,000	9,000								
45	8,700	9,000	7,800	8,300	7,800	7,300				
50	8,400	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	
55	7,900	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
60	7,500	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
65	7,100	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
70	6,700	8,800	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
75	6,400	8,600	7,800	8,100	7,800	7,300	7,500	7,000	6,600	5,600
80	6,000	8,400	7,700	8,000	7,700	7,300	7,500	7,000	6,600	5,600
85	5,800	8,300	7,500	7,800	7,500	7,300	7,400	6,900	6,600	5,600
90	5,600	8,100	7,400	7,600	7,300	7,100	7,300	6,800	6,400	5,600
95	5,300	7,800	7,200	7,400	7,200	6,900	7,100	6,600	6,300	5,600
100	5,100	7,500	7,000	7,200	7,000	6,700	7,000	6,500	6,200	5,600
105	4,900	7,300	6,800	7,000	6,800	6,600	6,800	6,300	6,100	5,600
110	4,700	7,100	6,600	6,900	6,600	6,400	6,600	6,100	5,900	5,600
115	4,600	6,800	6,400	6,700	6,400	6,200	6,400	5,900	5,800	5,500
120	4,400	6,500	6,200	6,600	6,200	6,000	6,200	5,800	5,700	5,400
125	4,300	6,300	6,000	6,400	6,100	5,800	6,100	5,700	5,600	5,300
130	4,200	6,100	5,900	6,200	5,900	5,600	5,900	5,600	5,500	5,200
135	4,000	5,900	5,700	6,000	5,700	5,500	5,700	5,500	5,400	5,100
140	3,900	5,700	5,500	5,800	5,600	5,400	5,600	5,400	5,300	5,000
145	3,700	5,600	5,400	5,700	5,500	5,300	5,400	5,300	5,200	4,900
150	3,600	5,500	5,200	5,600	5,400	5,200	5,300	5,200	5,100	4,800
155		5,400	5,100	5,400	5,300	5,100	5,200	5,100	5,000	4,800
160		5,300	5,000	5,300	5,200	5,000	5,100	5,000	4,900	4,700
165		5,100	4,900	5,200	5,100	4,900	5,100	4,900	4,800	4,600
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	208	208	208	208	208	208	208	208	208	208


	T	K 0°	 125,700 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs		CODE >0064< L133 0713 .x(x)							
	43	141	141	157	157	157	171	171	184	197
170		5,000	4,700	5,100	5,000	4,800	4,900	4,800	4,700	4,500
175		4,900	4,600	5,000	4,900	4,700	4,800	4,700	4,600	4,400
180		4,800	4,500	4,800	4,800	4,600	4,800	4,600	4,600	4,400
185		4,700	4,400	4,700	4,700	4,500	4,700	4,500	4,500	4,300
190		4,600	4,400	4,600	4,600	4,400	4,600	4,400	4,400	4,200
195		4,500	4,300	4,500	4,500	4,300	4,500	4,400	4,400	4,200
200		4,400	4,300	4,500	4,400	4,300	4,400	4,300	4,300	4,100
205		4,300	4,200	4,400	4,300	4,200	4,400	4,300	4,200	4,100
210		4,200	4,100	4,300	4,200	4,100	4,300	4,200	4,100	4,000
215		4,100	4,100	4,200	4,200	4,000	4,200	4,100	4,100	3,900
220		4,000	4,000	4,200	4,100	3,900	4,200	4,000	4,000	3,900
225		3,900	3,900	4,000	4,100	3,900	4,000	4,000	4,000	3,800
230		3,900	3,800	3,800	4,000	3,800	3,700	3,900	3,900	3,500
235		3,800	3,700	3,400	3,900	3,700	3,300	3,900	3,400	3,100
240		3,700	3,700	3,000	3,800	3,600	2,900	3,800	3,000	2,600
245				2,600	3,700	3,500	2,500	3,600	2,600	
250					3,400	3,500		3,400		
255					3,000	3,400		3,000		
260								2,700		
265								2,400		
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	208	208	208	208	208	208	208	208	208	208


	T	K 0°	 125,700 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension


 ft	 ft > < lbs		CODE >0064<		L133 0713 .x(x)				
	184	197							
20									
22									
24									
26									
28									
30									
32									
34									
36									
38									
40									
45									
50	6,600								
55	6,600	5,600							
60	6,600	5,600							
65	6,600	5,600							
70	6,600	4,900							
75	6,600	4,200							
80	6,600	3,500							
85	6,600	2,800							
90	6,400								
95	6,000								
100	5,400								
105	4,900								
110	4,400								
115	4,000								
120									
125									
130									
135									
140									
145									
150									
155									
160									
165									
* n *	1	1							
 %	1	92-	100-						
	2	92-	100-						
	3	92-	100-						
	4	92-	100-						
	5	92-	100-						
 ft/s	23	23							
TAB 133	208	208							



T

K 0°
118ft


125,700
lbs


29 x
27
ft


360°






STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs CODE >0066< L133 0813 .x(x)									
	43	141	141	157	157	157	171	171	184	197
20	9,700									
22	9,700									
24	9,600									
26	9,400									
28	9,400									
30	9,400									
32	9,300									
34	9,200									
36	9,200									
38	9,100	9,000								
40	9,000	9,000								
45	8,700	9,000	7,800	8,300	7,800	7,300				
50	8,400	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	
55	7,900	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
60	7,500	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
65	7,100	9,000	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
70	6,700	8,800	7,800	8,300	7,800	7,300	7,500	7,000	6,600	5,600
75	6,400	8,600	7,800	8,100	7,800	7,300	7,500	7,000	6,600	5,600
80	6,000	8,400	7,700	8,000	7,700	7,300	7,500	7,000	6,600	5,600
85	5,800	8,300	7,500	7,800	7,500	7,300	7,400	6,900	6,600	5,600
90	5,600	8,100	7,400	7,600	7,300	7,100	7,300	6,800	6,400	5,600
95	5,300	7,800	7,200	7,400	7,200	6,900	7,100	6,600	6,300	5,600
100	5,100	7,500	7,000	7,200	7,000	6,700	7,000	6,500	6,200	5,600
105	4,900	7,300	6,800	7,000	6,800	6,600	6,800	6,300	6,100	5,600
110	4,700	7,100	6,600	6,900	6,600	6,400	6,600	6,100	5,900	5,600
115	4,600	6,800	6,400	6,700	6,400	6,200	6,400	5,900	5,800	5,500
120	4,400	6,500	6,200	6,600	6,200	6,000	6,200	5,800	5,700	5,400
125	4,300	6,300	6,000	6,400	6,100	5,800	6,100	5,700	5,600	5,300
130	4,200	6,100	5,900	6,200	5,900	5,600	5,900	5,600	5,500	5,200
135	4,000	5,900	5,700	6,000	5,700	5,500	5,700	5,500	5,400	5,100
140	3,900	5,700	5,500	5,800	5,600	5,400	5,600	5,400	5,300	5,000
145	3,700	5,600	5,400	5,700	5,500	5,300	5,400	5,300	5,200	4,900
150	3,600	5,500	5,200	5,600	5,400	5,200	5,300	5,200	5,100	4,800
155		5,400	5,100	5,400	5,300	5,100	5,200	5,100	5,000	4,800
160		5,300	5,000	5,300	5,200	5,000	5,100	5,000	4,900	4,700
165		5,100	4,900	5,200	5,100	4,900	5,100	4,900	4,800	4,600
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	207	207	207	207	207	207	207	207	207	207


	T	K 0°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs		CODE >0066< L133 0813 .x(x)							
	184	197								
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45										
50	6,600									
55	6,600	5,600								
60	6,600	5,600								
65	6,600	5,600								
70	6,600	4,900								
75	6,600	4,200								
80	6,600	3,500								
85	6,600	2,800								
90	6,400									
95	6,000									
100	5,400									
105	4,900									
110	4,400									
115	4,000									
120										
125										
130										
135										
140										
145										
150										
155										
160										
165										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 ft/s	23	23								
TAB 133	207	207								


	T	K 0°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 118' Extension

 ft	 ft > < lbs		CODE >0066< L133 0813 .x(x)							
	184	197								
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
230										
235										
240										
245										
250										
255										
260										
265										
270										
275										
280										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
	TAB 133	207	207							




T

K 0°
118ft



152,100
lbs



29 x
27
ft



360°

