




LIFTING CHARTS - All Terrain Cranes

LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

Folding Fly, 0° Offset, 72' Extension

 ft			CODE >0032< L133 0211 .x(x)								
	ft> < lbs										
	43	141	141	157	157	157	171	171	184	197	
13	16,500										
14	16,500										
15	16,500										
16	16,500										
17	16,500										
18	16,400										
20	16,300										
22	16,200										
24	16,000										
26	15,800										
28	15,600	16,500									
30	15,400	16,500									
32	15,200	16,500	14,800	15,400							
34	15,000	16,500	14,800	15,400							
36	14,800	16,500	14,800	15,400	14,800	13,700					
38	14,700	16,400	14,800	15,400	14,800	13,700	14,300	13,200			
40	14,500	16,300	14,800	15,400	14,800	13,700	14,300	13,200			
45	14,000	16,100	14,800	15,200	14,800	13,700	14,300	13,200	12,600	11,500	
50	13,500	14,900	14,700	13,100	14,100	13,600	12,600	13,200	11,800	10,900	
55	12,900	13,000	14,400	10,700	12,500	13,100	10,400	12,200	10,300	9,600	
60	12,400	10,700	13,600	8,500	10,300	11,900	8,300	10,200	8,300	7,600	
65	11,900	8,700	11,600	6,700	8,400	9,900	6,500	8,400	6,500	5,900	
70	11,500	7,100	10,000		6,800	8,300		6,800			
75	11,200		8,500			6,900					
80	10,800		7,100								
85	10,500		5,900								
90	9,800		4,900								
95	8,900										
100	7,900										
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	067	067	067	067	067	067	067	067	067	067	

T

K 0°

72ft

0,000

lbs

29 x

27

ft

360°

STERLING CRANE

Folding Fly, 0° Offset, 72' Extension

				ft > lbs		CODE \0032<		L133 0211 .x(x)	
	 ft	184	197						
	13								
	14								
	15								
	16								
	17								
	18								
	20								
	22								
	24								
	26								
	28								
	30								
	32								
	34								
	36								
	38								
	40								
	45	12,600	10,700						
	50	11,800	9,800						
	55	10,300	8,700						
	60	8,300	7,500						
	65	6,500	5,900						
	70								
	75								
	80								
	85								
	90								
	95								
	100								
	* n *	1	1						
	1	92-	100-						
	2	92-	100-						
	3	92-	100-						
	4	92-	100-						
	5	92-	100-						
	 %								
	 ft/s	23	23						
	TAB 133	067	067						


The diagram shows a room layout with the following elements:

- A table with a top width of 29 ft and a height of 27 ft.
- A scale with a weight of 0,000 lbs.
- A circular arrow indicating a 360° rotation.
- A box labeled T with a height of 72 ft.
- A box labeled K with a height of 0°.

STERLING CRANE

Folding Fly, 0° Offset, 72' Extension


 ft	 ft > < lbs		CODE >0033< L133 0311 .x(x)							
	43	141	141	157	157	157	171	171	184	197
13	16,500									
14	16,500									
15	16,500									
16	16,500									
17	16,500									
18	16,400									
20	16,300									
22	16,200									
24	16,000									
26	15,800									
28	15,600	16,500								
30	15,400	16,500								
32	15,200	16,500	14,800	15,400						
34	15,000	16,500	14,800	15,400						
36	14,800	16,500	14,800	15,400	14,800	13,700				
38	14,700	16,400	14,800	15,400	14,800	13,700	14,300	13,200		
40	14,500	16,300	14,800	15,400	14,800	13,700	14,300	13,200		
45	14,000	16,100	14,800	15,200	14,800	13,700	14,300	13,200	12,600	11,500
50	13,500	16,000	14,700	15,100	14,600	13,600	14,200	13,200	12,600	11,500
55	12,900	15,800	14,500	14,900	14,500	13,600	14,100	13,200	12,500	11,500
60	12,400	15,600	14,300	14,700	14,300	13,500	14,000	13,200	12,500	11,500
65	11,900	15,300	14,200	14,600	14,100	13,500	13,800	13,100	12,400	11,400
70	11,500	15,000	14,000	13,500	14,000	13,400	13,000	13,000	12,300	11,400
75	11,200	13,900	13,900	11,900	13,200	13,300	11,700	12,700	11,500	10,700
80	10,800	12,200	13,700	10,200	11,900	12,900	10,000	11,800	10,000	9,500
85	10,500	10,600	13,300	8,700	10,300	11,800	8,500	10,300	8,600	8,000
90	10,200	9,200	12,000	7,300	9,000	10,400	7,200	9,000	7,300	6,800
95	9,800	8,000	10,700	6,100	7,700	9,200	6,000	7,800	6,100	5,600
100	9,400	6,800	9,500	5,000	6,600	8,100	4,900	6,700	5,100	
105		5,800	8,500		5,600	7,000		5,700		
110		4,900	7,500		4,700	6,100		4,800		
115		4,000	6,700			5,200		4,000		
120			5,800			4,500				
125			5,100							
130			4,400							
135			3,800							
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	066	066	066	066	066	066	066	066	066	066

	T	K 0°	 26,500 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

Folding Fly, 0° Offset, 72' Extension


 ft	 ft > < lbs		CODE >0033< L133 0311 .x(x)							
	184	197								
13										
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	12,600	10,700								
50	12,600	9,800								
55	12,500	8,700								
60	12,300	7,700								
65	11,400	6,800								
70	10,500	6,000								
75	9,800	5,200								
80	9,000	4,500								
85	8,300	3,800								
90	7,200	3,200								
95	6,100									
100	5,100									
105										
110										
115										
120										
125										
130										
135										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	066	066								

	T	K 0°	 26,500 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

Folding Fly, 0° Offset, 72' Extension



 ft	 ft > < lbs		CODE >0034< L133 0411 .x(x)							
	43	141	141	157	157	157	171	171	184	197
13	16,500									
14	16,500									
15	16,500									
16	16,500									
17	16,500									
18	16,400									
20	16,300									
22	16,200									
24	16,000									
26	15,800									
28	15,600	16,500								
30	15,400	16,500								
32	15,200	16,500	14,800	15,400						
34	15,000	16,500	14,800	15,400						
36	14,800	16,500	14,800	15,400	14,800	13,700				
38	14,700	16,400	14,800	15,400	14,800	13,700	14,300	13,200		
40	14,500	16,300	14,800	15,400	14,800	13,700	14,300	13,200		
45	14,000	16,100	14,800	15,200	14,800	13,700	14,300	13,200	12,600	11,500
50	13,500	16,000	14,700	15,100	14,600	13,600	14,200	13,200	12,600	11,500
55	12,900	15,800	14,500	14,900	14,500	13,600	14,100	13,200	12,500	11,500
60	12,400	15,600	14,300	14,700	14,300	13,500	14,000	13,200	12,500	11,500
65	11,900	15,300	14,200	14,600	14,100	13,500	13,800	13,100	12,400	11,400
70	11,500	15,000	14,000	14,400	14,000	13,400	13,700	13,000	12,300	11,400
75	11,200	14,800	13,900	14,200	13,800	13,300	13,500	12,900	12,200	11,300
80	10,800	14,600	13,700	14,100	13,600	13,200	13,400	12,800	12,200	11,200
85	10,500	14,300	13,400	13,900	13,500	13,000	13,300	12,700	12,100	11,100
90	10,200	14,000	13,200	13,700	13,300	12,900	13,100	12,600	12,000	11,000
95	9,800	13,700	13,000	12,800	13,200	12,700	12,300	12,400	11,800	11,000
100	9,400	13,200	12,800	11,400	12,700	12,500	11,200	12,200	11,200	10,600
105		11,900	12,500	10,100	11,600	12,300	9,900	11,700	10,000	9,500
110		10,700	12,300	8,900	10,500	11,700	8,800	10,500	8,900	8,400
115		9,600	11,900	7,900	9,400	10,800	7,700	9,500	7,900	7,400
120		8,600	11,300	6,900	8,400	9,800	6,700	8,500	6,900	6,400
125		7,700	10,300	5,900	7,500	8,900	5,800	7,600	6,000	5,500
130		6,900	9,400	5,100	6,700	8,000	5,000	6,800	5,200	4,700
135		6,100	8,500	4,400	5,900	7,200	4,300	6,000	4,400	4,000
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	065	065	065	065	065	065	065	065	065	065

	T	K 0°	 52,900 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0034<		L133 0411 .x(x)				
	184	197							
13									
14									
15									
16									
17									
18									
20									
22									
24									
26									
28									
30									
32									
34									
36									
38									
40									
45	12,600	10,700							
50	12,600	9,800							
55	12,500	8,700							
60	12,300	7,700							
65	11,400	6,800							
70	10,500	6,000							
75	9,800	5,200							
80	9,000	4,500							
85	8,300	3,800							
90	7,700	3,200							
95	7,100								
100	6,600								
105	6,000								
110	5,600								
115	5,100								
120	4,700								
125	4,300								
130	3,900								
135	3,500								
* n *	1	1							
 %	1	92-	100-						
	2	92-	100-						
	3	92-	100-						
	4	92-	100-						
	5	92-	100-						
 ft/s	23	23							
TAB 133	065	065							

	T	K 0°	 52,900 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE



Folding Fly, 0° Offset, 72' Extension

			CODE >0034<		L133 0411 .x(x)					
		ft> <lbs								
		184	197							
 ft	140	3,200								
	145									
	150									
	155									
	160									
	165									
	170									
	175									
	180									
	185									
190										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s		23	23							
	TAB 133	065	065							

STERLING CRANE

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0036< L133 0511 .x(x)							
	43	141	141	157	157	157	171	171	184	197
13	16,500									
14	16,500									
15	16,500									
16	16,500									
17	16,500									
18	16,400									
20	16,300									
22	16,200									
24	16,000									
26	15,800									
28	15,600	16,500								
30	15,400	16,500								
32	15,200	16,500	14,800	15,400						
34	15,000	16,500	14,800	15,400						
36	14,800	16,500	14,800	15,400	14,800	13,700				
38	14,700	16,400	14,800	15,400	14,800	13,700	14,300	13,200		
40	14,500	16,300	14,800	15,400	14,800	13,700	14,300	13,200		
45	14,000	16,100	14,800	15,200	14,800	13,700	14,300	13,200	12,600	11,500
50	13,500	16,000	14,700	15,100	14,600	13,600	14,200	13,200	12,600	11,500
55	12,900	15,800	14,500	14,900	14,500	13,600	14,100	13,200	12,500	11,500
60	12,400	15,600	14,300	14,700	14,300	13,500	14,000	13,200	12,500	11,500
65	11,900	15,300	14,200	14,600	14,100	13,500	13,800	13,100	12,400	11,400
70	11,500	15,000	14,000	14,400	14,000	13,400	13,700	13,000	12,300	11,400
75	11,200	14,800	13,900	14,200	13,800	13,300	13,500	12,900	12,200	11,300
80	10,800	14,600	13,700	14,100	13,600	13,200	13,400	12,800	12,200	11,200
85	10,500	14,300	13,400	13,900	13,500	13,000	13,300	12,700	12,100	11,100
90	10,200	14,000	13,200	13,700	13,300	12,900	13,100	12,600	12,000	11,000
95	9,800	13,700	13,000	13,500	13,200	12,700	12,900	12,400	11,900	11,000
100	9,400	13,500	12,800	13,200	12,900	12,500	12,700	12,300	11,800	10,900
105		13,200	12,500	13,000	12,700	12,400	12,500	12,100	11,700	10,800
110		12,900	12,300	12,800	12,400	12,200	12,400	12,000	11,600	10,600
115		12,600	12,100	12,600	12,300	12,000	12,200	11,800	11,500	10,500
120		12,300	11,800	12,100	12,100	11,700	11,800	11,600	11,300	10,300
125		12,100	11,600	11,100	11,900	11,500	10,900	11,400	11,100	10,100
130		11,600	11,400	10,100	11,500	11,300	9,900	11,200	10,100	9,500
135		10,700	11,100	9,200	10,700	11,100	9,000	10,600	9,100	8,700
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	064	064	064	064	064	064	064	064	064	064

	T	K 0°	 79,400 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

Folding Fly, 0° Offset, 72' Extension


 ft	 ft > < lbs		CODE >0036< L133 0511 .x(x)							
	184	197								
13										
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	12,600	10,700								
50	12,600	9,800								
55	12,500	8,700								
60	12,300	7,700								
65	11,400	6,800								
70	10,500	6,000								
75	9,800	5,200								
80	9,000	4,500								
85	8,300	3,800								
90	7,700	3,200								
95	7,100									
100	6,600									
105	6,000									
110	5,600									
115	5,100									
120	4,700									
125	4,300									
130	3,900									
135	3,500									
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	064	064								


	T	K 0°	72ft	79,400 lbs	29 x 27 ft	360°		
--	---	------	------	------------	------------	------	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0038< L133 0611 .x(x)							
	43	141	141	157	157	157	171	171	184	197
13	18,200									
14	18,200									
15	18,200									
16	18,200									
17	18,100									
18	18,000									
20	17,900									
22	17,800									
24	17,600									
26	17,400									
28	17,200	18,200								
30	17,000	18,200								
32	16,700	18,200	16,300	17,000						
34	16,500	18,200	16,300	17,000						
36	16,300	18,200	16,300	17,000	16,300	15,000				
38	16,100	18,100	16,300	17,000	16,300	15,000	15,800	14,600		
40	15,900	17,900	16,300	17,000	16,300	15,000	15,800	14,600		
45	15,400	17,700	16,300	16,800	16,300	15,000	15,700	14,600	13,800	12,600
50	14,800	17,600	16,200	16,600	16,100	15,000	15,600	14,600	13,800	12,600
55	14,200	17,400	16,000	16,400	15,900	14,900	15,500	14,600	13,800	12,600
60	13,700	17,100	15,800	16,200	15,700	14,900	15,400	14,500	13,700	12,600
65	13,100	16,800	15,600	16,000	15,500	14,800	15,200	14,400	13,600	12,600
70	12,700	16,500	15,400	15,800	15,400	14,800	15,000	14,300	13,600	12,500
75	12,300	16,300	15,200	15,700	15,200	14,700	14,900	14,200	13,500	12,400
80	11,900	16,000	15,000	15,500	15,000	14,500	14,700	14,100	13,400	12,300
85	11,500	15,700	14,800	15,300	14,800	14,300	14,600	14,000	13,300	12,200
90	11,200	15,400	14,500	15,100	14,700	14,200	14,400	13,800	13,200	12,100
95	10,800	15,100	14,300	14,800	14,500	14,000	14,200	13,700	13,100	12,000
100	10,300	14,800	14,000	14,600	14,200	13,800	14,000	13,500	13,000	11,900
105		14,500	13,800	14,300	14,000	13,600	13,800	13,300	12,900	11,900
110		14,200	13,500	14,100	13,700	13,400	13,600	13,200	12,700	11,700
115		13,900	13,300	13,800	13,500	13,200	13,400	13,000	12,600	11,500
120		13,600	13,000	13,600	13,300	12,900	13,200	12,800	12,500	11,300
125		13,300	12,800	13,300	13,100	12,700	13,000	12,600	12,300	11,100
130		13,000	12,500	13,100	12,800	12,400	12,800	12,400	12,100	11,000
135		12,700	12,200	12,800	12,600	12,200	12,500	12,200	12,000	10,800
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	209	209	209	209	209	209	209	209	209	209

	T	K 0°	 99,200 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 72' Extension


 ft	 ft > < lbs		CODE >0038< L133 0611 .x(x)							
	184	197								
13										
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	13,800	10,700								
50	13,800	9,800								
55	13,300	8,700								
60	12,300	7,700								
65	11,400	6,800								
70	10,500	6,000								
75	9,800	5,200								
80	9,000	4,500								
85	8,300	3,800								
90	7,700	3,200								
95	7,100									
100	6,600									
105	6,000									
110	5,600									
115	5,100									
120	4,700									
125	4,300									
130	3,900									
135	3,500									
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	209	209								

T

K 0°

72ft

99,200
lbs

29 x
27
ft



360°

STERLING CRANE

85%

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0040< L133 0711 .x(x)							
	43	141	141	157	157	157	171	171	184	197
13	18,200									
14	18,200									
15	18,200									
16	18,200									
17	18,100									
18	18,000									
20	17,900									
22	17,800									
24	17,600									
26	17,400									
28	17,200	18,200								
30	17,000	18,200								
32	16,700	18,200	16,300	17,000						
34	16,500	18,200	16,300	17,000						
36	16,300	18,200	16,300	17,000	16,300	15,000				
38	16,100	18,100	16,300	17,000	16,300	15,000	15,800	14,600		
40	15,900	17,900	16,300	17,000	16,300	15,000	15,800	14,600		
45	15,400	17,700	16,300	16,800	16,300	15,000	15,700	14,600	13,800	12,600
50	14,800	17,600	16,200	16,600	16,100	15,000	15,600	14,600	13,800	12,600
55	14,200	17,400	16,000	16,400	15,900	14,900	15,500	14,600	13,800	12,600
60	13,700	17,100	15,800	16,200	15,700	14,900	15,400	14,500	13,700	12,600
65	13,100	16,800	15,600	16,000	15,500	14,800	15,200	14,400	13,600	12,600
70	12,700	16,500	15,400	15,800	15,400	14,800	15,000	14,300	13,600	12,500
75	12,300	16,300	15,200	15,700	15,200	14,700	14,900	14,200	13,500	12,400
80	11,900	16,000	15,000	15,500	15,000	14,500	14,700	14,100	13,400	12,300
85	11,500	15,700	14,800	15,300	14,800	14,300	14,600	14,000	13,300	12,200
90	11,200	15,400	14,500	15,100	14,700	14,200	14,400	13,800	13,200	12,100
95	10,800	15,100	14,300	14,800	14,500	14,000	14,200	13,700	13,100	12,000
100	10,300	14,800	14,000	14,600	14,200	13,800	14,000	13,500	13,000	11,900
105		14,500	13,800	14,300	14,000	13,600	13,800	13,300	12,900	11,900
110		14,200	13,500	14,100	13,700	13,400	13,600	13,200	12,700	11,700
115		13,900	13,300	13,800	13,500	13,200	13,400	13,000	12,600	11,500
120		13,600	13,000	13,600	13,300	12,900	13,200	12,800	12,500	11,300
125		13,300	12,800	13,300	13,100	12,700	13,000	12,600	12,300	11,100
130		13,000	12,500	13,100	12,800	12,400	12,800	12,400	12,100	11,000
135		12,700	12,200	12,800	12,600	12,200	12,500	12,200	12,000	10,800
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	208	208	208	208	208	208	208	208	208	208

	T	K 0°	 125,700 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

The diagram shows a lighting fixture assembly with the following components and dimensions:

- Fixture Body:** A rectangular box with a width of 29 inches and a height of 27 inches.
- Mounting Bracket:** A bracket attached to the top of the fixture body, with a width of 29 inches.
- Light Source:** A light source labeled "125,700 lbs" is mounted within the fixture body.
- Rotation:** The fixture body is shown with a curved arrow indicating a rotation of 360 degrees.
- Labels:** The fixture body is labeled "T" and "K 0°". The mounting bracket is labeled "72ft".

STERLING CRANE

85%

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0040< L133 0711 .x(x)							
	184	197								
13										
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	13,800	10,700								
50	13,800	9,800								
55	13,300	8,700								
60	12,300	7,700								
65	11,400	6,800								
70	10,500	6,000								
75	9,800	5,200								
80	9,000	4,500								
85	8,300	3,800								
90	7,700	3,200								
95	7,100									
100	6,600									
105	6,000									
110	5,600									
115	5,100									
120	4,700									
125	4,300									
130	3,900									
135	3,500									
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	208	208								


T

K 0°

72ft



125,700
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0042< L133 0811 .x(x)							
	43	141	141	157	157	157	171	171	184	197
13	18,200									
14	18,200									
15	18,200									
16	18,200									
17	18,100									
18	18,000									
20	17,900									
22	17,800									
24	17,600									
26	17,400									
28	17,200	18,200								
30	17,000	18,200								
32	16,700	18,200	16,300	17,000						
34	16,500	18,200	16,300	17,000						
36	16,300	18,200	16,300	17,000	16,300	15,000				
38	16,100	18,100	16,300	17,000	16,300	15,000	15,800	14,600		
40	15,900	17,900	16,300	17,000	16,300	15,000	15,800	14,600		
45	15,400	17,700	16,300	16,800	16,300	15,000	15,700	14,600	13,800	12,600
50	14,800	17,600	16,200	16,600	16,100	15,000	15,600	14,600	13,800	12,600
55	14,200	17,400	16,000	16,400	15,900	14,900	15,500	14,600	13,800	12,600
60	13,700	17,100	15,800	16,200	15,700	14,900	15,400	14,500	13,700	12,600
65	13,100	16,800	15,600	16,000	15,500	14,800	15,200	14,400	13,600	12,600
70	12,700	16,500	15,400	15,800	15,400	14,800	15,000	14,300	13,600	12,500
75	12,300	16,300	15,200	15,700	15,200	14,700	14,900	14,200	13,500	12,400
80	11,900	16,000	15,000	15,500	15,000	14,500	14,700	14,100	13,400	12,300
85	11,500	15,700	14,800	15,300	14,800	14,300	14,600	14,000	13,300	12,200
90	11,200	15,400	14,500	15,100	14,700	14,200	14,400	13,800	13,200	12,100
95	10,800	15,100	14,300	14,800	14,500	14,000	14,200	13,700	13,100	12,000
100	10,300	14,800	14,000	14,600	14,200	13,800	14,000	13,500	13,000	11,900
105		14,500	13,800	14,300	14,000	13,600	13,800	13,300	12,900	11,900
110		14,200	13,500	14,100	13,700	13,400	13,600	13,200	12,700	11,700
115		13,900	13,300	13,800	13,500	13,200	13,400	13,000	12,600	11,500
120		13,600	13,000	13,600	13,300	12,900	13,200	12,800	12,500	11,300
125		13,300	12,800	13,300	13,100	12,700	13,000	12,600	12,300	11,100
130		13,000	12,500	13,100	12,800	12,400	12,800	12,400	12,100	11,000
135		12,700	12,200	12,800	12,600	12,200	12,500	12,200	12,000	10,800
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	207	207	207	207	207	207	207	207	207	207


	T	K 0°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0042< L133 0811 .x(x)							
	184	197								
13										
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	13,800	10,700								
50	13,800	9,800								
55	13,300	8,700								
60	12,300	7,700								
65	11,400	6,800								
70	10,500	6,000								
75	9,800	5,200								
80	9,000	4,500								
85	8,300	3,800								
90	7,700	3,200								
95	7,100									
100	6,600									
105	6,000									
110	5,600									
115	5,100									
120	4,700									
125	4,300									
130	3,900									
135	3,500									
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	207	207								

	T	K 0°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 72' Extension

 ft	 ft > < lbs		CODE >0042< L133 0811 .x(x)							
	184	197								
140	3,200									
145										
150										
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
230										
235										
240										
245										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	207	207								




T

K 0°
72ft



152,100
lbs



29 x
27
ft



360°

