




LIFTING CHARTS - All Terrain Cranes

LIEBHERR MODEL LTM 1200/1 - 250 TON CAPACITY

Folding Fly, 0° Offset, 95' Extension

 ft	 ft> < lbs		CODE >0045<				L133 0312 .x(x)				
	43	141	141	157	157	157	171	171	184	197	
14	12,300										
15	12,300										
16	12,300										
17	12,300										
18	12,300										
20	12,200										
22	12,200										
24	12,100										
26	12,000										
28	12,000										
30	11,900										
32	11,900										
34	11,900										
36	11,800	11,900	10,600								
38	11,700	11,900	10,600	11,000	10,600	9,900					
40	11,500	11,900	10,600	11,000	10,600	9,900					
45	10,900	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800		
50	10,400	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
55	9,900	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
60	9,400	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
65	9,000	11,700	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
70	8,500	11,500	10,400	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
75	8,100	11,300	10,300	10,800	10,500	9,800	9,900	9,300	8,800	7,700	
80	7,700	11,100	10,100	10,200	10,300	9,700	9,600	9,300	8,700	7,700	
85	7,400	10,600	9,900	8,700	10,100	9,500	8,400	9,300	8,300	7,700	
90	7,100	9,300	9,600	7,400	8,900	9,300	7,200	8,600	7,200	6,600	
95	6,900	8,100	9,300	6,200	7,700	8,800	6,000	7,600	6,000	5,500	
100	6,600	6,900	8,900	5,200	6,600	7,900	4,900	6,600	5,000		
105	6,400	5,900	8,300		5,600	6,900		5,600			
110	6,100	5,000	7,400		4,700	6,000		4,700			
115	5,900	4,200	6,500		3,900	5,200		3,900			
120	5,700		5,700			4,400					
125			5,000								
130			4,400								
135			3,700								
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	23
TAB 133	066	066	066	066	066	066	066	066	066	066	066

T

K 0°

95ft

26,500

lbs

29 x

27


ft

360°

STERLING CRANE

Folding Fly, 0° Offset, 95' Extension


 ft	 ft > < lbs		CODE >0045< L133 0312 .x(x)							
	184	197								
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	8,800									
50	8,800	7,700								
55	8,800	7,600								
60	8,800	7,200								
65	8,800	6,200								
70	8,800	5,400								
75	8,700	4,700								
80	8,500	4,000								
85	7,800	3,400								
90	7,000									
95	6,000									
100	5,000									
105										
110										
115										
120										
125										
130										
135										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	066	066								

	T	K 0°	 26,500 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0046< L133 0412 .x(x)							
	43	141	141	157	157	157	171	171	184	197
14	12,300									
15	12,300									
16	12,300									
17	12,300									
18	12,300									
20	12,200									
22	12,200									
24	12,100									
26	12,000									
28	12,000									
30	11,900									
32	11,900									
34	11,900									
36	11,800	11,900	10,600							
38	11,700	11,900	10,600	11,000	10,600	9,900				
40	11,500	11,900	10,600	11,000	10,600	9,900				
45	10,900	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	
50	10,400	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700
55	9,900	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700
60	9,400	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700
65	9,000	11,700	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700
70	8,500	11,500	10,400	11,000	10,600	9,900	9,900	9,300	8,800	7,700
75	8,100	11,300	10,300	10,900	10,500	9,800	9,900	9,300	8,800	7,700
80	7,700	11,100	10,100	10,800	10,300	9,700	9,900	9,300	8,800	7,700
85	7,400	10,800	9,900	10,600	10,200	9,500	9,700	9,300	8,800	7,700
90	7,100	10,500	9,600	10,300	10,000	9,300	9,500	9,200	8,800	7,700
95	6,900	10,200	9,300	10,000	9,700	9,200	9,400	9,000	8,700	7,700
100	6,600	9,900	9,000	9,600	9,500	9,000	9,200	8,800	8,500	7,700
105	6,400	9,600	8,800	9,500	9,200	8,800	9,000	8,600	8,300	7,700
110	6,100	9,400	8,700	8,800	8,900	8,500	8,600	8,500	8,200	7,600
115	5,900	9,000	8,500	7,900	8,700	8,300	7,700	8,300	7,600	7,000
120	5,700	8,500	8,300	7,000	8,300	8,200	6,800	8,000	6,800	6,300
125		7,800	8,100	6,100	7,500	8,000	5,900	7,400	5,900	5,400
130		6,900	7,800	5,300	6,700	7,800	5,100	6,600	5,100	4,600
135		6,200	7,600	4,500	5,900	7,100	4,300	5,900	4,400	3,900
140		5,400	7,400	3,800	5,200	6,400	3,600	5,200	3,700	
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	065	065	065	065	065	065	065	065	065	065

	T	K 0°	 52,900 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE

Folding Fly, 0° Offset, 95' Extension



 ft	 ft > < lbs		CODE >0046< L133 0412 .x(x)							
	184	197								
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	8,800									
50	8,800	7,700								
55	8,800	7,600								
60	8,800	7,200								
65	8,800	6,200								
70	8,800	5,400								
75	8,700	4,700								
80	8,500	4,000								
85	7,800	3,400								
90	7,100									
95	6,500									
100	6,000									
105	5,500									
110	5,000									
115	4,500									
120	4,100									
125	3,700									
130	3,300									
135										
140										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	065	065								

	T	K 0°	52,900 lbs	29 x 27 ft	360°		
--	---	------	---------------	------------------	------	--	--

STERLING CRANE

Folding Fly, 0° Offset, 95' Extension


		CODE >0048< L133 0512 .x(x)									
	ft> < lbs										
ft	43	141	141	157	157	157	171	171	184	197	
14	12,300										
15	12,300										
16	12,300										
17	12,300										
18	12,300										
20	12,200										
22	12,200										
24	12,100										
26	12,000										
28	12,000										
30	11,900										
32	11,900										
34	11,900										
36	11,800	11,900	10,600								
38	11,700	11,900	10,600	11,000	10,600	9,900					
40	11,500	11,900	10,600	11,000	10,600	9,900					
45	10,900	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800		
50	10,400	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
55	9,900	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
60	9,400	11,900	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
65	9,000	11,700	10,600	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
70	8,500	11,500	10,400	11,000	10,600	9,900	9,900	9,300	8,800	7,700	
75	8,100	11,300	10,300	10,900	10,500	9,800	9,900	9,300	8,800	7,700	
80	7,700	11,100	10,100	10,800	10,300	9,700	9,900	9,300	8,800	7,700	
85	7,400	10,800	9,900	10,600	10,200	9,500	9,700	9,300	8,800	7,700	
90	7,100	10,500	9,600	10,300	10,000	9,300	9,500	9,200	8,800	7,700	
95	6,900	10,200	9,300	10,000	9,700	9,200	9,400	9,000	8,700	7,700	
100	6,600	9,900	9,000	9,600	9,500	9,000	9,200	8,800	8,500	7,700	
105	6,400	9,600	8,800	9,500	9,200	8,800	9,000	8,600	8,300	7,700	
110	6,100	9,400	8,700	9,100	8,900	8,500	8,700	8,500	8,200	7,600	
115	5,900	9,000	8,500	8,900	8,700	8,300	8,500	8,300	8,000	7,500	
120	5,700	8,800	8,300	8,800	8,600	8,200	8,300	8,100	7,800	7,400	
125		8,600	8,100	8,500	8,400	8,000	8,200	8,000	7,700	7,300	
130		8,200	7,800	8,200	8,200	7,800	8,000	7,800	7,500	7,200	
135		8,000	7,600	8,100	8,000	7,600	7,900	7,600	7,400	7,100	
140		7,900	7,500	7,900	7,800	7,500	7,700	7,400	7,200	6,900	
* n *	1	1	1	1	1	1	1	1	1	1	
	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
	ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	064	064	064	064	064	064	064	064	064	064	064

	T	K 0°					
		95ft	79,400 lbs	29 x 27 ft	360°		

STERLING CRANE

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0048< L133 0512 .x(x)							
	184	197								
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	8,800									
50	8,800	7,700								
55	8,800	7,600								
60	8,800	7,200								
65	8,800	6,200								
70	8,800	5,400								
75	8,700	4,700								
80	8,500	4,000								
85	7,800	3,400								
90	7,100									
95	6,500									
100	6,000									
105	5,500									
110	5,000									
115	4,500									
120	4,100									
125	3,700									
130	3,300									
135										
140										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	064	064								

	T	K 0°	 79,400 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--

STERLING CRANE


Folding Fly, 0° Offset, 95' Extension


			ft > lbs		CODE >0048<		L133 0512 .x(x)			
	ft	184	197							
145										
150										
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
* n *	1	1								
1	92-	100-								
2	92-	100-								
3	92-	100-								
4	92-	100-								
5	92-	100-								
 %										
 ft/s	23	23								
TAB 133	064	064								

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft> < lbs		CODE >0050< L133 0612 .x(x)								
	43	141	141	157	157	157	171	171	184	197	
14	13,600										
15	13,600										
16	13,500										
17	13,500										
18	13,500										
20	13,500										
22	13,400										
24	13,300										
26	13,300										
28	13,200										
30	13,100										
32	13,100										
34	13,000										
36	13,000	13,100	11,600								
38	12,800	13,100	11,600	12,100	11,600	10,900					
40	12,600	13,100	11,600	12,100	11,600	10,900					
45	12,000	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700		
50	11,400	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500	
55	10,900	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500	
60	10,400	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500	
65	9,900	12,900	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500	
70	9,400	12,700	11,500	12,100	11,600	10,900	10,900	10,200	9,700	8,500	
75	8,900	12,500	11,300	12,000	11,500	10,800	10,900	10,200	9,700	8,500	
80	8,500	12,200	11,100	11,900	11,400	10,600	10,900	10,200	9,700	8,500	
85	8,100	11,900	10,900	11,700	11,200	10,400	10,700	10,200	9,700	8,500	
90	7,800	11,500	10,600	11,300	11,000	10,300	10,500	10,100	9,700	8,500	
95	7,500	11,200	10,200	11,000	10,700	10,100	10,300	9,900	9,600	8,500	
100	7,300	10,900	9,900	10,600	10,400	9,900	10,100	9,700	9,400	8,500	
105	7,000	10,600	9,700	10,400	10,200	9,600	9,900	9,500	9,200	8,500	
110	6,800	10,300	9,500	10,100	9,800	9,300	9,600	9,300	9,000	8,300	
115	6,500	9,900	9,300	9,800	9,600	9,100	9,300	9,100	8,800	8,200	
120	6,200	9,600	9,100	9,600	9,400	9,000	9,200	8,900	8,600	8,200	
125		9,400	8,900	9,400	9,200	8,800	9,000	8,700	8,500	8,000	
130		9,100	8,600	9,100	9,000	8,600	8,800	8,500	8,300	7,900	
135		8,900	8,400	8,900	8,800	8,400	8,600	8,400	8,100	7,800	
140		8,700	8,300	8,700	8,600	8,200	8,500	8,200	8,000	7,600	
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	
TAB 133	209	209	209	209	209	209	209	209	209	209	

	T	K 0°					
		95ft	99,200 lbs	29 x 27 ft	360°		

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0050< L133 0612 .x(x)							
	184	197								
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	9,700									
50	9,700	8,500								
55	9,700	8,000								
60	9,700	7,200								
65	9,700	6,200								
70	9,600	5,400								
75	9,200	4,700								
80	8,500	4,000								
85	7,800	3,400								
90	7,100									
95	6,500									
100	6,000									
105	5,500									
110	5,000									
115	4,500									
120	4,100									
125	3,700									
130	3,300									
135										
140										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	209	209								


T

K 0°

95ft



99,200
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0052< L133 0712 .x(x)							
	43	141	141	157	157	157	171	171	184	197
14	13,600									
15	13,600									
16	13,500									
17	13,500									
18	13,500									
20	13,500									
22	13,400									
24	13,300									
26	13,300									
28	13,200									
30	13,100									
32	13,100									
34	13,000									
36	13,000	13,100	11,600							
38	12,800	13,100	11,600	12,100	11,600	10,900				
40	12,600	13,100	11,600	12,100	11,600	10,900				
45	12,000	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	
50	11,400	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
55	10,900	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
60	10,400	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
65	9,900	12,900	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
70	9,400	12,700	11,500	12,100	11,600	10,900	10,900	10,200	9,700	8,500
75	8,900	12,500	11,300	12,000	11,500	10,800	10,900	10,200	9,700	8,500
80	8,500	12,200	11,100	11,900	11,400	10,600	10,900	10,200	9,700	8,500
85	8,100	11,900	10,900	11,700	11,200	10,400	10,700	10,200	9,700	8,500
90	7,800	11,500	10,600	11,300	11,000	10,300	10,500	10,100	9,700	8,500
95	7,500	11,200	10,200	11,000	10,700	10,100	10,300	9,900	9,600	8,500
100	7,300	10,900	9,900	10,600	10,400	9,900	10,100	9,700	9,400	8,500
105	7,000	10,600	9,700	10,400	10,200	9,600	9,900	9,500	9,200	8,500
110	6,800	10,300	9,500	10,100	9,800	9,300	9,600	9,300	9,000	8,300
115	6,500	9,900	9,300	9,800	9,600	9,100	9,300	9,100	8,800	8,200
120	6,200	9,600	9,100	9,600	9,400	9,000	9,200	8,900	8,600	8,200
125		9,400	8,900	9,400	9,200	8,800	9,000	8,700	8,500	8,000
130		9,100	8,600	9,100	9,000	8,600	8,800	8,500	8,300	7,900
135		8,900	8,400	8,900	8,800	8,400	8,600	8,400	8,100	7,800
140		8,700	8,300	8,700	8,600	8,200	8,500	8,200	8,000	7,600
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	208	208	208	208	208	208	208	208	208	208

	T	K 0°	 125,700 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0052< L133 0712 .x(x)							
	184	197								
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	9,700									
50	9,700	8,500								
55	9,700	8,000								
60	9,700	7,200								
65	9,700	6,200								
70	9,600	5,400								
75	9,200	4,700								
80	8,500	4,000								
85	7,800	3,400								
90	7,100									
95	6,500									
100	6,000									
105	5,500									
110	5,000									
115	4,500									
120	4,100									
125	3,700									
130	3,300									
135										
140										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	208	208								


T

K 0°

95ft



125,700
lbs



29 x
27
ft



360°

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0052< L133 0712 .x(x)							
	184	197								
145										
150										
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
230										
235										
240										
245										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
	TAB 133	208	208							




T

K 0°
95ft




125,700
lbs




29 x
27
ft



360°






STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0054< L133 0812 .x(x)							
	43	141	141	157	157	157	171	171	184	197
14	13,600									
15	13,600									
16	13,500									
17	13,500									
18	13,500									
20	13,500									
22	13,400									
24	13,300									
26	13,300									
28	13,200									
30	13,100									
32	13,100									
34	13,000									
36	13,000	13,100	11,600							
38	12,800	13,100	11,600	12,100	11,600	10,900				
40	12,600	13,100	11,600	12,100	11,600	10,900				
45	12,000	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	
50	11,400	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
55	10,900	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
60	10,400	13,100	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
65	9,900	12,900	11,600	12,100	11,600	10,900	10,900	10,200	9,700	8,500
70	9,400	12,700	11,500	12,100	11,600	10,900	10,900	10,200	9,700	8,500
75	8,900	12,500	11,300	12,000	11,500	10,800	10,900	10,200	9,700	8,500
80	8,500	12,200	11,100	11,900	11,400	10,600	10,900	10,200	9,700	8,500
85	8,100	11,900	10,900	11,700	11,200	10,400	10,700	10,200	9,700	8,500
90	7,800	11,500	10,600	11,300	11,000	10,300	10,500	10,100	9,700	8,500
95	7,500	11,200	10,200	11,000	10,700	10,100	10,300	9,900	9,600	8,500
100	7,300	10,900	9,900	10,600	10,400	9,900	10,100	9,700	9,400	8,500
105	7,000	10,600	9,700	10,400	10,200	9,600	9,900	9,500	9,200	8,500
110	6,800	10,300	9,500	10,100	9,800	9,300	9,600	9,300	9,000	8,300
115	6,500	9,900	9,300	9,800	9,600	9,100	9,300	9,100	8,800	8,200
120	6,200	9,600	9,100	9,600	9,400	9,000	9,200	8,900	8,600	8,200
125		9,400	8,900	9,400	9,200	8,800	9,000	8,700	8,500	8,000
130		9,100	8,600	9,100	9,000	8,600	8,800	8,500	8,300	7,900
135		8,900	8,400	8,900	8,800	8,400	8,600	8,400	8,100	7,800
140		8,700	8,300	8,700	8,600	8,200	8,500	8,200	8,000	7,600
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	207	207	207	207	207	207	207	207	207	207


	T	K 0°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

	 ft > < lbs		CODE >0054< L133 0812 .x(x)							
	43	141	141	157	157	157	171	171	184	197
145		8,400	8,100	8,500	8,400	8,000	8,300	8,000	7,800	7,500
150		8,200	7,900	8,300	8,200	7,900	8,100	7,800	7,700	7,400
155		8,000	7,700	8,100	8,000	7,700	7,900	7,700	7,600	7,300
160		7,800	7,600	8,000	7,800	7,600	7,700	7,500	7,500	7,200
165		7,700	7,400	7,800	7,700	7,400	7,600	7,300	7,300	7,000
170		7,500	7,300	7,600	7,500	7,300	7,500	7,200	7,200	6,900
175		7,300	7,100	7,400	7,300	7,200	7,300	7,100	7,100	6,700
180		7,200	7,000	7,300	7,200	7,000	7,200	7,000	7,000	6,600
185		7,000	6,800	7,200	7,100	6,900	7,100	6,900	6,900	6,400
190		6,900	6,800	7,100	7,000	6,800	7,000	6,800	6,800	6,300
195		6,700	6,600	6,900	6,900	6,600	6,900	6,600	6,600	6,100
200		6,600	6,400	6,800	6,800	6,500	6,800	6,500	6,500	5,900
205		6,400	6,100	6,700	6,700	6,300	6,700	6,400	6,400	5,700
210		6,300	5,900	6,600	6,500	6,000	6,600	6,300	6,200	5,600
215		6,100	5,700	6,400	6,300	5,700	6,400	6,200	6,100	5,300
220		6,000	5,500	6,200	6,200	5,500	6,200	6,000	6,000	5,000
225				6,100	6,000	5,300	6,000	5,800	5,800	4,800
230				5,900	5,800	5,100	5,800	5,600	5,500	4,500
235				5,000	5,600	4,800	5,500	5,300	5,300	4,300
240							5,100	5,200	5,100	4,000
245							4,600	5,000	4,800	3,800
250									4,500	3,600
255									4,100	3,400
260									3,700	3,200
265										3,000
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	207	207	207	207	207	207	207	207	207	207

	T	K 0°	 152,100 lbs	 29 x 27 ft	 360°		
--	---	------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0054< L133 0812 .x(x)							
	184	197								
14										
15										
16										
17										
18										
20										
22										
24										
26										
28										
30										
32										
34										
36										
38										
40										
45	9,700									
50	9,700	8,500								
55	9,700	8,000								
60	9,700	7,200								
65	9,700	6,200								
70	9,600	5,400								
75	9,200	4,700								
80	8,500	4,000								
85	7,800	3,400								
90	7,100									
95	6,500									
100	6,000									
105	5,500									
110	5,000									
115	4,500									
120	4,100									
125	3,700									
130	3,300									
135										
140										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	207	207								


T

K 0°

95ft



152,100
lbs



29 x
27
ft




360°

STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0054< L133 0812 .x(x)							
	184	197								
145										
150										
155										
160										
165										
170										
175										
180										
185										
190										
195										
200										
205										
210										
215										
220										
225										
230										
235										
240										
245										
250										
255										
260										
265										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								
TAB 133	207	207								




T

K 0°
95ft




152,100
lbs




29 x
27
ft



360°







STERLING CRANE

85%

Folding Fly, 0° Offset, 95' Extension

 ft	 ft > < lbs		CODE >0057< L133 0313 .x(x)							
	43	141	141	157	157	157	171	171	184	197
20	8,800									
22	8,800									
24	8,700									
26	8,600									
28	8,500									
30	8,500									
32	8,400									
34	8,400									
36	8,300									
38	8,300	8,200								
40	8,200	8,200								
45	7,900	8,200	7,100	7,500	7,100	6,600				
50	7,600	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	
55	7,200	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
60	6,800	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
65	6,500	8,200	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
70	6,100	8,000	7,100	7,500	7,100	6,600	6,800	6,400	6,000	5,100
75	5,800	7,800	7,100	7,400	7,100	6,600	6,800	6,400	6,000	5,100
80	5,500	7,700	7,000	7,200	7,000	6,600	6,800	6,400	6,000	5,100
85	5,300	7,500	6,800	7,100	6,800	6,600	6,700	6,300	6,000	5,100
90	5,000	7,300	6,700	6,900	6,700	6,500	6,600	6,200	5,900	5,100
95	4,800	7,100	6,500	6,200	6,500	6,300	5,900	6,000	5,500	4,800
100	4,600	6,600	6,300	5,100	6,200	6,100	4,800	5,800	4,800	
105	4,400	5,800	6,200		5,500	6,000		5,400		
110	4,300	5,000	6,000		4,600	5,600		4,500		
115	4,100	4,100	5,800			4,900				
120	4,000		5,400			4,200				
125	3,900		4,800							
130	3,800		4,100							
135	3,700		3,500							
140	3,500									
145	3,400									
150	3,300									
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23
TAB 133	066	066	066	066	066	066	066	066	066	066

	T	K 0°	 26,500 lbs	 29 x 27 ft	 360°		
--	---	------	--	---	--	--	--