



STERLING CRANE



Specifications

Vehicle dimensions




STERLING CRANE




Specifications

Vehicle dimensions

Tracks extended



Tracks retracted



General dimensions


Overall length	15.8 m
Overall width (tracks extended)	5.8 m
Overall width (tracks retracted)	3.66 m
Overall width (tracks removed)	2.97 m
Overall height (working)	4.5 m

STERLING CRANE




Transportation


Transport dimensions



Track frame assembly



 13.744
each



STERLING CRANE



Transportation

Transport plan							
		Dimensions L x W x H					
Crane transporter (with 2 winches, boom, wire rope)	48.410	15.78 m x 3.00 m x 3.23 m	X				
Left track frame	13.744	7.24 m x 1.16 m x 1.27 m		X			
Right track frame	13.744	7.24 m x 1.16 m x 1.27 m			X		
Counterweight A	10.590	1.27 m x 3.66 m x 1.18 m				X	
Counterweight B - 1 piece	10.590	1.24 m x 3.66 m x 0.47 m					X
Counterweight C - 1 piece	2.642	1.03 m x 1.11 m x 0.47 m					X
Counterweight C - 1 piece	2.642	1.03 m x 1.11 m x 0.47 m					X
Counterweight C - 1 piece	2.642	1.03 m x 1.11 m x 0.47 m				X	
Counterweight C - 1 piece	2.642	1.03 m x 1.11 m x 0.47 m				X	
Counterweight - Carbody - 1 piece	4.536	0.95 m x 1.30 m x 0.87 m		X			
Counterweight - Carbody - 1 piece	4.536	0.95 m x 1.30 m x 0.87 m			X		
Heavy lift jib	1.040	4.40 m x 0.84 m x 1.52 m				X	
Jib base section	454	6.40 m x 0.72 m x 1.04 m				X	
Jib point	452	7.83 m x 0.47 m x 0.72 m				X	
Jib insert	477	7.14 m x 0.66 m x 1.02 m					X
Jib insert	477	7.14 m x 0.66 m x 1.02 m					X
Auxiliary nose sheave	135	1.24 m x 0.65 m x 0.89 m				X	
Hook block - 120 t	1.024	1.73 m x 0.58 m x 0.58 m		X			
Overhaul ball - 12.5 t	199	0.81 m x 0.30 m x 0.30 m			X		
Miscellaneous items (crate)	227	1.22 m x 0.91 m x 0.91 m				X	
Total net weight on trailer (kg)			48.410	19.304	18.479	18.190	16.831


STERLING CRANE




Transportation

Transport dimensions


Main jib




Fly jib




Lattice jib insert



Heavy lift jib



Auxiliary nose sheave




STERLING CRANE





Transportation

Transport dimensions


Configuration A



kg
10.590




Configuration segment B





kg
10.590




Configuration B




kg
21.180




Configuration segment C





kg
2.642



Configuration C



kg
31.750



Carbody counterweight – 2 pieces

kg
4.535

